## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

χ	County	Fraction		Section number		Township number	Range number		
1) Location of well:	Haskell	SW 1/4 NE 1/4 SW	1/4	2		т <b>29</b> s	R 31	$\bigcirc$	
7. Distance and direction from nearest town or city:From Sublette go 6 North, 10 East, 1 South, 1 East, 1 North 8 Street address of well location if in city: City, state,									
4. Locate with "X" in section below:  Sketch map:						6. Bore hole dia. <u>28</u> in. Completion date Well depth <u>462</u> ft. <u>6-21-79</u>			
SW% of Sec. 2, T29S, R31W,  Haskell County, Kansas.						7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored X Reverse rotary  8. Use: Domestic Public supply Industry			
5 1 <del></del>					Dia. 16 in. to 287 ft. dep	th!Wall Thickness: inches			
5. Type and color of	material		Fro	om To	Ⅎ	Dia in. to ft. dept  10. Screen: Manufacturer's n		= rr	
Surface ar	nd brown clay			0 4	42	Typ.M/S.Louver	Dia. 16"		
Fine sand				42 5	54	Slot/gauze 1/8" Set between 287	ft. and 462	ft.	
Brown clay, sandy				54 7	71	Gravel pack? Yes Size ra	nge of material 3.7 1	mm ft.	
Brown clay			,	71 9	92	11. Static water level: 206 ft. below land sur	face Date 6-12-7	ју/уг. 79	
Fine to coarse sand with few clay streaks					- 1	12. Pumping level below land 352 ft. after 1	d surfaces:		
Fine to coarse sand and gravel				.26 23	30	ft. after	hrs. pumpingg.	.p.m.	
Fine to medium sand with clay streaks				30 25	56	13. Water sample submitted:	mo./do		
Gray clay			2	256 28	87	14. Well head completion:	Date		
Fine to medium sand with few clay streaks					80	15. Well grouted? Yes	12 inches above gra		
Fine to coarse sand, clean			3	308 40	09	With:Neat cement X Depth: From ft. to	Bentonite Con 10 ft.	crete	
Fine to medium sand with caliche streaks			4	109 4	42	16. Nearest source of possibl	e contamination:Unkne	own	
Fine to medium sand with few clay streaks, medium/loose				42 4	<u>62</u>	Well disinfected upon comple	etion? X Yes	No	
Tan cemented clay				462 4	90	Manufacturer's name  Model number 12KM	Bowler talled		
Gray shale				490 5	06	Length of drop pipe	ft. capacity <b>800</b> g.		
Red bed				506 5	10		X Turbine		
	(Use a second	sheet if needed)				Jet Centrifugal	Reciproca	ring	
Topography:  Hill Slope X Upland Valley	19. Remarks:					20. Water well contractor's This well was drilled under m is true to the best of my know Layne-Western Business name Addres Garden City Signed Authorized rep	wledge and belief.  Co., Inc. 1  Licens  KS 67846	02 se No.	