	WAT	ER WELL RECORD	Form WWC-5	KSA 82a-	-1212	MG :
1 LOCATION OF WATER	R WELL: Fraction		Sec	tion Number	Township Number	Range Number
County: Haskell	SW:		E 1/4	88	т 29 s	R 31 E
• '	m nearest town or city street		•		088	
	es east and 3½ mi.	les north of Su	blette, K	ansas 67	877	
2 WATER WELL OWNE	Cublatta Faad	ne				
RR#, St. Address, Box #	Sublette Kans				•	Division of Water Resources
City, State, ZIP Code					Application Number:	
J LOCATE WELL'S LOC	ATION WITH 4 DEPTH OF					
N X IN OLOTION L	Depth(s) Groun					3
ī			,		• • •	r8-19-82
NW -						umping gpm
						umping gpm
Mile M		•				n. to
Z "	i	TO BE USED AS:	5 Public wate		•	Injection well
1 sw	- SE 1 Domesti		6 Oil field wat		-	? Other (Specify below)
	2 Irrigation		-	-		
<u> </u>	·	al/bacteriological sample	submitted to De	-	· · · · · · · · · · · · · · · · · · ·	s, mo/day/yr sample was sub-
<u> </u>	mitted				ter Well Disinfected? Yes	
5 TYPE OF BLANK CAS		5 Wrought iron	8 Concre	_		ed X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify below		ded
2 PVC		7 Fiberglass			Thre	eaded
	5!!in. to407.					
	I surface	in., weight 24			ft. Wall thickness or gauge	No • 265
TYPE OF SCREEN OR I	PERFORATION MATERIAL:		7_PV	_	10 Asbestos-cen	nent
1 Steel	3 Stainless steel	5 Fiberglass		IP (SR)	11 Other (specify	y)
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S	12 None used (d	ppen hole)
SCREEN OR PERFORA	TION OPENINGS ARE:		zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot		wrapped		9 Drilled holes	<u> </u>
2 Louvered shutter	•	7 Torc			`	
SCREEN-PERFORATED						toft.
						to
GRAVEL PACK	INTERVALS: From	.10 ft. to .	4.07	ft., Fror	m ft.	to
	From	ft. to		ft., Fron		to ft.
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout				
Grout Intervals: From.	0 ft. to 1.0	ft., From	ft.	to	ft., From	., ft. to
	ce of possible contamination:					Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel:	storage 15	Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lag	goon	12 Fertili	izer storage 16	Other (specify below)
3 Watertight sewer	lines 6 Seepage pit	9 Feedyard		13 Insec	ticide storage	
Direction from well?	West - Southwest			How mai		
FROM TO	LITHOLOGI	C LOG	FROM	ТО	LITHOLO	GIC LOG
	See Attatched					
	/* 10					
	44					*\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
				ļ		
				ļ		
· -						
7 CONTRACTOR'S OR	LANDOWNER'S CERTIFICA	TION: This water well v	was (1) constru	cted, (2) reco	onstructed, or (3) plugged u	nder my jurisdiction and was
	ar) . August .18., .198					
	License No 145					
	of Henkle Drillin				ture) Bruss L	75 1 TH
INSTRUCTIONS: Use tvr	pewriter or ball point pen, PLE	ASE PRESS FIRMLY A	nd <i>PRINT</i> clear	ly. Please fill in	n blanks, underline or circle	the correct answers. Send ton
three copies to Kansas De	epartment of Health and Enviro	nment, Division of Enviro	nment, Environ	mental Geolog	gy Section, Topeka, KS 6662	0. Send one to WATER WELL
OWNER and retain one	for your records.					

DRILLERS TEST LOG

CUSTOMERS NAME STREET ADDRESS	Sublette Feeders		
CITY & STATE	Sublette, Kansas	67877	DRILLER Mai
	QUARTER		Domestic Well location

%	FOOTAGE			Static Water Level
	From Pay		TO	DESCRIPTION OF STRATA Proposed Well Depth 407'
	0		2	Top Soil
	2		65	Brown & white clay & caliche stks
	65		80	Sand - fine to med coarse small to large gravel
	80		87	Sandy clay
	87		187	Sand - fine to med coarse small to med & few large gravel, few
				clay stks and cemented ledges
	187		·191	Brown & yellow clay
	191		228	Sand - fine to med coarse small to large gravel
77	228		243	Brown clay, sand stks
40	243	16	259	Sand - fine to med coarse small gravel clay stks few cemented
	1			ledges.
	259		264	Gray clay
40	264	8	272	Sand - fine to med coarse small gravel, clay stks
	272		276	Gray clay
40	276	10	286	Sand - fine to med coarse small gravel clay stks
35	286	25	311	Sand - fine to med coarse small gravel & brown sandy clay
65	311	54	365	Sand - fine to med coarse small to med grayel, few sandy clay
				stks cemented in few places
60	365	20	385	Sand - fine to med coarse small to med gravel sandy clay stks
			1	& cemented ledges
	385	1	388	Brown clay
55	388	18	406	Sand - fine to med coarse small gravel, few sandy clay stks,
				cemented in places
	406		409	White clay
_55	409	111	420	Sand - fine to med coarse small gravel
	420		440	White clay & limerock & cemented sand
	440		460	Brown & tan clay - sticky
				Bentonite plug at 15
				Plugged 2 abandoned wells
				Used 9 ton #1 Fine gravel
				4 sacks Quik-Gel
				Total Depth 407'

GARDEN CITY, KS Phone 276-3278

HENKLE DRILLING & SUPPLY CO., INC. IRRIGATION HEADQUARTERS

SUBLETTE, KS Phone 675-4311 TEST HOLES * * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * STOCK WELLS