


1) LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: HASKELL		SE 1/4 SE 1/4 SW 1/4		11		T 29 S		R 31 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
3 West of Copeland, Kansas									
2) WATER WELL OWNER:		Barbara Riphahn				Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		Rt. 2, Box 24				Application Number: ---			
City, State, ZIP Code :		Copeland, Kansas 67837							
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4) DEPTH OF COMPLETED WELL: 400 ft. ELEVATION: Slope							
		Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 210 ft. below land surface measured on mo/day/yr June 9, 1986							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield 20 gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 9.7/8 in. to 400 ft., and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well							
		Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes XX No							
5) TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped							
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded							
XX PVC 4 ABS		7 Fiberglass Threaded							
Blank casing diameter 5 in. to 360 ft., Dia		in. to ft., Dia							
Casing height above land surface 15 in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265									
TYPE OF SCREEN OR PERFORATION MATERIAL:		XXXXPVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped XX Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS:		From 360 ft. to 400 ft., From ft. to ft.							
GRAVEL PACK INTERVALS:		From 14 ft. to 400 ft., From ft. to ft.							
6) GROUT MATERIAL: XX Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well							
XX Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? East		How many feet? 100							
FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG							
0 2 Topsoil									
2 28 Clay									
28 160 Fine Sand									
160 400 Med. to Lar. Sand and Gravel									
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) June 12, 1986 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) June 16, 1986									
under the business name of FRIESEN WINDMILL & SUPPLY INC. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									