} ,	
: 1	•
USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLARLY.	].
	_

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	·							
1. 4	County	Fraction		Section n	umber	Township number	Range number	
1. Location of well:	Haskell	NE 1/4 SW 1/4 NE	1/4	14		T 29 S	<sub>R</sub> 31	E.W
2. Distance and direct	tion from nearest town or city:	ette		ner of well:	Ĭ,	Wesley Trust c/o Eugene We	ו <sub>ם</sub> ה	
Street address of well	& 3 N. of Subl			tate, zip co		copeland, KS	67837	
4. Locate with "X" in		Sketch map:				6. Bore hole dig		<u>0-19</u> -76
<del>                                     </del>	!					7 Cable tool Rotary	Driven Dug	
\w	NE					Hollow rod Jetted		
w	E					8. Use: Domestic Pu  X Irrigation Air	r conditioning Sta	ock
sw	SE					Lown O		elow
1 [ ]	i					Threaded Welded RMP PVC	_iSurface12	
S <del>I</del> 1 Mi		MIN. 1				Di 16 in. t. 71 ft. dep		
5. Type and color of	material See atta	chment		From	То	Dia in. to ft. dep  10. Screen: Manufacturer's r	*****	19
<u> </u>						Type Louvered	n:- 16"	
						Slot/gauze 1/8"	Length	
		-				Set between 470 Gravel pack? Yes Size ra	ft. and300 and	ft.
				+-+				<u>X 1/</u> B
				┼		1198 ft. below land sur	face Date 10-	/day/уг. 21-76
				1		12. Pumping level below land1	d surfaces: hrs. pumping 143	5 <sub>1.p.m.</sub>
						ft. after	hrs. pumping	g.p.m.
						Estimated maximum yield — 13. Water sample submitted:	mo.	_g.p.m. ./day/yr.
						Yes X No  14. Well head completion:	Date	
				1 1		Pitless adapter	12 Inches above	grade
						15. Well grouted? YES With: Neat cement	X Bentonite	Concrete \
				+ +		Depth: From ft. to	TU ft.	<del></del>
***************************************						16. Nearest source of possibl	e contamination: OD	served
						Well disinfected upon comple 17. Pump:	X Not installed	<u>×</u> ∾  (v
						Manufacturer's name		
						Model number	HP Vol ft. capacity	
						Type: Submersible	Turbine	,   .
	(lise a second	heet if needed)				Jet Centrifugal	Recipro	ocating \
18. Elevation:	19. Remarks:					20. Water well contractor's		₩, K
Flat						This well was drilled under m is true to the best of my know		.   .
Topography: Hill						Henkle Drig.	& Supply	<del></del>   '
Slope	Boy 630 Carden City VC al						Y KS S	
Upland Valley						Signed Authorized rep	Date presentative	TO-50-16

## DRILLERS TEST LOG

CUSTOMERS NAME	Wesley Land	DATE 10-11-76
STREET ADDRESS	c/o Eugene Wedel	TEST # 1 E. Log 480
A CONTRACTOR TOTAL CONTRACTOR OF THE CONTRACTOR	Copeland, KS	DRILLER Rector
		TOWNSHIP 29 RANGE 31

LOCATION 1300' N. of S.W. corner of 1/4 and 250' E.

%	DRILLED FOOTAGE		POOTAGE	Static Water Level
	From	Pay	To	Description of Strata Proposed Well Depth
	0	110	3	Top soil
	3. ·		80	Brown clay and sand sts.
	80		216	Sand fine med. coarse and small gravel, loose, used
				water, mud med. heavy
	216		234	Brown clay and fine sand sts.
70	234	102	336	Sand fine med. coarse and small gravel, loose, use
				lots of water
	336		344	Blue clay and lime rock ledges
50	344	* 3	347	Sand blue med. coarse and small, loose
	347		356	Blue clay and lime rock
60	356	14	370	Blue sand fine med. coarse and small gravel, loose
70	370	30	400	Sand and gravel, fine med. coarse and small, dark
	1.4			in color, loose, used water, few clay and lime roc
	1.42 F.2			alsts. Take the company of the comp
45	400	20	420	Brown clay, lime rock and coarse sand
Load	420	25	445	Clay, gyp rock, fossils, used lots of water
boo	445	23	468	Cemented sand fine med. coarse, some brown clay an
	100	A 400		gyp rock, used lots of water
	468		471	Brown clay and lime rock
* 1 600	471		480	Yellow clay and blue clay
1.9	# 34 64 # 24 64	217		
\$ 2	44 <b>%</b>	$\alpha$		
		-127		TOTAL DEPTH OF WELL 471 FT.
2.77				
		1		set up east; pit on south
- 3-4-1				
		24		
	14 Maria			
				그리고 그는 그는 것이 없는 이 사람이 그렇게 하는 것을 가지 않는 것이다.

PHONE 276-3278

GARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS IRRIGATION HEADQUARTERS

PHONE 675-4311