COUNTY:	041 HAS	KETT:	;	Fract: NE	ion 1/4	NE	1/4 S	E	1/4	; Sec ; 17	tion	Number	 	Towns	ship N	lu a ber S	- 1	Range R 31	Numbe W	r
APPROX.	e and dir 1 1/2 MI	LES NORTH	AND 5	HILE	S WES	T OF	COPELA	ND												
WATER W	ELL OWNER Address	:	SUBL	ETTE I						·,		ard of								
City, S	tate, IIP	code :	SUBL	ETTE,	KS	67	7877-				A	plicat	ion N	umber:						
AN "X"	WELL'S LO				-															
!	: : :	1 1	i .	!	ţ.				ER LEVEI stdata:)9/9 0 g
;-	NW	i	NE	-			ted Yie	ld	25 gp:	: Well	wate	er was	0	ft. a	fter	0	hours	pumpin	ng	0 g
W !-		!	- !	x E	; Bo	ore Ho	ole Dia	s ete	r	12.2	in.	to 5	90 ft	., and		in.	to	0 ft.	•	
: : :_	SW	; ;	; SF	;	; W	ELL W	ATER TO	BE I	USED AS	01 DC	DMEST	C								
/	; ; ;	i i i	: : :	1	i W	as a (f yes,	chemica , mo/da	l/ba	cteriol sample	ogical was su	samp ubmit	le subm ted	itted	to de	partmo	ent? N Wate	o; rwel	l disi	nfecte	i? \
Blank c Casing	asing dia height ab	ove land	surfac	6 in. :e	to 12 i	590 1.,	ft., wei	Dia	i	ı. to	0	ft., l thick	Dia iness	i or gau	n. to ge No	31	ft. .6			
Blank c Casing TYPE OF	asing dia	meter ove land R PERFORA	surfac TION M	6 in. :e MATERI	to 12 i: AL: (590 1., 07 PV	ft., wei C	Dia ght	i	ı. to	0	ft., l thick	Dia ness	i or gau	n. to ge No	31	ft. 6			
Blank c Casing TYPE OF SCREEN	asing dia height ab SCREEN O	meter ove land R PERFORA ATION OPE	surfac TION M NINGS	6 in. e MATERI ARE:	to 12 i: AL: (590 7., 07 PV 03 MII	ft., wei C LL SLO1 29 ft.	Dia ght to	33 f	n. to os/ft. t., Fro	0 Wal	l thick 390 ft.	ness	or gau 410 f	ge No.	31	ft. 6			
Blank c Casing TYPE OF BCREEN	asing dia height ab SCREEN O OR PERFOR	meter ove land R PERFORA ATION OPE D INTERVA	surfac TION M NINGS LS:	6 in. e MATERI ARE:	to 12 in AL: (590 7., 07 PV 03 MII	ft., wei C LL SLOT 29 ft. 350 ft. 25 ft.	Dia ght to to	4.1	1. to 05/ft. t., Fro t., Fro	0 Wal	1 thick 390 ft. 450 ft. 0 ft.	to	or gau 410 f 470 f 0 f	ge No.	0 31	ft. 6	<u></u> ,		
Blank c Casing TYPE OF GCREEN GCREEN G GROUT M	asing dia height ab SCREEN O OR PERFOR PERFORATE GRAVEL PAC	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT	surfac TION M NINGS LS: LS:	6 in.	to 12 in AL: (590 7., 07 PV(03 MII 0# 0#	ft., wei C LL SLOT 29 ft. 350 ft. 0 ft.	Dia ght to to	33 f 370 f 590 f 0 f	to os/ft. t., Fro t., Fro t., Fro	0 Wal	390 ft. 0 ft. 0 ft.	to to to	410 f 470 f 0 f	 t. t. t. t.	31	·			
Blank c Casing FYPE OF SCREEN SCREEN GROUT M Grout I What is	asing dia height ab SCREEN O OR PERFOR PERFORATE GRAVEL PAC MATERIAL Intervals:	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est source	surfac TION M NINGS LS: LS: ONITE 5 ft	6 in.	to 12 in AL: (590 7 PV(03 MII 08 ; 08 ;	ft., wei C LL SL01 29 ft. 350 ft. 0 ft , From	Dia ght to to	33 f 370 f 590 f 0 ft.	1. to 05/ft. t., Fre t., Fre t., Fre	0 Wal	1 thick 390 ft. 450 ft. 0 ft.	to to to	410 f 470 f 0 f	 t. t. t. t.	31	.:			
lank c asing YPE OF CREEN CREEN GROUT M FROUT I	asing dia height ab SCREEN O OR PERFOR PERFORATE GRAVEL PAC MATERIAL Intervals:	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est source	surfac TION M NINGS LS: LS: ONITE 5 ft	6 in.	to 12 in AL: (590 7 PV(03 MII 08 ; 08 ;	ft., wei C LL SL01 29 ft. 350 ft. 0 ft , From	Dia ght to to	33 f 370 f 590 f 0 ft.	1. to 05/ft. t., Fre t., Fre t., Fre	0 Wal	390 ft. 0 ft. 0 ft.	to to to	410 f 470 f 0 f	 t. t. t. t.	31	.:	w many	feet?	
lank c asing YPE OF CREEN 	asing dia height ab SCREEN O OR PERFOR PERFORATE GRAVEL PAC MATERIAL Intervals: the near ion from w	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est source ell?	surfac TION M NINGS LS: LS: ONITE 5 ft	6 in.	to 12 in AL: (From From From From From From From From	590 7 PV(03 MII 08 ; 08 ;	ft., wei C LL SL01 29 ft. 350 ft. 0 ft. , From	Dia ght to to	33 f 370 f 590 f 0 ft.	1. to 05/ft. t., Fro t., Fro t., Fro to RVED	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	390 ft. 0 ft. 0 ft.	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.	w many		
llank c lasing YPE OF CREEN GCREEN GROUT M Grout I Shat is	asing dia height ab SCREEN O OR PERFORATE PERFORATE GRAVEL PAC MATERIAL Intervals: the near ion from w TO 2	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est sourcell?	surfac TION M NINGS LS: LS: ONITE 5 ft e of p	6 in.	to 12 in AL: (From From From From From From From From	590 590 590 590 590 590 590 590	ft., wei C LL SLOT 29 ft. 350 ft. 0 ft. , From ination	Dia ght to to	33 f 370 f 590 f 0 ft.	1. to 05/ft. t., Fro t., Fro t., Fro to RVED	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			
clank clasing YPE OF CCREEN GCREEN GROUT M Frout I Shat is Directi FROM 0 2 43	asing dia height ab SCREEN O OR PERFORATE GRAVEL PACEMATERIAL Intervals: the near ion from well as the following the second seco	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est source ell? 01 CL 04 SA 07 FI	surfac TION M NINGS LS: LS: ONITE 5 ft e of p	6 in. PATERI ARE: L. to Possib L. AY 07	to 12 in AL: (From From From From From From From From	590 7 PVI 707 PVI 708 MII 708 S 708	ft., wei C LL SLOT 29 ft. 350 ft. 25 ft. 0 ft. , From ination LO6	Dia ght to to	33 f 370 f 590 f 0 ft.	1. to 05/ft. t., Fro t., Fro t., Fro to RVED	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			
clank c casing YPE OF CREEN GCREEN GROUT M Grout I What is Directi FROM 0 2 43 64	asing dia height ab SCREEN OF PERFORATE GRAVEL PACE ATTENDED TO	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est sourcell? 1 01 CL 1 04 SA 1 07 FI 1 04 SA	surfac TION M NINGS LS: LS: ONITE 5 ft e of p AY NDY CL NE SAN NDY CL	6 in. PATERI ARE: L AY 07 ND 08 AY 20	to 12 in AL: (From From From From From From From From	590 PVI DO NO. 100 PV	ft., wei C LL SLOT 29 ft. 350 ft. 0 ft. , From ination LOG ND	Dia ght to to to	33 f 370 f 590 f 0 ft.	t., Fro	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			
clank classing YPE OF CCREEN GCREEN GROUT M Grout I What is Directi FROM 0 2 43 64 82	asing dia height ab SCREEN OF PERFORATE GRAVEL PACE MATERIAL Intervals: the near ion from which is the sear is the search is	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est sourcell?	surfac TION M NINGS LS: LS: ONITE 5 ft e of p AY NDY CL DIUM S	6 in. ENATERI ARE: L. to Dossib L.AY 07 ND 08 LAY 20 SAND 1	to 12 in AL: (From From From From From From From From	590 PVI DO NO. 100 PV	ft., wei C LL SLOT 29 ft. 350 ft. 0 ft. , From ination LOG ND	Dia ght to to to	33 f 370 f 590 f 0 ft.	t., Fro	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			
Casing TYPE OF SCREEN GROUT M Grout I What is Directi FROM 0 2 43 64 82 202	asing dia height ab SCREEN OOR PERFORATE PACE PACE PACE PACE PACE PACE PACE PAC	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est source ell? 1 04 SA 1 07 FI 1 04 SA 1 08 ME 1 04 SA	surfac TION M NINGS LS: LS: ONITE 5 ft e of p NDY CL NE SAM NDY CL DIUM S	AY 07 ND 08 LAY 20 SAND 1 LAY	to 12 in AL: (From From From From From From From From	590 PVI DO NOT PVI DO	ft., wei C LL SLOT 29 ft. 350 ft. 25 ft. 0 ft ination LO6 ND ND E AVEL 14	Dia ght to to to	33 f 370 f 590 f 0 ft.	t., Fro	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			
Casing IYPE OF SCREEN GCREEN GROUT M Grout I What is Directi FROM 0 2 43 64 82 202 206	asing dia height ab SCREEN OF PERFORATE PREFORATE PACE PACE PREFORATE TO	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA O3 BENT From est source ell? O1 CL O4 SA O7 FI O4 SA O8 ME O4 SA O8 ME	surfac TION M NINGS LS: LS: ONITE 5 ft e of p MDY CL NE SAN NDY CL DIUM S	AY 07 ND 08 LAY 20 SAND 1 LAY SAND 1	to 12 in AL: (From From From From From From From From	590 PVI DO NOT PVI PVI DO NOT PVI DO NOT PVI	ft., wei C LL SLOT 29 ft. 350 ft. 25 ft. 0 ft. , From ination LOG ND ND E AVEL 14	Dia ght to to to to	33 f 370 f 590 f 0 ft. NE OBSE	t., Fro	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			
Blank c Casing TYPE OF SCREEN SCREEN GROUT M Grout I What is Directi FROM 0 2 43 64 82 202	asing dia height ab SCREEN OOR PERFORATE SRAVEL PACE SRAVEL PACE STATE S	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA O3 BENT From est source ell? O1 CL O4 SA O7 FI O4 SA O8 ME O4 SA O8 ME	surfac TION M NINGS LS: LS: ONITE 5 ft e of p MDY CL DIUM S DIUM S DIUM S	AY 07 ND 08 LAY 20 SAND 1 LAY SAND 1	to 12 in AL: (From From From From From From From From	590 PVI DO NOT PVI PVI DO NOT PVI DO NOT PVI	ft., wei C LL SLOT 29 ft. 350 ft. 25 ft. 0 ft. , From ination LOG ND ND E AVEL 14	Dia ght to to to to	33 f 370 f 590 f 0 ft.	t., Fro	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			
Blank c Casing TYPE OF SCREEN SCREEN GROUT M Grout I What is Directi FROM 0 2 43 64 82 202	asing dia height ab SCREEN OOR PERFORATE PACE PACE PACE PACE PACE PACE PACE PAC	meter ove land R PERFORA ATION OPE D INTERVA K INTERVA 03 BENT From est source ell? 1 04 SA 1 07 FI 1 04 SA 1 08 ME 1 04 SA	surfac TION M NINGS LS: LS: ONITE 5 ft e of p NDY CL NE SAM NDY CL DIUM S	AY 07 ND 08 LAY 20 SAND 1 LAY	to 12 in AL: (From From From From From From From From	590 PVI DO NOT PVI DO	ft., wei C LL SLOT 29 ft. 350 ft. 25 ft. 0 ft ination LO6 ND ND E AVEL 14	Dia ght to to to	33 f 370 f 590 f 0 ft.	t., Fro	O de de la composición del composición de la composición de la composición del composición de la composición del composición de la composición de la composición del composi	1 thick 390 ft. 450 ft. 0 ft. 	to to	410 f 470 f 0 f	 t. t. t. t.	0 1	 ft.			- ? -

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 07/18/91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 10/11/91

under the business name of HENKLE DRILLING & SUPPLY

y (signature)

1 LOCATION OF WATER WELL: : Township Number ! Fraction : Section Number ; Range Number COUNTY: 041 HASKELL NE 1/4 NE 1/4 SE 1/4 : T 29 S 1 17 ; R 31 2 WATER WELL OWNER: SUBLETTE FEEDERS RR#, St. Address, Box # : BOX 917 Board of Agriculture, Division of Water Resources City, State, ZIP code : SUBLETTE, KS 67877-Application Number: SCREEN PERFORATED INTERVALS: 49 ft. to 51 ft., From 570 ft. to 590 ft. From 530 ft. to 550 ft., From 0 ft. to 0 ft. FROM ! TO ; LITHOLOGIC LOG 419 : 425 ; 01 CLAY 28 ROCK 425 ; 443 : 19 SHALE 443 : 587 ; 19 SHALE 23 SANDSTONE 587 : 612 : 19 SHALE

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 07/18/91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145

This Water Well Record was completed on (mo/day/yr) 10/11/91

under the business name of HENKLE DRILLING & SUPPLY

by (signature) Daugher A. Henk