

WATER WELL RE		W W C-3	137	1		on of Water		W 11 ID	
		e in Well Use				ces App. No.		Well ID	N. 1
1 LOCATION OF WA	TER WELL:	Fraction	1/	l l	Section	on Number	Township Numb		ge Number
County:	1/4 1/4	1/4	1/4			T S	R	$\Box E \Box W$	
2 WELL OWNER: Las	t Name:	First:					here well is located		
Business: Address:	direction from nearest town or intersection): If at owner's address, check here:					eneck nere:			
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COM	IPI ETED WE	т.		ft	5 Lotitud	0.		(decimal decuses)
WITH "X" IN	4 DEPTH OF COMPLETED WELL: ft. 5 Latitude: (decimal degrees Depth(s) Groundwater Encountered: 1)								
SECTION BOX:	2) ft. 3						Longitude:		
N	WELL'S STATIC WA								
	□ below land surface,				···· GPS (unit make/model:			)	
NW   NE	☐ above land surface,				( 1				
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map				
W E	after hours	ater was			☐ Online Mapper:				
SW   SE	after hours								
	Estimated Yield:			gpiii	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:			. ft. and					
mile	•••						Other		
7 WELL WATER TO	BE USED AS:								
1. Domestic:		ter Supply: well				10. 🔲 Oil I	Field Water Supply: 1	ease	
Household		g: how many wel							
Lawn & Garden		echarge: well ID					d Uncased		
Livestock		g: well ID					mal: how many bore		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmenta	al Remediation: v							
4. ☐ Industrial	☐ Recovery	☐ Injecti		Attaction			r (specify):		
Was a chemical/bacterio		-		Vas 🗆 N	io T		ample was submitte		
Water well disinfected?		utteu to KDHE	' ⊔	ies 🗀 N	0 1	i yes, date s	ampie was submitte	a	
8 TYPE OF CASING U		C D Other		СЛ	SINC	C IOINTS:	□ Clued □ Clempe	d 🗆 Waldad	I D Threaded
Casing diameter									1 🔲 Illieaded
Casing height above land su							ess or gauge No		
TYPE OF SCREEN OR I						,, 411 (11101111	or gauge 1 to		
☐ Steel ☐ Stainle			VC			☐ Other	(Specify)		
☐ Brass ☐ Galvai	nized Steel	rete tile \( \square\) N	lone us	sed (open h	nole)				
SCREEN OR PERFORA									
							Other (Specify)		
Louvered Shutter [	∐ Key Punched	ire Wrapped	∐ Sav	w Cut L	_l Nor	ne (Open Hol	e)	<b>C</b>	c
SCREEN-PERFORATEI									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Line					☐ Fe	ertilizer Stora	ge 🔲 Oil We	ell/Gas Well	
☐ Other (Specify)									
			om we						G DIEEDII I G
10 FROM TO	LITHOLOG	FIC LOG		FROM		TO L	ITHO. LOG (cont.) o	r PLUGGINO	J INTERVALS
<del>                                     </del>									
<del>                                     </del>									
					-				
					-				
Notes:									
11 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICAT	TION	: This wa	ater v	vell was 🔲	constructed, $\square$ rec	onstructed,	or  plugged
under my jurisdiction and	was completed on (m	no-day-year)		aı	nd thi	is record is	true to the best of m	y knowleds	ge and belief.
Kansas Water Well Contr	actor's License No	Th	is Wa	ter Well F	Recor	d was comp	leted on (mo-day-y	ear)	
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Phil & Julie Dirks	
Doc ID	1157259	

## Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	78	BROWN SANDY CLAY
78	124	SAND FINE TO MED COARSE SMALL FEW MED GRAVEL
124	130	BROWN SANDY CLAY
130	208	SAND FINE TO MED COARSE SMALL GRAVEL
208	213	BROWN SANDY CLAY
213	232	SAND FINE TO MED COARSE FEW SMALL GRAVEL W/ COUPLE CLAY LEDGES
232	268	SAND FINE TO MED COARSE
268	277	BROWN SANDY CLAY
277	301	BLUE CLAY
301	326	SAND FINE TO MED COARSE W/ COUPLE CLAY STRINGERS
326	339	BLUE CLAY
339	400	SAND FINE TO MED COARSE
400	432	FINE SAND W/ MANY CLAY STRINGERS
432	450	SAND FINE TO MED COARSE
450	470	FINE SAND W/ SOME CLAY STRINGERS

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Phil & Julie Dirks	
Doc ID	1157259	

## Litholgy

From	То	LithologicLog
470	500	SAND STONE W/ FEW SOAPSTONE
500	532	SANDSTONE & SOAPSTONE
532	560	SOAPSTONE W/ SOME SANDSTONE
560	632	SOAPSTONE