WATER WELL RECORI	D	Form WV	WC-5	Div	vision of Wate	r Resources App. N	o. L			
1 LOCATION OF WATER		Fraction		Sectio	n Number	Township No.	Range N			
County: HASKELL Street/Rural Address of Well Location; i		SE ¼ NE ¼	1/4 1/4	Clabal	11 	T 29 S	R 31			
	Global Positioning System (GPS) information: Latitude: .37.54930									
from nearest town or intersection: If at owner's address, check here FROM COPELAND, 2 MILES EAST ON HWY 56. 1/2 MILE				Longitude: -100.67316 (in decimal degrees)						
NORTH ON CO. RD XX, THROUGH FIELD RD.					Elevation: 2858 FT. Datum:					
2 WATER WELL OWNER: MRS. EVERETTE KOELLING			- Datum Collec	Datum: WGS 84, NAD 83, NAD 27 Collection Method:						
RR#, Street Address, Box #: 2006 LA MESA DR			Z	GPS unit (Make/Model:)						
City, State, ZIP Code : DODGE CITY, KS 67801			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m							
3 LOCATE WELL			405				13 13 III, <u>L</u>			
		COMPLETED WELI					(2)	م		
SECTION BOX: Dept	WELL'S STATIC WATER LEVEL 329ft. below land surface measured on mo/day/yr. 3/19/15 Pump test data: Well water was 360ft. after									
" " TA AA	FOT VIELD 750 W.11									
								zell		
	Demostic Decider Doil field water supply Devetoring Detect (Specify below)									
Irrigation										
Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted										
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: ☐ Glued ☐ Clamped 💆 Welded ☐ Threaded										
Casing diameter 16 in. to 335 ft., Diameter 16 in. to 475-485 ft., Diameter in. to ft.										
Casing height above land surface. 12										
✓ Steel ☐ Stainless	Steel	□ PVC		Other (S	Specify)					
		None used (open he	ole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From										
SCREEN-PERFORATED INT 	ERVALS:	From 435	t. to435 ft. to475		ft., From	It.	to	ft.		
GRAVEL PACK INT	ERVALS:	From20	ft. to200		ft From	ft.	to	ft.		
		From 200	ft. to485		ft., From	ft.	to	ft.		
6 GROUT MATERIAL: Grout Intervals: From .0	Neat ceme	ent Cement grout	☐ Bento	nite ₹] Other . H.Y.	E				
What is the nearest source of po				11. 10	16.,	From	10. 10			
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below						below)				
Sewer lines Watertight sewer lines		e Abandoned water well orage Oil well/gas well N/A								
Direction from well										
	LITHOLOG	IC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING I	NTERVALS		
SEE ATTAC	CHED							New York (1987)		
	manner o minimum de la companya de l			***************************************						
M COMPRISON OF THE	ATTO CAR IN THE W	of Chibania Charc	NI. TOL.	11		The state of the s		T 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .03/17/20.15 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 748 This Water Well Record was completed on my/day/year) 94/03/2015										
under the business name of DOWNEY DRILLING, INC. by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420 Topeka, Kansas 66612-367.										
Telephone 785-296-5524. Send one	copy to WATI	ER WELL OWNER and reta	in one for your	records.	Include fee of	\$5.00 for each constru	cted well. V	isit us at		
		http://www.kdheks.gov	/waterwell/ind	x html				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		

WELL LOG



DATE: 3/17/2015

CUSTOMER NAME: MRS. EVERETTE KOELLING

LEGAL: SE/SW 35-27S-32W

COUNTY: HASKELL

GPS: <u>37 32.421" N</u>

100 40.386" W

FROM	то	TYPE	HARDNESS	COLOR	OTHER / DRILLING ACTION
0	70	TOP SOIL AND SANDY CLAY			
70	186	GRAVEL AND MEDIUM-COARSE SAND		hay a side of the	
186	266	MEDIUM-COARSE SAND AND MEDIUM GRAVEL			
266	286	MEDIUM-COARSE SAND AND MEDIUM GRAVEL WITH SANDY CLAY LAYERS			
286	306	MEDIUM-COARSE GRAVEL		***************************************	A CONTRACTOR OF THE PROPERTY O
306	326	MEDIUM GRAVEL			
326	346	MEDIUM GRAVEL WITH A SANDY CLAY LAYER @ 334			
346	365	MEDIUM GRAVEL			
365	386	SANDY CLAY WITH SAND			
386	392	MEDIUM-COARSE GRAVEL		<u> </u>	
392	403	SANDY CLAY			
403	410	MEDIUM GRAVEL, GRAVEL, AND SAND		***************************************	
410	418	MEDIUM COARSE SAND AND MEDIUM GRAVEL			
418	423	SANDY CLAY WITH A TRACE OF CEMENTED SAND			
423	425	SILTSTONE			
425	436	SANDY CLAY			
436	438	SILTSTONE AND SANDY CLAY			
438	441	SANDSTONE AND BROKEN ROCK			
441	445	SANDY CLAY			
445	485	BLUE CLAY			

			·		