KOLAR Document ID: 1377391

WATER WELL			WWC-5		vision of Wat			W-II ID	
Original Record I LOCATION OF V			e in Well Use Fraction		ources App. 1 ction Numb		Township Numb	Well ID	ge Number
County:	VALEK WEI	<i>1</i> 1 <i>1</i> ,					T S	R R	$\Box E \Box W$
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and									
							section): If at owner		
Address:									
Address:									
City:		State:	ZIP:						
S LOCATE WELL WITH "X" IN	3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL: ft. 5 Latitude:						(decimal degrees)		
SECTION BOX:			Encountered: 1)		ft. Longitude:(decimal degrees)				
N		2) ft. 3) ft., or 4) \Box E WELL'S STATIC WATER LEVEL:							AD 27
				·· <u>Source for Latitude/Longitude</u> : ·· □ GPS (unit make/model:)					
			, measured on (mo-day- , measured on (mo-day-						
NW NE			vater was f			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			.0)
W E			s pumping			□ Online Mapper:			
SW SE			vater was f						
			s pumping	gpm	6 Elevation:ft. Ground Level TOC				
	Estimated Y		gpm in. to	ft and		Source: Land Survey GPS Topographic Map			
1 mile	Dore Hote I		in. to						
7 WELL WATER T	O BE USED A								
1. Domestic:			ter Supply: well ID		10. 🗖 O	il Fie	ld Water Supply: le	ase	
☐ Household	6. 🗌] Dewaterin	g: how many wells?		11. Test	Hole:	well ID		
🗌 Lawn & Garden		•	echarge: well ID						
			g: well ID				al: how many bores		
 2. ☐ Irrigation 3. ☐ Feedlot 		Air Sparge	al Remediation: well II e D Soil Vapor I						
4. Industrial		Recovery		Extraction	b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
		•	5						
Was a chemical/bacte Water well disinfected				res 🗆 No	II yes, dat	te san	ipie was sublittle	u:	
8 TYPE OF CASING			C D Other	CASI	NG IOINTS	<u>c.</u>	Cluad Clampad	D Walda	1 🗆 Threaded
Casing diameter									
Casing height above land							or gauge No		
TYPE OF SCREEN O							0 0		
🗆 Steel 🛛 Sta	inless Steel	🗌 Fiber				ther (S	pecify)		
	vanized Steel	Conc Conc		ised (open hol	e)				
SCREEN OR PERFO						_			
Continuous Slot	☐ Mill Slot ☐ Key Puncl				Orilled Holes None (Open I		Other (Specify)		
SCREEN-PERFORAT							ft From	ft to	ft
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. o ft. o ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.									
Grout Intervals: From									
Nearest source of possible contamination:									
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage									
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Wetertickt Sewage Lines Sewage Dite Factivities Oil Well/Cac Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)									
Direction from well? ft.									
10 FROM TO		ITHOLOG		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS
	Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged									
under my iurisdiction :	under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Co	ntractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)	
under the business nan	ne of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									

Form	WWC5		
Contractor	Downey Drilling, Inc.		
Well Owner	MAYNARD WOODSON		
Doc ID	1377391		

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	11	CLAY
11	13	MAG & CLAY
13	71	SANDY CLAY
71	79	F. GRAVEL & MED SAND
79	100	SANDY CLAY & MAG LAYERS
100	117	FINE GRAVEL & MED SAND
117	122	MED/TR C GRAVEL
122	174	F/M GRAVEL
174	187	F. GRAVEL & SC
187	201	SANDY CLAY W/ TR SAND
201	208	F. GRAVEL
208	223	SANDY CLAY
223	246	SANDY CLAY & F. GRAVEL
246	296	MED/C SAND & F. GRAVEL
296	330	C/VC SAND & F. GRAVEL
330	351	C/VC SAND & F. GRAVEL/MAG
351	379	MED/C SAND & F. GRAVEL
379	386	M/C SAND & F. GRAVEL W/ SILT LENSES
386	388	CEM SAND & MAG
388	395	MED/C SAND

Form	WWC5		
Contractor	Downey Drilling, Inc.		
Well Owner	MAYNARD WOODSON		
Doc ID	1377391		

Litholgy

From	То	LithologicLog
395	415	SILTY SANDY CLAY W/ F/M SAND
415	416	MAG
416	426	MED SAND & ROCK /TR SILT
426	427	CEM. SAND
427	436	SILTY SANDY CLAY & SILT
436	437	CEM SAND
437	441	ROCK & TR WEATHERED SHALE
441	442	WEATHERED SHALE/CLAY