LI COATION OF WATER WE			L RECORD	FORM WWW	VU-5 NOM 828					
1 LOCATION OF WATER WE		n	,	VW	Section Number 14	***		Range	_	
County: Haskell	SI	Cablate				T 29	<u>S</u>	R	32 E(W)	
stance and direction from ne				Street	address of well if	located within cit	y:			
WATER WELL OWNER:	Emery Sto									
RR#, St. Address, Box # :	T A 1 0000/				Board of Agriculture, Division of Water Resources					
City, State, ZIP Code :							n Number:			
DEPTH OF COMPLETED	WELL472.	ft. Bore Ho	e Diameter					. in. to	ft.	
Well Water to be used as:		water supply			conditioning		njection well			
1 Domestic 3 Feedlot		eld water supply			vatering	12 (	Other (Specif	y below)		
2 rrigation 4 Industrial		and garden on			servation well					
Well's static water level										
Pump Test Data Est. Yield	: Well wate				.1	hours pumping. hours pumping			gpm   gpm	
4 TYPE OF BLANK CASING			ought iron		oncrete tile					
	RMP (SR)		bestos-Cement		ther (specify below				i	
	ABS		perglass			,			· · · · · · · · · · · · · · · · · · ·	
Blank casing dia 16			•							
Casing height above land surf										
TYPE OF SCREEN OR PERF			, <del>wo</del> lgiit		7 PVC		s or gauge r bestos-ceme			
	Stainless steel		ergiass		RMP (SR)					
	Galvanized steel		ncrete tile		9 ABS		one used (op			
		8 00		zed wrapo				11 None (o	oon holo)	
Screen or Perforation Opening				e wrapped		9 Drilled holes		TT NOTE (O	Jen noie,	
1 Continuous slot	4 Key punch		7 Toro		)	10 Other (speci				
2 Louvered shutter Screen-Perforation Dia	, ,				in to					
					ft., From					
Screen-Perforated Intervals:					ft., From					
Occupi Book Internation										
Gravel Pack Intervals:					ft., From				_	
	From		. to				ft. to			
	4 414					011-				
5 GROUT MATERIAL:	1 Neat cement	2 Cen	nent grout	3	Bentonite 4	Other				
Grouted Intervals: From	0 ft. to		nent grout . ft., From	3 !	ft. to	ft., From		ft. to		
Grouted Intervals: From What is the nearest source of	f possible contami	nation:	. ft., From		ft. to 10 Fuel	ft., From storage	14 A	ft. to bandoned wa		
Grouted Intervals: From What is the nearest source of 1 Septic tank	f possible contamined 4 Cess pool	nation:	. ft., From 7 Sewage la	agoon	ft. to 10 Fuel 11 Ferti	ft., From storage izer storage	14 A 15 O	bandoned wa bil well/Gas w		
Grouted Intervals: From	f possible contami Cess pool Seepage pit	nation:	7 Sewage la	agoon	ft. to 10 Fuel 11 Ferti 12 Inser	tt., From storage izer storage sticide storage	14 A 15 O	ft. to bandoned wa il well/Gas we ther (specify		
Grouted Intervals: From	f possible contamined 4 Cess pool	1,0	7 Sewage la 8 Feed yard 9 Livestock	agoon I pens	10 Fuel 11 Ferti 12 Insec 13 Wate	storage izer storage sticide storage ertight sewer lines	14 A 15 O • 16 O	the first teach of the first tea	ft. ter well ell below)	
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy	10 nation:	7 Sewage la 8 Feed yard 9 Livestock	agoon I pens	ft. to	tt., From storage izer storage sticide storage entight sewer lines.	14 A 15 C 16 C	ft. to bandoned wa il well/Gas we ther (specify Inknown No	ter well  ell below)	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well.  Was a chemical/bacteriological	f possible contami Cess pool Seepage pit Pit privy	1,0 nation: How many do to Departmen	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon I pens	10 Fuel 11 Ferti 12 Insec 13 Water? Water	storage izer storage cticide storage ertight sewer lines Well Disinfected	14 A 15 O 16 O	the feature of the fe	ter well ell below) , date sample	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contami Cess pool Seepage pit Pit privy al sample submitte	How many	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon I pens	10 Fuel 11 Ferti 12 Insection 13 Water 12 Water 13 Water 14 Water	storage izer storage sticide storage entight sewer lines Well Disinfected o X	14 A 15 O 16 O	ft. to bandoned wa il well/Gas we ther (specify InknownNoIf yes No	ft. ter well ell below)	
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted	f possible contaminate Cess pool Seepage pit Pit privy all sample submitte	10How many ed to Departmen	ft., From  7 Sewage la 8 Feed yard 9 Livestock pleet nt? Yes day	agoon I pensye	10 Fuel 11 Ferti 12 Inser 13 Water	tt., From storage izer storage eticide storage ertight sewer lines Well Disinfected	14 A 15 O 16 O 7 Yes . X	t. ft. to bandoned wa il well/Gas we ther (specify Inknown No If yes No Volts	ft. ter well ell below), date sample	
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy al sample submittemonth name Layne.	10	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon I pensye	10 Fuel 11 Ferti 12 Inser 13 Water? Water No	storage izer storage cticide storage ertight sewer lines Well Disinfected  X  HP  HP	14 A 15 O 16 O 	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No Volts L600		
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy	How many ed to Departmer & .Bowler I 320.	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon I pensyeyeModel Pumps 3 Jet	10 Fuel 11 Ferti 12 Inser 13 Wate? Water No	storage izer storage eticide storage etight sewer lines Well Disinfected O X ed? Yes trifugal 5	14 A 15 O 16 O 	ft. to bandoned wa if well/Gas we ther (specify InknownNoIf yes NoVolts L600	ter well below) , date sample gal./min.	
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica was submitted  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  6 CONTRACTOR'S OR LAN	f possible contaminate Cess pool Seepage pit 6 Pit privy for all sample submitted from month from Layne.  1 Submersible NDOWNER'S CER	How many ed to Department & Bowler I 20.	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon pens ye Model Pumps 3 Jet	10 Fuel 11 Ferti 12 Inser 13 Water	storage izer storage eticide storage etight sewer lines Well Disinfected  X ed? Yes HP trifugal 5 constructed, or (3	14 A 15 C 16 C	ft. to bandoned wa il well/Gas we ther (specify Inknown No If yes No Volts L600 g 6 der my jurisd	ter well below)  , date sample gal./min. 6 Other iction and was	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contamined 4 Cess pool 5 Seepage pit 6 Pit privy all sample submitted month name. Layne.  1 Submersible NDOWNER'S CER	How many ed to Departmen & Bowler Sturbing Turbing TriFICATION:	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon pens Model Pumps 3 Jet I was (1) c	10 Fuel 11 Ferti 12 Insect 13 Water	storage izer storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP constructed, or (3 1980	14 A 15 O 16 O 	ft. to bandoned wa iif well/Gas we ther (specify Inknown No If yes No Volts L600 der my jurisd	ter well bell below)  , date sample gal./min.  Other iction and was	
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy all sample submitte	How many ed to Departmen	7 Sewage la 8 Feed yard 9 Livestock pleet	pens ye Model Pumps 3 Jet I was (1) c	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Capacity rated at 4 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 4 Cen 19 Capacity rated at 4 Cen 19 Capacity rated at 4 Cen 10 Capacity rated at 4 Cen 10 Capacity rated at 4 Cen 11 Capacity rated at 4 Cen 12 Capacity rated at 4 Cen 13 Capacity rated at 4 Cen 14 Capacity rated at 4 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 4 Cen 19 Capacity rated at 6 Cen 10 Capacity rated at 6	tt., From storage izer storage eticide storage etight sewer lines. Well Disinfected o	14 A 15 O 16 O 	ft. to bandoned wa il well/Gas we ther (specify Jnknown No If yes No Volts L600 g Ger my jurisd	ter well bell below) , date sample gal./min. Other iction and was year	
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica was submitted  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR LAN completed on  and this record is true to the This Water Well Record was	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy all sample submitte month mame. Layne		7 Sewage la 8 Feed yard 9 Livestock pleet	agoon pens ye Model Pumps 3 Jet was (1) c 30, r Well Cont	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 4 Cen 18 Capacity rated at 4 Cen 18 Capacity rated at 4 Cen	storage izer storage cticide storage right sewer lines Well Disinfected o X ad? Yes HP ctrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O  (? Yes . X  Reciprocatin ) plugged un	ft. to bandoned wa il well/Gas we ther (specify Jnknown No If yes No Volts L600 g Ger my jurisd	ter well bell below)  , date sample gal./min.  Other iction and was	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy all sample submitte month mame. Layne.  1 Submersible NDOWNER'S CERT best of my knowle completed on the company.	How many ed to Department & Bowler I 320.  2 Turbin monted and belief November Inc.	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon pens ye Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signs	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 4 Cen	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes trifugal 5 constructed, or (3 1980 do 102 day 19	14 A 15 O 16 O  V ? Yes . X  Reciprocation plugged un	ft. to bandoned wa il well/Gas we ther (specify Inknown No If yes No Volts L600 g der my jurisd	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy all sample submitte month mame. Layne.  1 Submersible NDOWNER'S CERT best of my knowle completed on the company.	How many ed to Department & Bowler I 320.  2 Turbin montedge and belief November Inc.	7 Sewage la 8 Feed yard 9 Livestock pleet	pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 M 102	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriologica was submitted	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy all sample submitte month mame. Layne.  1 Submersible NDOWNER'S CER Ctober best of my knowle completed on company, TION FROM DN 0	How many ed to Department & Bowler I ago.  2 Turbin montedge and belief. November Inc. TO 46 B/c	7 Sewage la 8 Feed yard 9 Livestock pleet	pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes trifugal 5 constructed, or (3 1980 do 102 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy all sample submitte month mame. Layne.  1 Submersible NDOWNER'S CERT best of my knowle completed on the company.	How many ed to Department & Bowler I ago.  2 Turbin montedge and belief. November Inc. TO 46 B/c	7 Sewage la 8 Feed yard 9 Livestock pleet	pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriologica was submitted	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy all sample submitte month mame. Layne.  1 Submersible NDOWNER'S CER Ctober best of my knowle completed on company, TION FROM DN 0	How many ed to Department & Bowler I and a second with a s	7 Sewage la 8 Feed yard 9 Livestock pleet	agoon I pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa OGIC LOG	10 Fuel 11 Ferti 12 Insection 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well.  Was a chemical/bacteriologica was submitted	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy al sample submitte	How many ed to Department & Bowler I 320 Turbin monte edge and belief. November Inc. TO 46 B/c 64 Bro 84 F s	7 Sewage la 8 Feed yard 9 Livestock   feet	agoon I pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa OGIC LOG	10 Fuel 11 Ferti 12 Insection 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submittemonthmameLay.ne  1 Submersible NDOWNER'S CER 1 Ctoberbest of my knowle completed onrn Company,TON 1 FROM 0 46 64	How many ed to Department & Bowler I and a series and belief.  November Inc.  TO 46 B/c 64 Browler B 155 Browler B 100 B	7 Sewage la 8 Feed yard 9 Livestock pleet 11: Yes 12: day 14: line 15: ft 16: line 16: LITHOLO 12: lay w/few 16: lay w/few 16: lay w/clay	agoon pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa OGIC LOG w sand	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rated at 7 Cen 18 Capacity rated at 8 Cen 18 Capacity rated at 8 Cen 18 Capacity rated at 9 Cen 18 Cap	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriologica was submitted	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submitte	How many ed to Department & Bowler I ago.  TIFICATION: montedge and belief. November Inc. TO 46 B/c 64 Browler I ago. 155 Browler I Light I Li	7 Sewage la 8 Feed yard 9 Livestock pl feet	pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa OGIC LOG w sand ay stre	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submitte	How many ed to Department & Bowler I ago.  Turbin Monte and belief.  November Inc.  TO  46 B/c 64 Brown Brow	7 Sewage ia 8 Feed yard 9 Livestock process feet	agoon pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month. by (signa OGIC LOG w sand ay stre	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriologica was submitted	f possible contaminate Cess pool 5 Seepage pit 6 Pit privy for all sample submitter for month for a seepage pit 6 Pit privy for all sample submitter for month for a seepage pit 6 Pit privy for all sample submitter for month for a seepage pit 6 Pit privy for a seepage pit for a seep	How many ed to Department & Bowler I ago.  To ago and belief.  November Inc.  TO 46 B/c 64 Browler I ago.  155 Browler I ago.  161 Lig. 167 Gray 175 Lig.	7 Sewage ia 8 Feed yard 9 Livestock process feet	agoon pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month. by (signa OGIC LOG w sand ay stre	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted.  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  6 CONTRACTOR'S OR LAN completed on	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submitte	How many ed to Department & Bowler I and the second	7 Sewage la 8 Feed yard 9 Livestock   feet	agoon I pens	10 Fuel 11 Ferti 12 Insect 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 17 Cen 17 Capacity rated at 18 Cen 18 Capacity rated at 18 Ce	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted.  If Yes: Pump Manufacturer's Depth of Pump Intake.  Type of pump:  6 CONTRACTOR'S OR LAN completed on	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submitte	How many ed to Department 320 Turbin Movember Inc. TO 46 B/c 64 Brown 84 F s 155 Brown 167 Grain 175 Lig 204 Sar 234 Cen	7 Sewage la 8 Feed yard 9 Livestock   feet	agoon I pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa OGIC LOG w sand ay stre ed clay ed	10 Fuel 11 Ferti 12 Insect 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 17 Cen 17 Capacity rated at 18 Cen 18 Capacity rated at 18 Ce	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted.  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  6 CONTRACTOR'S OR LAN completed on	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submitte	How many ed to Department & Bowler I and a series and belief.  November Inc. TO 46 B/c 64 Brown B4 F series 167 Grant 175 Liguary 234 Cen 250 Sar	7 Sewage la 8 Feed yard 9 Livestock process feet	agoon pens  Model Pumps 3 Jet was (1) c 30, r Well Cont month by (signa OGIC LOG w sand ay stre ed clay ed ndstone	10 Fuel 11 Ferti 12 Insect 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 17 Cen 17 Capacity rated at 18 Cen 18 Capacity rated at 18 Ce	storage izer storage eticide storage eticide storage etight sewer lines Well Disinfected o X ed? Yes HP etrifugal 5 constructed, or (3 1980 day 19	14 A 15 O 16 O . U ? Yes . X	ft. to bandoned wa if well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd year unde	ter well below)  date sample gal./min. Cother iction and was year	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted.  If Yes: Pump Manufacturer's Depth of Pump Intake.  Type of pump:  6 CONTRACTOR'S OR LAN completed on	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submitte	How many ed to Department & Bowler I ago and belief. November Inc. TO 46 B/c 64 Browler I ago and belief. November Inc. TO 46 B/c 64 Browler I ago and belief. Liguet I ago and belief. Solvember I ago and belief. All I ago and belief. Solvember I ago and belief. TO 46 B/c 64 Browler I ago and belief. Liguet I ago and belief. Solvember I ago and belief. Liguet I ago and	7 Sewage la 8 Feed yard 9 Livestock   feet	pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa OGIC LOG w sand ay stre ed clay ed ndstone loose tight	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	ft., From storage izer storage izer storage eticide storage eticide storage eright sewer lines. Well Disinfected o. X	14 A 15 O 16 O . U ? Yes X 165	ft. to bandoned wa il well/Gas we ther (specify Inknown No If yes No Volts L600 g	ter well below)  , date sample  gal./min.  6 Other iction and was year rer the business	
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted	f possible contami 4 Cess pool 5 Seepage pit 6 Pit privy  al sample submitte	How many ed to Department & Bowler I ago with a second sec	7 Sewage la 8 Feed yard 9 Livestock   feet	pens  Model Pumps 3 Jet I was (1) c 30, r Well Cont month by (signa OGIC LOG w sand ay stre ed clay ed ndstone loose tight fit	10 Fuel 11 Ferti 12 Inser 13 Water 13 Water 13 Water 14 Cen 15 Capacity rated at 4 Cen 16 Capacity rated at 4 Cen 17 Capacity rated at 4 Cen 18 Capacity rated at 5 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 6 Cen 18 Capacity rated at 7 Cen 18 Capacity rat	ft., From storage izer storage eticide storage eticide storage entight sewer lines. Well Disinfected o. X	14 A 15 C 16 C 16 C 17 Yes . X Reciprocation plugged un  80 Red be	ft. to bandoned wa il well/Gas we ther (specify Inknown No If yes No L600 g der my jurisd	ter well ell below)  , date sample  gal./min. 6 Other iction and was year the busines	