

USE TYPEWRITER OR BALL
POINT PEN—PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

| | | | | | | |
|--|--|--------------------------|---|---|---------------------------------------|---------------------------|
| 1. Location of well: | | County Haskell | Fraction SW 1/4 SW 1/4 NE 1/4 | Section number 17 | Township number T 29 S R 32 | Range number 32 |
| 2. Distance and direction from nearest town or city: 2 3/4 N. of Sublette Street address of well location if in city: | | | | 3. Owner of well: John Kelman R.R. or street: Sublette, KS 67877 City, state, zip code: | | |
| 4. Locate with "X" in section below: N W E S 1 Mile Sketch map: Well drilled 7-6-76 | | | | 6. Bore hole dia. 26 in. Completion date 7-8-76 Well depth 452 ft. | | |
| 5. Type and color of material See attachment | | | | 7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary | | |
| | | | | 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other | | |
| | | | | 9. Casing: Material Steel Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 31 lbs./ft. Dia. 16 in. to 452 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 188 | | |
| | | | | 10. Screen: Manufacturer's name Brown Type Louvered Dia. 16" Slot/gauze 1/8" Length 70' Set between 380 ft. and 350-450 ft. ft. and <input type="checkbox"/> ft. Gravel pack yes Size range of material 1/4 x 1/8 | | |
| | | | | 11. Static water level: <input type="checkbox"/> mo./day/yr. 255 ft. below land surface Date 7-8-76 | | |
| | | | | 12. Pumping level <input type="checkbox"/> low land surfaces: 309 ft. after <input type="checkbox"/> hrs. pumping 1300 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m. | | |
| | | | | 13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/> | | |
| | | | | 14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade | | |
| | | | | 15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft. | | |
| | | | | 16. Nearest source of possible contamination: None observed ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | |
| 17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other | | | | | | |
| (Use a second sheet if needed) | | | | | | |
| 18. Elevation: Flat Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley | | 19. Remarks: | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drlg. & Supply 145 Business name <input type="checkbox"/> License No. <input type="checkbox"/> Address Box 639 Garden City, KS Signed C. R. Bethune Date 7-12-76 Authorized representative | | |

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

DRILLERS TEST LOG

CUSTOMERS NAME John Kelman DATE 6-25-76
STREET ADDRESS _____ TEST # 1 E. Log 520'
CITY & STATE Sublette, KS DRILLER Rector
COUNTY Haskell QUARTER NE SECTION 17 TOWNSHIP 29 RANGE 32

LOCATION 320' S of NW corner of 1/4

Well Location

| % | DRILLED FOOTAGE | | Description of Strata | Static Water Level |
|----|-----------------|--------|---|---------------------|
| | From | Pay To | | Proposed Well Depth |
| | 0 | 3 | Top soil | |
| | 3 | 49 | Brown clay, caliche and fine sand | |
| | 49 | 233 | Sand fine med. coarse and small gravel, some large, ragged in places, used water | |
| | 233 | 238 | Brown clay | |
| | 238 | 260 | Blue clay and sand sts. | |
| | 260 | 291 | Blue clay (sticky) | |
| 55 | 291 | 8 299 | Sand fine med. coarse, small gravel, loose, used lots of water | |
| | 299 | 318 | Blue clay | |
| 20 | 318 | 7 325 | Sand fine med. coarse | |
| | 325 | 340 | Brown clay, lime rock and sand | |
| 65 | 340 | 70 410 | Sand fine med. coarse and small gravel, loose, used lots of water, very small clay and lime rock sts. | |
| | 410 | 424 | Brown clay and lime rock | |
| 30 | 424 | 16 440 | Fine sand, brown sandy clay and lime rock | |
| 45 | 440 | 10 450 | Sand fine med. coarse, loose, used | |
| | 450 | 507 | Brown clay (sticky) | |
| | 507 | 520 | Shale | |
| | 111 | | | |
| | | | TOTAL DEPTH OF WELL 452 FT. | |
| | | | Set up north; pit on east | |

RDEN CITY, KANSAS
ONE 276-3278

HENKLE DRILLING & SUPPLY CO., INC.
IRRIGATION HEADQUARTERS

SUBLETTE, KANSAS
PHONE 675-4311

ST HOLES*****STOCK WELLS*****IRRIGATION AND INDUSTRIAL WELLS*****