#1 C				WELL RECORD	Form WW	C-5 KSA	82a-1212		
1 LOCATI	ON OF WAT	ER WELL:	Fraction			Section Num	ber	Township Number	Range Number
County:	<u> Haskel.</u>	L	C 1/4	NW 1/4	SW 1/4	24		т 29 s	R 32 E (₩)
Distance a	and direction	from nearest town	or city street add	ress of well if locat	ed within ci	y? Sub	lette	, Ks. Jct. H	iwy 83-56, 5½ Mi
NE o	n Hwy !	56.3/4 no	rth & eas	st into lo	cation	•	,		
	R WELL OW			& Mike S					_
_	Address, Box		Star Rou			-	Che	eyenne/ Pet. Board of Agriculture	Inc. Division of Water Resources
	, ZIP Code			sas 67877				-	
									105-000
AN "X"	IN SECTION								
									3
Ŧ 1	- ! !	! W							3789
1 .	w	NF							umping gpm
	i I	E	st. Yield . 85	gpm: Well wa	ter was		ft. after .	hours p	umping gpm
• L	i	Bo	ore Hole Diamete	r97/.8 .in. to	5 . 4 4	₽ 0	.ft., and		n. to
* w	\ -	· · · · · · · · · · · · · · · · · · ·	ELL WATER TO	BE USED AS:	5 Public	water supply	8 Air	conditioning 11	Injection well
7	^ '	1 1	1 Domestic	3 Feedlot			_	watering 12	Other (Specify below)
1 1	sw	SE	2 Irrigation	4 Industrial	-			-	
1	! 1	: w	•			•	•		s, mo/day/yr sample was sub-
<u>t</u>			itted	otoriological sample	Submitted	o Dopartinen		ell Disinfected? Yes	
E TYPE	OF BLANK C	ASING USED:		- Maranaha inan	0.0				edX Clamped
<u> </u>				Wrought iron		oncrete tile			
1 St		3 RMP (SR)		Asbestos-Cemen		her (specify t	,		ded
******	vc)	4 ABS		7 Fiberglass					eaded
Blank cas	ing diameter	5563in.	. to 280	ft., Dia	ir	. to		., Dia	. in. to ft.
				n., weight 🎚			lbs./ft. Wa	III thickness or gauge I	No #848 . 2.65
TYPE OF	SCREEN O	R PERFORATION I	MATERIAL:		9	PVC)		10 Asbestos-cem	ent
1 St	teel	3 Stainless s	teel !	5 Fiberglass	8	RMP (SR)		11 Other (specify)
2 B	rass	4 Galvanized	steel	6 Concrete tile	9	ABS		12 None used (o	pen hole)
SCREEN	OR PERFOR	RATION OPENINGS	S ARE:	5 Gau	zed wrappe	d	(8.5	Saw cut	11 None (open hole)
1 C	ontinuous slo	t 3 Mill :	slot	6 Wire	wrapped		,	Orilled holes	,
	ouvered shutt		punched	7 Toro					
		ED INTERVALS:) #			toft.
OOMELIV	TEM OFFICE	ED HATERIALO.							toft.
	CDAVEL DA	CK INTERVALS:							toft.
,	GRAVEL FA	CK INTERVALS:			هم چې .				I
-1			From	ft. to					to ft.
	T MATERIAL			Cement grout	$\frac{2}{3}$	entonite			200
Grout Inte				ft., From	Ø	ft. to4		•	ft. to30.0ft.
What is the	ne nearest so	ource of possible co	ntamination:			10 L	_ivestock p		Abandoned water well
1 S	eptic tank	4 Lateral	lines	7 Pit privy		11 F	uel storaç	ge <u>(15</u>	Oil well/Gas well
2 Sewer lines 5 Cess po			ool	8 Sewage lagoon		12 F	ertilizer s	torage 16	Other (specify below)
3 W	atertight sew	er lines 6 Seepag	e pit	9 Feedyard		13	nsecticide	storage	
Direction	from well?	Southeast	:			How	many fee	et? 110	
FROM	ТО		LITHOLOGIC LO	OG	FRO				INTERVALS
o_	4	Backfill		•55	cu. f	et of	backf	ill	
4	6	Neet ceme	ent	.27				cement	
6	26	Bentonite		2.73				nite grout	
26	290	Chlorinat				SEL 01		inated grav	_1
4 1	2 2 2 3								eT
290	300	Bentonite	1 T T T T T T T T T T T T T T T T T T T	1.36				nite grout	
300	440	Chlorinat	ted grave	T 19.10	Cu. I	eet of	curor	inated grav	eT
	1			and the second second	·				
	'RACTOR'S								nder my jurisdiction and was
7 CONT	'RACTOR'S								nder my jurisdiction and was nowledge and belief. Kansas
completed	RACTOR'S of on (mo/day	year) Marcl	h. 17.,. 198	19		and this	record is	true to the best of my k	
completed Water We	"RACTOR'S of on (mo/day	/year) Marcl 's License No	h 17. 198 118	19 This Water		and this	record is eted on (m	true to the best of my k	nowledge and belief. Kansas
completed Water We under the	PACTOR'S of on (mo/day bill Contractor business na	year) Marcl 's License No me of Carlile	h 17., 198 118 e Water W	19This Water Yell Servi	Well Recor	and this d was comple	record is eted on (m signature)	true to the best of my k	nowledge and belief. Kansas