

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Haskell</u>	NW 1/4 NW 1/4 NW 1/4	33	T 29 S	R 32 EW

Distance and direction from nearest town or city street address of well if located within city?

.25 miles N.E. of Sublette, Kansas

2 WATER WELL OWNER:	County of Haskell County	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	300 Inman, P.O. Box 578	Application Number:
City, State, ZIP Code :	Sublette, Kansas 67877	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL... 340... ft. ELEVATION:
	Depth(s) Groundwater Encountered 1... ft. 2... ft. 3... ft. WELL'S STATIC WATER LEVEL... 291... ft. below land surface measured on mo/day/yr Pump test data: Well water was... ft. after... hours pumping... gpm Est. Yield... gpm: Well water was... ft. after... hours pumping... gpm Bore Hole Diameter... 8.75... in. to... 340... ft., and... in. to... ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MW-4 Was a chemical/bacteriological sample submitted to Department? Yes... No... X... If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes... No...

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued... Clamped...
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded... Threaded... X
Blank casing diameter... 4... in. to... ft., Dia... in. to... ft., Dia... in. to... ft.			
Casing height above land surface. Flush Mount... in., weight... lbs./ft. Wall thickness or gauge No. Schedule 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From... 337... ft. to... 297... ft., From... ft. to... ft.		
GRAVEL PACK INTERVALS:	From... 337... ft. to... 279... ft., From... ft. to... ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From... 279 ft. to... 0 ft., From... ft. to... ft., From... ft. to... ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well? <u>NW</u>				How many feet? <u>2000 ft</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	30	Top Soil	283	340	Medium to Coarse Sand, small Gravel
30	49	Brown Silty Clay			
49	89	Brown Clay & Gypsum			
89	94	Medium to Coarse Sand, Some small Gravel			
94	109	Brown Clay			
109	170	Medium to Coarse Sand, Few Clay Streaks			
170	182	Medium to Coarse Sand & Gravel			
182	192	Brown Clay			
192	208	Medium to Coarse Sand & Gravel			
208	223	Brown Clay			
223	243	Fine to Medium Sand			
243	257	Medium to Coarse Sand, Few Clay Streaks			
257	273	Brown Clay			
273	283	Medium to Coarse Sand			
		Brown & Gray Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-4-98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>540</u> This Water Well Record was completed on (mo/day/yr) <u>9-3-98</u> under the business name of <u>Prairie Land Environmental Remediation, Inc.</u> (signature)
