WATER WELL RECORD Form WWC-5 KSA 82a-1212    Distance and direction from nearest town or city street address of well if located within city?   From Sublette, 2 miles east, 1/2 north on the east side	Resourceftgpngpnft
Distance and direction from nearest town or city street address of well if located within city?  From Sublette, 2 miles east, 1 north on the east side  WATER WELL OWNER: Michael Green  RR, St. Address, Box #: RR  RR  Board of Agriculture, Division of Water Application Number: 21, 935  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1, 252, ft. ELEVATION:  Depth(s) Groundwater Encountered 1, 252, ft. below land surface measured on mo/day/yr .7-5-84, Pump test data: Well water was .278, ft. after .1, hours pumping .761, Est. Yield .1350, gpm: Well water was .391, ft. after .2, hours pumping .1326, Bore Hole Diameter .24, in. to .4.94, ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamps Threaded Threaded Threaded	Resourceftgpngpnft  elow)ft
WATER WELL OWNER: Michael Green  RR, St. Address, Box #: RR  Subject, KS 67877	ftgpngpnftgbn
WATER WELL OWNER: R#, St. Address, Box #: RR  RR  RR  RR  RR  Sublette, KS 67877  Application Number: 21,935  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  WELL'S STATIC WATER LEVEL . 252. ft. 2 ft. 3.  WELL'S STATIC WATER LEVEL . 252. ft. after . 1, hours pumping . 7.61.  Est. Yield . 1350 gpm: Well water was . 301. ft. after . 2, hours pumping . 1326.  Bore Hole Diameter . 24 in. to . 4.94 ft., and. in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be water well Disinfected? Yes No  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	ftgpngpnftgbn
R#, St. Address, Box # : RR  ty, State, ZIP Code : Sublette, KS 67877	ftgpngpnftgbn
ty, State, ZIP Code : Subjette, KS 67877	ftgpngpnftgbn
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1. 252. ft. 2. ft. 3.  WELL'S STATIC WATER LEVEL. 252. ft. below land surface measured on mo/day/yr 7-5-84.  Pump test data: Well water was 278. ft. after 1. hours pumping 761.  Est. Yield 1350 gpm: Well water was 301. ft. after 2. hours pumping 1326.  Bore Hole Diameter 24. in. to 494. ft., and in. to well water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr samp mitted Water Well Disinfected? Yes No.  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 15 Clamped	gpngft pelow) ble was su
WELL'S STATIC WATER LEVEL 252 ft. below land surface measured on mo/day/yr .7-5-84.  Pump test data: Well water was 278 ft. after 1 hours pumping .761.  Est. Yield .1350 gpm: Well water was 301 ft. after 2 hours pumping .1326.  Bore Hole Diameter .24 in. to .494 ft., and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beauty) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes	gpngft pelow) ble was su
WELL'S STATIC WATER LEVEL 252 ft. below land surface measured on mo/day/yr .7-5-84  Pump test data: Well water was .278 ft. after .1 hours pumping .761  Est. Yield .1350. gpm: Well water was .301 ft. after .2 hours pumping .1326  Bore Hole Diameter 24 in. to 4.94 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify b 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr samp mitted Water Well Disinfected? Yes No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threaded	gpngft pelow) ble was su
Pump test data: Well water was 278 ft. after 1 hours pumping 7.61.  Est. Yield 1350 gpm: Well water was 301 ft. after 2 hours pumping 1326.  Bore Hole Diameter 24 in. to 4.94 ft., and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beginning 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  Was a chemical/bacteriological sample submitted to Department? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water well Disinfected? Yes No. X; If yes, mo/day/yr sample water w	gpn gpn ft elow) ole was su
Pump test data: Well water was 278. ft. after 1. hours pumping 7.61.  Est. Yield 1350 gpm: Well water was 301 ft. after 2 hours pumping 1326.  Bore Hole Diameter 24 in. to 4.94 ft., and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beginning 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  Was a chemical/bacteriological sample submitted to Department? Yes No. X; If yes, mo/day/yr sample water was 301 ft. after 2 hours pumping 7.61.  No. X; If yes, mo/day/yr sample water was 301 ft. after 2 hours pumping 1326.  Type OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 15 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	gpn gpn ft elow) ole was su
Est. Yield . 1350 gpm: Well water was . 301	elow) ole was su
Bore Hole Diameter	elow) ole was su
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify b  2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  Was a chemical/bacteriological sample submitted to Department? Yes	elow) ble was su X
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  Was a chemical/bacteriological sample submitted to Department? Yes	ole was su
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	ole was su
Was a chemical/bacteriological sample submitted to Department? YesNoX; If yes, mo/day/yr sample submitted to Department? Yes	ole was su X
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	Χ
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	
1 Steel         3 RMP (SR)         6 Asbestos-Cement         9 Other (specify below)         Welded            2 PVC         4 ABS         7 Fiberglass          Threaded	5U
2 PVC 4 ABS 7 Fiberglass	
ank casing diameter . 1.6 in. to	
using height above land surface	
/PE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
	n hole)
	i noie)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
From	
GRAVEL PACK INTERVALS: From10	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
rout Intervals: From0ft. toft., Fromft. toft., Fromft., Fromft. to	
/hat is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	well
· · · · · · · · · · · · · · · · · · ·	laur)
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify bet 3 Watertight sewer lines 6 Seepage pit 9 Feedvard 13 Insecticide storage none observed.	iow)
irection from well?  How many feet?  FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
See attached log	
	on and w
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction impleted on (mo/day/year)	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdictic impleted on (mo/day/year) July 12, 1984 and this record is true to the best of my knowledge and be ater Well Contractor's License No 145 This Water Well Record was completed on (mo/day/yr) July 20 1984	elief. Kans
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction impleted on (mo/day/year)	elief. Kans

## DRILLERS TEST LOG

				DRILLERS TEST LOG		
CUSTO	MERS N	NAME_	el Green DATE 5-30-84			
	T ADDE		TEST # 1 E. LOG yes			
CITY	& STA1	'E				
CITY & STATE Sublette, KS 67877 DRILLER Livingston COUNTY Haskell QUARTER SW SECTION 35 TOWNSHIP 29 RANGE						
Harkell Source 2M Operion 22 Loughitt 54 KHAGE 25						
LOCATION 250' South of Old Well						
Well Location						
8		'ootag		Static Water Level		
	From	Pay	To	DESCRIPTION OF STRATA Proposed Well Depth		
	0		3	Top soil		
	3		58	Brown clay and few fine sand streaks and caliche streaks		
	58		80	Sand fine to medium, small to large gravel		
	80		91	Brown sandy clay lime rock and sand streaks.		
	91		104	Sand fine to medium and brown sandy clay		
	104		110	Brown sandy clay		
	110		260	Sand fine to medium, small to large gravel		
50	260	16	276	Sand fine to medium, coarse, small gravel		
75	276	64	340	Sand fine to medium, coarse, small to large gravel		
70	340	46	386	Sand fine to medium, coarse, small to medium gravel, few large		
				gravel and clay streaks.		
	386		400	Brown sandy clay, limerock ledges and few fine sand streaks.		
65	400	15	415	Sand fine to medium. coarse, small gravel and very few clay stks		
	415		421	Brown clay		
20	421	29.	450	Brown sandy clay limerock and fine sand streaks.		
	450		457	Brown clay limerock streaks		
50	457	144	471	Sand fine to medium, and few coarse and small brown gravel		
	471		483	Brown clay limerock and few fine sand streaks.		
45	483	08 /	491	Sand fine to medium, few coarse and clay streaks.		
50	491		500	Brown clay and few fine sand streaks - Sluffing		
50	500	06	506	Brown rock sandstone and fine sand		
	506		517	Yellow and gray soapstone and few limestone streaks.		
	517		575	Weathered shale and few limestone ledges		
25	57.5	25	620	Dakota and few shale streaks and few limestone ledges		

Hard from 587' to 588'

Limestone

Red Bed

at 660' used lots of water

very good

Cheyenne Dakota, limestone ledges from 652' to 664', Mixed hull's

GARDEN CITY, KS Phone 277-2389

30

620

664

666

44

664

666

667

Total Depth 1494'

Move location west to get Rig spotted 4'or5

Set up south

Pit on the west