

WATER WELL RI ☐ Original Record ☐		W W C-5		0000		sion of Water			Wall ID		
1 LOCATION OF WA		e in Well I Fraction				irces App. Nion Number		Township Numb	Well ID	ana Numban	
County:	TIEK WELL:	1/4		1/4 1/4	Secu	ion Numbei	Γ	Township Numb T S	er Rai	nge Number □ E □ W	
2 WELL OWNER: La	. N		74		r Duro	1 Addragg	whon	e well is located			
Business:	st Name:	First:									
Address:	direction from nearest town of intersection). If at owner is address, effect from						check here.				
Address:											
City:	State:	ZIP:									
3 LOCATE WELL	4 DEPTH OF COM	IPLETE	D WELL:		ft	5 Latitu	de.			(decimal degrees)	
WITH "X" IN	4 DEPTH OF COMPLETED WELL: ft. Depth(s) Groundwater Encountered: 1)										
SECTION BOX:	2) ft. 3							WGS 84 □ NAI			
14	WELL'S STATIC WAT	TER LEV	EL:	ft	ft. Source for Latitude/Longitude:				(IID 27		
	below land surface,				·)			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)			
NW NE	above land surface,										
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map						
W E	after hours					Online Mapper:					
SW SE X	after hours				ım						
	Estimated Yield:		••••••	sp.111	6 Elevation:ft. ☐ Ground Level ☐ T t. and Source: ☐ Land Survey ☐ GPS ☐ Topographic N				d Level 🔲 TOC		
S	Bore Hole Diameter:		. to	ft. and							
mile		in	. to	ft.				Other			
7 WELL WATER TO	BE USED AS:										
1. Domestic:	5. Public Wa							d Water Supply: 16			
Household	6. Dewaterin										
Lawn & Garden	7. Aquifer Re							☐ Uncased ☐ (
Livestock	8. Monitoring							l: how many bores			
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmenta ☐ Air Sparge		ation: weii . Soil Vapoi					Loop 🔲 Horizont oop 🔲 Surface Di			
4. ☐ Industrial	☐ Recovery		Injection	Extraction	1			pecify):			
				1 V 🗆	NT.						
Was a chemical/bacteri		ittea to i	NDHE!	」Yes □	No	ir yes, date	sam	ple was submitte	a:		
Water well disinfected?					A CINI	C IOINTC.	_	Cl 1 🗆 Cl	1 🗆 37/11	1 🗆 TCI 1 1	
8 TYPE OF CASING											
Casing diameter											
TYPE OF SCREEN OR				108)./ IL.	wan uncki	iicss (or gauge 110	• • • • • • • • • • • • • • • • • • • •		
	less Steel		□ PVC			□ Oth	er (Si	pecify)			
	anized Steel			used (oper	n hole)		O 1 (O)	, , , , , , , , , , , , , , , , , , , ,			
SCREEN OR PERFORA				` 1	,						
☐ Continuous Slot	☐ Mill Slot ☐ Ga	auze Wrap	ped 🔲 T	Torch Cut	☐ Dri	illed Holes		Other (Specify)			
	☐ Key Punched ☐ W					one (Open Ho					
SCREEN-PERFORATE				,				,			
	K INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From		. ft., From		ft. to		ft., From .	• • • • • •	ft. to	ft.		
Nearest source of possible contamination: □ Septic Tank □ Livestock Pens □ Insecticide Storage											
☐ Septic Tank ☐ Sewer Lines	☐ Lateral Line☐ Cess Pool		□ Pit Privy □ Sewage L	agoon		Tivestock Per Fuel Storage			oned Water		
☐ Watertight Sewer Line						Fertilizer Stor			ll/Gas Well		
Other (Specify)		ــــــــــــــــــــــــــــــــــــــ				cranzer stor	uge		ii Gus Weii		
Direction from well?								ft.			
10 FROM TO	LITHOLOG			FRO				HO. LOG (cont.) or		G INTERVALS	
Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
11 CONTRACTOR'S	UK LANDOWNER'S	S CERTI	FICATIO	IN: This	water	well was	cor	istructed, \square reco	onstructed,	or □ plugged	
under my jurisdiction and Kansas Water Well Cont	u was completed on (m	ю-аау-уе	ar) This W	Jator Wiel	ana th	ins record is	s true	ed on (mo day w	y Kilowied	ge and benef.	
under the business name of											
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	RICK REDD	
Doc ID	1115858	

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	55	BROWN SANDY CLAY
55	87	SAND FINE TO MED COARSE SMALL GRAVEL
87	98	FINE SAND
98	105	BROWN SANDY CLAY
105	132	SAND FINE TO MED COARSE SMALL GRAVEL
132	142	BROWN SNADY CLAY W/SOME SNAD STRIPS
142	191	SAND FINE TO MED COARSE SMALL GRAVEL
191	198	BROWN SANDY CLAY
198	278	SAND FINE TO MED COARSE
278	288	BROWN SANDY CLAY
288	385	SAND FINE TO MED CAORSE
385	415	SAND FINE TO MED COARSE W/ FEW CLAY STRIPS
415	445	BROWN SANDY CLAY W/SAND STRIPS
445	464	FINE SAND W/ LIME ROCK
464	482	FINE SNAD W. FEW CLAY STRINGERS
482	500	BROWN SLUFFY CLAY W/ FEW SAND STRIPS

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	RICK REDD	
Doc ID	1115858	

Litholgy

From	То	LithologicLog
500	513	SANDSTONE
513	521	SOAPSTONE
521	600	BLUE SHALE
600	660	BLUE SHALE & SANDSTONE
660	664	BLUE SHALE
664	680	RED BED