KOLAR Document ID: 1583758

WATER V		ECORD Correction		WWC-5	ze.			ion of Wate] Well I	_ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				Resources App. No. Section Number Township Number					ge Number				
County: 14 14 14				4 1/4	2001	T S R □ E □ W							
·							Il Address where well is located (if unknown, distance and						
				direction f	irection from nearest town or intersection): If at owner's address, check here:								
Address: Address:													
City: State: ZIP:													
3 LOCATE	WELL												
WITH "X							ft. 5 Latitude:(decimal degrees)						
SECTION	SECTION BOX: Depth(s) Groundwater Encountered: 1)												
N		WELL'S ST											
				, measured o							-		,
NW	- NE			measured o									
	i	~		ater was ft.						Survey Topogr			•
w	Е	after		s pumping gpm vater was ft.				☐ Online Mapper:					
x w -	- SE	aftar											
		Estimated Y		s pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC					
S		Bore Hole I			ft. and	ft and		Source: Land Survey GPS Topographic Map					
1 mi	le			in. t									
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic: 5. ☐ Public Water Supply: well ID													
Househo				g: how man							••••		
Lawn &				echarge: we						Uncased (
☐ Livestoc				g: well ID . al Remediati						al: how many bores			
3. ☐ Feedlot	11] Air Sparge	ll Remediation: well ID				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wat					
4. ☐ Industria	ıl		Recovery		njection					(specify):			
Was a chem	ical/bacteri	ological san	nple subm	itted to Kl	DHE? 🗆	Yes \square	No :	If yes, date	e sar	nple was submitte	d:		
Water well d								•		1			
8 TYPE OF	CASING	U SED: □ S	teel PV	C 🔲 Other		CA	ASIN	G JOINTS	S: 🗆	Glued Clamped	d 🔲 We	lded	☐ Threaded
										in. to			
Casing height					i	lbs.	/ft.	Wall thick	kness	s or gauge No		•••	
TYPE OF SO			TION MA	ΓERIAL:						g			
☐ Steel ☐ Brass		less Steel mized Steel			□ PVC	used (open	hala)		ner (S	Specify)		• • • • •	•••••
SCREEN OF			NINGS AI	RF.	☐ None (useu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrappe	ed \Box To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı f	t. to	ft., Fro	om	ft. to	o	ft., From	ft	. to .	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other													
Grout Intervals: From													
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well													
Other (S	pecify)												
Direction from well? Distance from well? ft.							S DIEDERILLE						
10 FROM	TO	L	TIHOLOG	JIC LOG		FROM	VI	TO	LH	HO. LOG (cont.) of	PLUGG	JINC	INTERVALS
							+						
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	er Well Cont	ractor's Lice	ense No		. This W	ater Well	Reco	rd was con	mple	eted on (mo-day-y	ear)		
under the bu	siness name	of	****	TT 1 0**				1 5 2		or each constructed we	11	<u></u>	<u></u>
KS Departme	S ent of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER Vater, Geolog	c and retain v Section 10	one for you 000 SW Jac	r record kson Si	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	и. 57. Telepl	none	785-296-3565
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	ROGER KELMAN
Doc ID	1583758

Lithology

From	То	LithologicLog
0	7	SURFACE SAND
7	26	FINE SAND
26	39	BR. CLAY
39	49	CEM SAND W/ SANDY CLAY
49	61	TAN/ SANDY CLAY
61	70	SAND W/ SANDY CLAY STRINGERS
70	88	MED SAND
88	112	SANDY CLAY
112	130	M/C SAND
130	237	F/M/C SAND W/ F. GRAVEL
237	239	SANDY CLAY
239	332	C. SAND, F/TR MED GRAVEL
332	343	SANDY CLAY
343	352	MED/C SAND, FINE GRAVEL
352	357	CLAY
357	384	C SAND W/ FINE GRAVEL
384	387	SAND, SANDY CLAY
387	415	M/C SAND, TR FINE GRAVEL
415	418	SANDY CLAY
418	434	C SAND, F/TR MED GRAVEL
434	442	SAND, SANDY CLAY
442	457	M/C SAND
	•	•

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	ROGER KELMAN
Doc ID	1583758

Lithology

From	То	LithologicLog
457		SANDY CLAY W/ LIMEROCK & SS
471	495	F/M SAND
495	511	SANDY CLAY
511	515	FINE SAND W/ BR. ROCK
515	520	SANDY CLAY