WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

CWW Inv.	#14110	Wheatley #	2-5	,		Topone, Indiana occasi	
<u> </u>	County	Fraction		Section	number	Township number Range number	
1. Location of well:	Haskell	1/4 SW 1/4S	SW 1/4	(5	T 29S S R 33W E/W	
2. Distance and direction from nearest town or city: From Satanta gp 3. Owner of well: Zenith Drilling Corp. Inc.							
8m North to Hwy 160 then lm East - lm R.R. or street: Suite 600, 200 W. Douglas South - m East to location. City, state, zip code: Wichita, Kansas 67202							
4. Locate with "X" in section below: / Sketch map:						6. Bore hole dia. 9 in. Completion date 12-16-7	7
Hwy/60 Im. FA.						Well depth 360 ft.	
N west to						7 Cable tool _XRotary Driven Dug	
NW NE				,s)		Hollow rod Jetted Bored Reverse rotary	
						8. Use: Domestic Public supply X_ Industry Irrigation Air conditioning Stock	
11 1 1 1 1 1 1						Lawn Oil field water Other	
SEC SE						9. Casing: Material Height: Above or below	
[‡]						Threaded Surface 28 in . RMP PVC Weight 2 _ 78 lbs ./ft .	
SAŁANTA						Dia. 5 in. to 255ft. depth Wall Thickness: inches or	
5. Type and color of material				From	То	Dia. 5 in. to 360ft. depth gage No. 265	
Surface				0	2	Sawed_perf	
Surrace				 		Type	
Sandy clay				2	40	Set between <u>255</u> ft. and <u>355</u> ft.	
Medium to large sand & sandy clay 70-30				40	160	ft. andft. Gravel pack Y.C.S. Size range of material 1/8-3/1 6	
Medium t	o large sand &	sandy clay	80-30	160	300	11. Static water level: mo./day/yr. 270 ft. below land surface Date 12/16/77	
Medium t	o large sand &	blue sandy	clay			12. Pumping level below land surfaces:	
70-30				300	350	ft. after hrs. pumping g.p.m ft. after hrs. pumping g.p.m.	
				+	-	Estimated maximum yield 50 g.p.m.	
Blue sar	ndy clay			350	360	13. Water sample submitted: mo./day/yr.	
						Yes X No Date	
				1	-	14. Well head completion: Pitless adapter	
						15. Well grouted? <u>Ves</u>	n.
						With: X Neat cement Bentonite Concrete	, ~
						16. Negrest source of possible contamination:	0
				+	ļ <u> </u>	ft. 100 Direction NE TypeQilwell	
				-	-	Well disinfected upon completion?	$ _{i,j}$
							$ \omega $
						Model number HP Volts	<u>'</u>
				ļ .	<u> </u>	Length of drop pipe ft. capacityg.p.m. Type:	⋛⋛
						Submersible Turbine	
	01	heat if needed)				Jet Reciprocating Centrifugal Other	0
(Use a second sheet if needed) 18. Elevation: 19. Remarks:						Centrifugal Other 0	0,
.o. Lieranon;						This well was drilled under my jurisdiction and this report	
Tonography						is true to the best of my knowledge and belief.	ıΜ
Topography:						Carlile Water Well 118 > Business name License No.	18
Slope						Address Box 275, Liberal, KS	15
Upland Valley						Signed Edward & Means Date 12-30-	78
Valley						Authorized representative	1