USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

| _ | $\vdash$ | _ |     |    | <br> | - 11 |     |     |     |  |
|---|----------|---|-----|----|------|------|-----|-----|-----|--|
| 1 | [        |   | ₹ . | EW | sec  | 1/4  | 1/4 | 1/4 | No. |  |

Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansas 66620

| 1 Location of well:   | County<br>Haskell  | Township name              | Fraction<br>NE¼,NE¼,I |                | n number<br>15 |             | Town number T 29 S   | Range number<br>R 33 V       | ,                     |
|-----------------------|--|----------------------------|-----------------------|----------------|----------------|-------------|--|------------------------------|-----------------------|
| 2 west                | on from nearest town or cit & 2 South O: Il location if in city: |                            |                       | Owner of well: | 415            | Uni         | ennan<br>versity Dri<br>City, Kansas   |                              | _                     |
| Locate with "X" in :  | section below:   | Sketch map:                |                       |                |                | 4 Wel       | Il depth: 422 ft . Do  | ate of completion            | <del>-11</del> -75    |
|                       | X  | Well dr                    | illed 5-              | 21-75          |                |             | Cable tool KRotary Hollow rod Jetted : Domestic Public   | Bored Reverse                | <del></del>           |
| w                     |  |                            |                       |                |                |             | ☐ Irrigation ☐ Air cor☐ Test well ☐  | nditioning Comm              | nercial               |
| L                     | s .  |                            |                       |                |                | Thr<br>Did  | ing: Materid Plastia<br>eaded K Welded Su  | urface 12 in.<br>eight 15s./ | ft                    |
| 2                     | 1 Mile   |                            |                       |                | 7.             |             | in. to 4.22ft. depth Di  | rive shoe? [ ] Yes           | <b>₩</b> No           |
|                       | Тур  | e and color of material    |                       | From           | То             | 8 Scr       | een:<br>nufacturer <u>Jess &amp;</u>   | Lowell                       |                       |
|                       | See Attachm  | ent                        | ,                     |                |                | Тур         | se Slotted Di  | ia. 5"                       |                       |
|                       |  |                            |                       |                |                | S lo<br>Set | between 350 ft. and 3  | 180 ft 400                   | × 422*                |
|                       |  |                            |                       |                |                | Fit<br>Gr   | tings:<br>ovel pack 🔀 Yes 🗌 No S   | ize range of materi          | <u>"1</u> ∠8"         |
|                       | ,  |                            |                       |                |                | 9 Sta       | tic water level:   |                              |                       |
|                       |  |                            |                       |                |                |             | mping level below land surf  |                              |                       |
|                       |  |                            |                       |                |                | _           | ft. after hrs. imated maximum yield  | pumping                      |                       |
|                       |  |                            |                       |                |                | _           | ter sample submitted:<br>Yes 🔼 No Date   |                              |                       |
|                       |  |                            | ····                  |                |                |             | II head completion: Pitless adapter  | ] Inches above grad          | de                    |
|                       |  |                            |                       |                |                | 13 We       | Ill grouted? XX Yes  Neat cement Bentonit pth: From 0 ft. to   | □ № Conc:<br>LO ff.          | rete                  |
|                       |  |                            |                       |                |                | 14 Ne       | earest source of possible cor  | ntamination: Seast Type 1    | eptic<br><u>can</u> k |
|                       |  |                            |                       |                |                | 15 Put      | ell disinfected upon comple  | Not installed                | □N₀                   |
|                       |  |                            |                       |                |                | Mo<br>Mo    | Recorded to the state of the st | Jacket 3 Volts               | 220                   |
|                       |  | •                          |                       |                |                | 4           | ngth of drop pipe $378$ fl<br>pe:  | capacity <u>22</u>           | g.m.p.                |
|                       |  |                            |                       |                |                | _           | Submersible [  | Turbine Reciprocating        | *.                    |
|                       | (use   | e a second sheet if needed | )                     |                |                |             | Certrifugal  | Other                        |                       |
| 16 Remarks: eleva     | tion   |                            |                       |                |                | Th          | ater well contractor's certificiates well was drilled under my   | jurisdiction and th          |                       |
| Topography:           |  |                            |                       |                |                | 1           | port is true to the best of my kle Drilling  | -                            |                       |
| ☐ Hill☐ Slope☐ Upland | Flat   |                            |                       |                |                | Bu          | siness name<br>ddress BOX 639 G  | anden Ci                     |                       |
| Valley                |  |                            |                       |                |                | ]           | unorized represe   |                              | . [                   |

## DRILLERS TEST LOG

| CUSTOMERS NAME | Bob Brennan DATE 5-21-75                   |
|----------------|--|
| STREET ADDRESS | 415 University Drive TEST # Housewell      |
| CITY & STATE   | Dodge City, KS DRILLER Livingston          |
| COUNTY Haskell | QUARTER NE SECTION 15 TOWNSHIP 29 RANGE 33 |
|                |  |
| LOCATION       | NE corner of the NE4                       |

| %  | DRILLED  | ) b F         | COTAGE           | Static Water Level                                |
|--|--|---------------|------------------|---|
|  | from   | Pay           | to               | Description of Strata Proposed Well Depth 422     |
|  | 0.44   |               | 2                | Top soil  |
| 5.   | 2  | 禁护者 的         | 60               | Brown clay, caliche & few fine sand st.           |
| 47   | 60   | 3 F           | 192              | Sand fine to med, small to large gravel, few clay |
| Profession 1   |  |               | Tega Maria dise  | & cemented st.                                    |
|  | 192  | - V.          | 200              | Brown clay, rock ledges, & sand st.               |
|  | 200  |               | 220              | Sand fine to med, small gravel.                   |
| 2 - 12   | 220  |               | 235              | Brown sandy clay.                                 |
| SA.  | 235  |               | 246              | Sand fine to med coarse.                          |
|  | 246  |               | 260              | Brown clay.                                       |
| 60   | 260  | 23            | 323              | Sand fine to med coarse, small gravel.            |
|  | 323  |               | 350              | Brown sandy clay, blue clay, & fine sand st.      |
| 65   | 350  | 37            | <b>3</b> 87      | Sand fine to med coarse, small gravel, very few   |
|  | n n germadel)  | 41.3          |                  | clay st.  |
| atte.  | 387  | 14. F. 15.    | 396              | Brown sandy clay & limerock.                      |
| 7.0  | 396  | 10            | 406              | Sand fine to med coarse, small to med gravel,     |
|  |  | 1 0 6         |                  | cemented ledges.                                  |
| 8.1  | 406  |               | 410              | Clay & limerock ledges.                           |
| 70   | 410  | 10            | 420              | Sand fine to med coarse, small to med gravel.     |
| 5.   | 420  | 73 (E)        | 440              | Brown sandy clay & limerock ledges.               |
| Ja 60  | 440  | 1.20          | 460              | Brown clay & few limerock ledges.                 |
| W. 1   | e i juda eta e   |               |                  |   |
| Maria de la compansión de | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |               |                  |   |
|  |  | 1, 1, 1, 1, 1 |                  | 5" Plastic  |
| W. J.  | r e la desi  | 1             | alityk i i sa ji | 422 - 400 Perf 20'                                |
|  | 1 5 14 14 15   | 94, %         |                  | 400 - 380 Plain                                   |
|  |  | 1 1 1 1       |                  | 380 - 350 Perf - 30'                              |
|  |  | 1 24 1        |                  | 360 - O Plain                                     |
|  | in the second of | 11 N. 14      | Ya Yana          |   |
| 7 Y  | n in the state of  | 11/10         |                  | Henkle A Gravel Pack                              |
| 34.4   | and A Bost   | 1 5           |                  |   |
|  |  | 10.00         | dayan arkin      |   |
|  | are dadige spe   |               |                  |   |
| 417.   | 131441.  | 21.70         | git i karede i   |   |
| -  | 15.04.19   | in the        | Maria da         |   |
|  | 1 10 30  |               |                  |   |
|  | The state of the s |               |                  |   |
|  |  | 3, 5, 5       | Nag Sa           |   |
| <u> </u>   |  |               |                  |   |

ARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS HONE 276-3278 IRRIGATION HEADQUARTERS PHONE 675-4311

EST HOLES\*\*\*\*\*\*\*STOCK WELLS\*\*\*\*\*\*\*\*\*\*\*\*\*IRRIGATION AND INDUSTRIAL WELLS\*\*\*\*\*