

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Haskell	Fraction NE 1/4 NE 1/4 SE 1/4	Section number 25	Township number T 29 S R 33	Range number 33																																	
X Distance and direction from nearest town or city: 1 1/2 West, 1/2 North of Sublette, Kansas Street address of well location if in city:			3. Owner of well: Lynn Chafflin Sublette, Kansas R.R. or street: City, state, zip code:																																			
4. Locate with "X" in section below: <div style="text-align: center;"> </div>			Sketch map: 6. Bore hole dia. 9 7/8 in. Completion date 3-15-76 Well depth 410 ft.																																			
5. Type and color of material			7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>Top soil</td> <td>0</td> <td>4</td> </tr> <tr> <td>Tan clay with limestone streaks</td> <td>45</td> <td>60</td> </tr> <tr> <td>Clay & fine sand</td> <td>60</td> <td>79</td> </tr> <tr> <td>Med. to lar. sand & gravel with clay streaks</td> <td>79</td> <td>193</td> </tr> <tr> <td>Fine sand & clay streaks</td> <td>193</td> <td>272</td> </tr> <tr> <td>Blue clay, Med. to lar. sand & gravel</td> <td>272</td> <td>330</td> </tr> <tr> <td>Blue clay</td> <td>330</td> <td>340</td> </tr> <tr> <td>Blue clay & Med. to lar. sand</td> <td>340</td> <td>352</td> </tr> <tr> <td>Blue clay</td> <td>352</td> <td>400</td> </tr> <tr> <td>Medium sand (grabbing sand?)</td> <td>400</td> <td>435</td> </tr> </tbody> </table>				From	To	Top soil	0	4	Tan clay with limestone streaks	45	60	Clay & fine sand	60	79	Med. to lar. sand & gravel with clay streaks	79	193	Fine sand & clay streaks	193	272	Blue clay, Med. to lar. sand & gravel	272	330	Blue clay	330	340	Blue clay & Med. to lar. sand	340	352	Blue clay	352	400	Medium sand (grabbing sand?)	400	435	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
	From	To																																				
Top soil	0	4																																				
Tan clay with limestone streaks	45	60																																				
Clay & fine sand	60	79																																				
Med. to lar. sand & gravel with clay streaks	79	193																																				
Fine sand & clay streaks	193	272																																				
Blue clay, Med. to lar. sand & gravel	272	330																																				
Blue clay	330	340																																				
Blue clay & Med. to lar. sand	340	352																																				
Blue clay	352	400																																				
Medium sand (grabbing sand?)	400	435																																				
9. Casing: Material PVC Height: Above or below X Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 403.6 lbs./ft. Dia. 6 in. to 410 ft. depth Wall Thickness: inches or Dia. in. to 410 ft. depth gage No. 316			10. Screen: Manufacturer's name Jess & Lowell Type PVC Dia. 6" Slot/gauze 1/8" Length 100' Set between 210 ft. and 290 ft. 390 ft. and 410 ft. Gravel pack? yes Size range of material 3/16"																																			
11. Static water level: Not avail mo./day/yr. Date 3/3/76			12. Pumping level below land surfaces: _____ ft. after _____ hrs. pumping _____ g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield Not available g.p.m.																																			
13. Water sample submitted: _____ mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____			14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade																																			
15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.			16. Nearest source of possible contamination: ft. 200 Direction west Type corral Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																			
17. Pump: _____ Not installed Manufacturer's name Aermotor Model number SD19 HP 3 Volts 220 Length of drop pipe 357 ft. capacity 20 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley																																			
19. Remarks: (Use a second sheet if needed)			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name License No. Address Moede, Kansas 67864 Signed John J. Friesen Date 3-22-76 Authorized representative																																			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5