

W	_	_	RECORD		WWC-5 1235			ion of Wate			vell ID		
1	- 0	Original Record Correction Change in Well Use OCATION OF WATER WELL: Fraction					Resources App. No. Section Number			Township Number Range Number			
-	County: 1/4 1/4					1⁄4	1 0				$\Box E \Box W$		
2	WELL OWNER: Last Name: First: Stre							eet or Rural Address where well is located (if unknown, distance and ction from nearest town or intersection): If at owner's address, check here:					
3	LOCAT	E WELL											
-	WITH "				IPLETED WELL: .								
W	SECTION BOX: N Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr below land surface, measured on (mo-day-yr Pump test data: Well water was ft.					Dry We ft. .yr) yr) t. gpm	Dry Well Datum: □ WGS 84 □ NAD 83 □ NAD 2 ft. Source for Latitude/Longitude: ft. □ GPS (unit make/model: (WAAS enabled? □ Yes □ No) □ Land Survey □ Topographic Map			AD 27			
	SW	SE	after		s pumping		m						
		s	Estimated Y	'ield:					<u>e:</u>	Land Survey GPS	🗌 Toj	pographic Map	
	1 n	1			in. to	ft.				Other	•••••		
	7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID												
		Household Image: Description of the second											
	🗌 Lawn a	I Lawn & Garden7.			echarge: well ID				Uncased Geotechnical				
	_	Livestock 8. Monitoring: well ID								al: how many bores?			
	. ☐ Irrigation 9. Environmental R . ☐ Feedlot ☐ Air Sparge				Remediation: well ID			a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water					
	Industr			Recovery		SAUdeuon		13. ☐ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
		disinfected						J ,		I			
										Glued Clamped		☐ Threaded	
										in. to			
			R PERFORA			lbs.	/ft.	Wall thick	kness	or gauge No	•••••		
1	\Box Steel		inless Steel	Fiber				□ Ot	her (Specify)			
	Brass		lvanized Steel			sed (open	hole)			speeny)			
SC	CREEN C		RATION OPE			• •							
		nuous Slot	☐ Mill Slot							Other (Specify)			
50					Tire Wrapped Sa						ft to	£,	
SCREEN-PERFORATED INTERVALS: From													
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. from ft. to ft. 9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
										ft. to			
		-	ole contaminati				— .				C.		
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Other was an and water was an an an an and water was an									Vell				
Di	Direction from well? Distance from well												
10	FROM	TO	I	ITHOLOG	GIC LOG	FROM	M	ТО	LIT	HO. LOG (cont.) or PL	UGGINC	BINTERVALS	
						Noter	<u> </u>						
						Notes	•						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year)													
			Send one copy to	o WATER W	ELL OWNER and retain of	one for you	r record	ds. Fee of \$5	5.00 f	or each constructed well.			
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <u>http://www.kdheks.gov/waterwell/index.html</u> KSA 82a-1212												

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1235193

Litholgy

From	То	LithologicLog
0	10	clay fine sand & silt
10	62	sandy clay w/ fine sand layers
62	90	fine sand w/ clay layers
90	195	loose med to coarse sand
195	230	sandy clay & brown firm clay
230	242	green clay
242	354	sticky blue & brown clay
354	419	fairly loose fine to med sand
419	435	stiff clay
435	443	fairly loose fine to med sand
443	452	fairly tight fine to med sand
452	458	sandy clay w/ fine sand streaks
458	490	tight fine sand streaks
490	521	brown & gray clay w/ fine sand layers
521	533	fairly tight fine to med sand
533	597	fairly loose fine to med sand
597	610	gray shale w/ brown claystone
610	620	shale