



WATER WELL RECORD

Form WWC-5

1313526

Division of Water
Resources App. No.

Well ID

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL:

County:

Fraction
1/4 1/4 1/4 1/4

Section Number

Township Number
T S

Range Number
R E W

2 WELL OWNER: Last Name:

Business:
Address:
Address:
City:

First:


State:

ZIP:

Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:

3 LOCATE WELL WITH "X" IN SECTION BOX:

N



W

E

S

-----1 mile-----

4 DEPTH OF COMPLETED WELL: ft.

Depth(s) Groundwater Encountered: 1) ft.
2) ft. 3) ft., or 4) Dry Well

WELL'S STATIC WATER LEVEL: ft.

below land surface, measured on (mo-day-yr).....

above land surface, measured on (mo-day-yr).....

Pump test data: Well water was ft.
after hours pumping gpm

Well water was ft.

after hours pumping gpm

Estimated Yield:gpm

Bore Hole Diameter: in. to ft. and
..... in. to ft.

5 Latitude:(decimal degrees)

Longitude:(decimal degrees)

Datum: WGS 84 NAD 83 NAD 27

Source for Latitude/Longitude:

GPS (unit make/model:) (WAAS enabled? Yes No)

Land Survey Topographic Map

Online Mapper:

6 Elevation:ft. Ground Level TOC

Source: Land Survey GPS Topographic Map

Other

7 WELL WATER TO BE USED AS:

1. Domestic:

Household
 Lawn & Garden
 Livestock

2. Irrigation

3. Feedlot

4. Industrial

5. Public Water Supply: well ID

6. Dewatering: how many wells?

7. Aquifer Recharge: well ID

8. Monitoring: well ID

9. Environmental Remediation: well ID

Air Sparge Soil Vapor Extraction

Recovery Injection

10. Oil Field Water Supply: lease

11. Test Hole: well ID

Cased Uncased Geotechnical

12. Geothermal: how many bores?

a) Closed Loop Horizontal Vertical

b) Open Loop Surface Discharge Inj. of Water

13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED:

Steel PVC Other

CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.

Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

Steel Stainless Steel Fiberglass PVC Other (Specify)

Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)

Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL:

Neat cement Cement grout Bentonite Other

Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination:

Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage

Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well

Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well

Other (Specify)

Direction from well? Distance from well? ft.

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.

Visit us at <http://www.kdheks.gov/waterwell/index.html>

KSA 82a-1212

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1313526

Litholgy

From	To	LithologicLog
0	2	SILTY TOP SOIL
2	32	SILTY SAND & SC W/ MAG
32	64	SILTY SC W/ TR. MAG
64	73	SC W/ C SAND STRS
73	82	F/M GRAVEL
82	91	VC SAND & F/M/TR C GRAVEL
91	96	SANDY CLAY
96	121	VC SAND & F/TR MED GRAVEL
121	136	F/M/TR C GRAVEL
136	178	F/M/C GRAVEL
178	181	SANDY CLAY
181	186	F. GRAVEL
186	187	CEM. SAND
187	189	C/C SAND
189	200	SC & CLAY
200	220	SC & CLAY
220	231	CLAY
231	300	STICKY CLAY
300	331	CLAY
331	332	FINE SAND
332	334	CLAY
334	335	F/TR MED SAND

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1313526

Litholgy

From	To	LithologicLog
335	337	CLAY
337	340	F/TR. MED SAND
340	341	FINE SAND
341	360	CLAY
360	381	M/C SAND & TR. GRAVEL
381	394	SANDY CLAY W/ MAG
394	400	C. SAND & F/TR MED GRAVEL
400	403	C/SAND & F. GRAVEL
403	419	SANDY CLAY
419	420	MED/TR C SAND
420	463	VC SAND & F. GRAVEL
463	470	CLAY & SANDY CLAY
470	482	SANDY CLAY W/ FINE SAND
482	501	MED/TR C SAND W/ SC
501	512	SANDY CLAYW/ FINE SAND
512	520	M SAND SANDY CLAY
520	540	F/M TR C SAND
540	549	SC W/ F. SAND LENSE
549	554	F/M SAND
554	560	F/M TR C SAND
560	569	F/M SAND
569	576	F/M SAND & SC
576	580	SANDY CLAY & CLAY

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1313526

Litholgy

From	To	LithologicLog
580	587	CLAY
587	590	SAND & MAG
590	620	CLAY
620	631	CLAY
631	640	SHALE
640	651	SHALE W/ F. SAND
651	660	F. SAND
660	680	SHALE W/ F. SAND
680	689	F. SAND & SHALE
689	700	FINE SAND
700	720	FINE W/ TR. SHALE
720	744	FINE SAND
744	751	CLAY SHALE W/ FIRM LEDGES
751	768	RED SILTSTONE & RED BED