KOLAR Document ID: 1408152

WATER WELL RECO		WWC-5		ision of Water		W II ID	
Original Record Corr 1 LOCATION OF WATE		ge in Well Use Fraction		urces App. No. tion Number	Township Numb	Well ID cer Range Number	
County:	N WELL:	1/4 1/4 1/4	1/4	uon Number	T S	$R \square E \square W$	
2 WELL OWNER: Last Nar	ne:			al Address wh		(if unknown, distance and	
Business:	iic.					r's address, check here:	
Address:							
Address: City:	State:	ZIP:					
2 LOCATE WELL		1	0.				
WITH "X" IN 4 1		MPLETED WELL:				(decimal degrees)	
SECTION BOA:		Encountered: 1)				(decimal degrees)	
N WE		TER LEVEL:					
	below land surface	, measured on (mo-day-y	yr))	
	NE above land surface, measured on (mo-day-yr)				(WAAS enabled?		
		vater was ft			Survey Topogra		
W E		s pumping ş vater was ft			ne Mapper:		
SW SE		s pumping					
Esti	mated Yield:		-1	6 Elevation:ft. Ground Level TOC			
		in. to				GPS Topographic Map	
1 mile		in. to	It.				
7 WELL WATER TO BE U		ater Supply: well ID		10 🗆 Oil F	ield Water Supply: 1	ease	
☐ Household		ng: how many wells?			e: well ID		
☐ Lawn & Garden		echarge: well ID					
Livestock		g: well ID			nal: how many bores		
2. Irrigation		al Remediation: well ID					
3. ☐ Feedlot4. ☐ Industrial	☐ Air Sparge ☐ Recovery		xtraction			scharge inj. of water	
Was a chemical/bacteriolog			√as □ Na				
Water well disinfected?		inted to KDHE!	res 🔲 No	ii yes, date sa	imple was submitte	:u:	
8 TYPE OF CASING USE		C D Other	CASIN	IG IOINTS: I	☐ Glued ☐ Clamped	d □ Welded □ Threaded	
Casing diameter in.							
Casing height above land surface	e in	n. Weight			ss or gauge No		
TYPE OF SCREEN OR PERFORATION MATERIAL:							
				_			
☐ Steel ☐ Stainless S	teel	rglass PVC			(Specify)		
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized	teel	rglass	sed (open hole		(Specify)		
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO	teel	rglass	-)			
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ Continuous Slot ☐ M	teel	rglass PVC rete tile None us RE: auze Wrapped To	rch Cut 🔲 D)	Other (Specify)		
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ Continuous Slot ☐ M	teel	rglass	rch Cut D) rilled Holes □ one (Open Hole	Other (Specify)		
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ Continuous Slot ☐ M ☐ Louvered Shutter ☐ Ko SCREEN-PERFORATED IN GRAVEL PACK IN	teel	rglass	rch Cut Dov Cut No ft., From	rilled Holes one (Open Hole ft. to ft. to	Other (Specify) c) ft., From ft., From	ft. to ft. ft. to ft.	
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ Continuous Slot ☐ M ☐ Louvered Shutter ☐ K SCREEN-PERFORATED IN GRAVEL PACK IN 9 GROUT MATERIAL: [teel	rglass	rch Cut Dr. v Cut N ft., From ft., From	rilled Holes one (Open Hole ft. to ft. to ther	Other (Specify) c) ft., From ft., From	ft. to ft	
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ Continuous Slot ☐ M ☐ Louvered Shutter ☐ K SCREEN-PERFORATED IN GRAVEL PACK IN 9 GROUT MATERIAL: [Grout Intervals: From	teel	rglass	rch Cut Dr. v Cut N ft., From ft., From	rilled Holes one (Open Hole ft. to ft. to ther	Other (Specify) c) ft., From ft., From	ft. to ft	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ KONTERNORATED IN GRAVEL PACK IN 9 GROUT MATERIAL: ☐ Grout Intervals: From	teel	rglass	rch Cut Dow Cut N ft., From ft., From ttonite Ook Ct. to	rilled Holes one (Open Hole ft. to ft. to ther ft., From	Other (Specify) ft., From ft., From ft. to	ft. to ft. ft. ft. ft. ft. ft. ft. ft.	
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ Continuous Slot ☐ M ☐ Louvered Shutter ☐ K SCREEN-PERFORATED IN GRAVEL PACK IN 9 GROUT MATERIAL: [Grout Intervals: From	teel	rglass	rch Cut Dow Cut N ft., From ft., From tto.ite O o tt. to	rilled Holes one (Open Hole ft. to ft. to ther ther Livestock Pens	☐ Other (Specify)	ft. to ft	
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ Continuous Slot ☐ M ☐ Louvered Shutter ☐ K SCREEN-PERFORATED IN GRAVEL PACK IN 9 GROUT MATERIAL: ☐ Grout Intervals: From Nearest source of possible cont ☐ Septic Tank ☐ Sewer Lines ☐ Watertight Sewer Lines	teel	rglass	rch Cut Dow Cut N ft., From ft., From ttonite Oo tt. to	rilled Holes one (Open Hole ft. to ft. to ther ft., From	☐ Other (Specify) ft., From ft., From ft. to	ft. to ft ft.	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M ☐ Louvered Shutter ☐ Konder Screen Gravel Pack IN GRAVEL PACK IN 9 GROUT MATERIAL: ☐ Grout Intervals: From	teel	rglass	rch Cut Dow Cut N ft., From ttonite Oo of t. to	rilled Holes one (Open Hole ft. to ft. to ther ttr, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From ntonite Oo it. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M ☐ Louvered Shutter ☐ Konder Screen Gravel Pack IN GRAVEL PACK IN 9 GROUT MATERIAL: ☐ Grout Intervals: From	teel	rglass	rch Cut Dow Cut N ft., From ttonite Oo of t. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From ntonite Oo it. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From ntonite Oo it. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From ntonite Oo it. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From ntonite Oo it. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From ntonite Oo it. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From ntonite Oo it. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kongreen Screen For Screen For Description	teel	rglass	rch Cut Dow Cut N ft., From Intonite Oor Cit. to	rilled Holes one (Open Hole ft. to ft. to ther tt, From Livestock Pens Fuel Storage Fertilizer Storage	☐ Other (Specify) ft., From ft., From ft. to ☐ Insection ☐ Abando ge ☐ Oil We	ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. cide Storage oned Water Well bll/Gas Well	
☐ Steel ☐ Stainless S ☐ Brass ☐ Galvanized SCREEN OR PERFORATIO ☐ M ☐ Louvered Shutter ☐ K SCREEN-PERFORATED IN GRAVEL PACK IN 9 GROUT MATERIAL: ☐ Grout Intervals: From	Iteel	rglass	rch Cut Dow Cut N ft., From tt., From ttonite O tt. to	rilled Holes one (Open Hole ft. to ther Livestock Pens Fuel Storage Fertilizer Storag	☐ Other (Specify)	ft. to ft ft. to ft ft. cide Storage oned Water Well ell/Gas Well r PLUGGING INTERVALS	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Kon SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GROUT MATERIAL: ☐ Grout Intervals: From	Steel	rglass	rch Cut Dow Cut N ft., From tt., From ttonite Oo it. to	rilled Holes one (Open Hole one (Open Hole one (T. to one of the first to one of the f	Other (Specify) ft., From ft., From ft. to Insection Abando Joil We THO. LOG (cont.) or	ft. toftft. toftft. cide Storage oned Water Well oll/Gas Well r PLUGGING INTERVALS	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ K. SCREEN-PERFORATED IN GRAVEL PACK IN 9 GROUT MATERIAL: ☐ Grout Intervals: From	Iteel	rglass	rch Cut Dow Cut N ft., From tonite Oo t. to	rilled Holes one (Open Hole ft. to ther Livestock Pens Fuel Storage Fertilizer Storage TO LI	Other (Specify) ft., From ft., From ft. to Insection Abando Ger Oil We THO. LOG (cont.) or constructed, reco	ft. to ft ft. to ft ft. cide Storage oned Water Well ell/Gas Well r PLUGGING INTERVALS	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Konder Screen For	Iteel	rglass	rch Cut Dow Cut N ft., From tonite Oo to to	rilled Holes one (Open Hole one (Open Hole one (Open Hole one open Hole one of the too. ther one of the too. ther one of the too. TO LI well was of this record is the toord was complete.	Other (Specify) ft., From ft., From ft. to Insection Abando Joil We THO. LOG (cont.) or constructed, recorded to the best of meleted on (mo-day-years)	ft. toftft. toftft. cide Storage oned Water Well oll/Gas Well r PLUGGING INTERVALS onstructed, or plugged by knowledge and belief. ear)	
☐ Steel ☐ Stainless S☐ Brass ☐ Galvanized SCREEN OR PERFORATIO☐ ☐ Continuous Slot ☐ M☐ Louvered Shutter ☐ Konder Screen For	Iteel	rglass	rch Cut Dow Cut N ft., From ntonite Oo t. to	rilled Holes one (Open Hole one (Open Hole one (Open Hole one open Hole one of the too. ther one of the too. ther of the too. TO LI well was of this record is the toord was complement.	Other (Specify) ft., From ft., From ft. to Insection Abando General Oil We THO. LOG (cont.) or constructed, recorrue to the best of meleted on (mo-day-years) for each constructed we	ft. toftft. oftft. cide Storage oned Water Well ell/Gas Wellr PLUGGING INTERVALS constructed, or plugged by knowledge and belief. ear)	

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1408152

Litholgy

From	То	LithologicLog
0	2	top soil
2	33	brown sandy clay
33	39	fine sand
39	80	sand fine to med coarse small med gravel w/ couple clay ledges
80	155	sand fine to med coarse med large gravel
155	159	brown & gray clay
159	184	sand fine to med coarse small gravel
184	202	brown sandy clay w/ sand strips
202	208	sand fine to med coarse
208	215	brown clay
215	230	sand fine to med coarse
230	254	blue clay
254	268	sand fine to med coarse
268	276	brown clay
276	281	sand fine to med coarse
281	290	blue clay
290	330	sand fine to med coarse
330	354	brown sandy clay
354	389	sand fine to med coarse
389	399	brown sandy clay w/ few sand strips

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1408152

Litholgy

From	То	LithologicLog
399	407	sand fine to med coarse
407	423	brown sandy clay
423	440	brown sandy clay w/ many fine sand strips
440	449	fine sand
449	457	brown sandy clay w/ few small sand strips
457	486	sand fine few med w/ few clay stringers
486	499	fine sand w/ some clay stringers
499	536	sand fine to med coarse w/ few brown & tan rock
536	549	yellow soapstone & sandstone
549	563	soapstone & shale
563	617	shale
617	661	soapstone & sandstone
661	670	soapstone & some red bed strips
670	700	red bed