


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County HASKE	Fraction SW 1/4 NW 1/4	Section number 18	Township number T 29 S	Range number R 34 E
2. Distance and direction from nearest town or city: 2 North, 1 East + 1/2 North of Lyons - Street address of well location if in city:				3. Owner of well: Don Foster R.R. or street: Satanta, Kansas 67870 City, state, zip code:		
4. Locate with "X" in section below:		Sketch map:				
						
5. Type and color of material		From	To		6. Bore hole dia. 26 in. Completion date 5-31-77 Well depth 600 ft.	
					7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
					8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
					9. Casing: Material steel Height: Above surface Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 601 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .250	
					10. Screen: Manufacturer's name Johnson Type galv. Dia. 16" Slot/gauze 1/8" Length 20 ft. 60" Set between 530 ft. and 590 ft. Perf: 330-450 ft. and 490-530, 590-600 Gravel pack? yes Size range of material 1/2" down	
					11. Static water level: 292 ft. below land surface Date 5-23-77 mo./day/yr.	
					12. Pumping level below land surfaces: 368 ft. after 2 hrs. pumping 1600 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.	
					13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/> mo./day/yr.	
					14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
					15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
					16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
					17. Pump: Manufacturer's name B.F. (used) Not installed Model number 15M75 HP 200 Volts <input type="checkbox"/> Length of drop pipe 410 ft. capacity 1600 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		(Use a second sheet if needed)				
		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter-Wilson Drilling Co. 208 Business name License No. Address Box 1A Garden City, Ks. Signed [Signature] Date 5-30-77 Authorized representative				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

DON FOSTER (TENANT)
HASKELL COUNTY
5/9/77

Location: NW 18-29-34 south of Garden City to old Santa Fe west to Grant County line 2½ south 100 Ft. north of Existing well

Static Water Level- 290

Test #1

0	1	Top soil
1	39	Brown clay
39	54	Brown clay and white rock (Tight)
54	61	Brown clay
61	97	Fine to med. sand and gravel (Loose)
97	119	Brown clay
119	128	Fine to med. sand and gravel (Loose)
128	176	Fine to med. sand and gravel 15% clay
176	189	Brown clay streaks of white rock (Hard)
189	230	Brown clay streaks of gravel 35%
230	248	Gray and blue clay
348	356	Brown clay and white rock
356	365	Fine to med. sand and gravel 10% clay (Loose)
365	448	Fine to med. sand and gravel (Loose)
448	470	
470	485	Brown sandy clay streaks of fine sand 30%
485	521	Fine to med. sand and gravel with white rock 10" clay (Fairly Loose)
521	543	Fine to med. sand and gravel with white rock (Tight)
543	592	Fine to med. sand and gravel with brown rock (Loose)
592	600	Brown rock with gray and yellow clay (Hard)