

WATER WELL R		VV VV C-3			ion of Water		W 11 ID	
		e in Well Use			rces App. No.		Well ID	N. 1
1 LOCATION OF W	ATER WELL:	Fraction	1/4 1/4	Section	on Number	Township Numb		ge Number
County:		1/4 1/4	D	1 4 1 1 1	T S	R	□ E □ W	
				eet or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WFI I •		ft	5 Letitud	e:		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater			11.				
SECTION BOX:				ell	Longitude:			
N	2) ft. 3) ft., or 4) Dry WELL'S STATIC WATER LEVEL:						AD 21	
	☐ below land surface.				☐ GPS (unit make/model:			
NW NE	above land surface,							
	Pump test data: Well w							
W E		s pumping		☐ Online Mapper:				
SW SE		vater was						
	Estimated Yield:	s pumping	gpm	m 6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:		ft and					
1 mile		in. to						
7 WELL WATER TO		III. to	10.					
1. Domestic:		ter Supply: well ID			10 □ Oil F	ield Water Supply: 1	ease	
Household		g: how many wells?				le: well ID		
☐ Lawn & Garden		echarge: well ID				d □ Uncased □		
☐ Livestock		g: well ID				mal: how many bore		
2. Irrigation	Environmenta	al Remediation: well				ed Loop 🔲 Horizon		
3. Feedlot	Air Sparge		Extraction		b) Open Loop Surface Discharge Inj. of Water			
4. Industrial	☐ Recovery	☐ Injection			13. ☐ Othe	r (specify):		
Was a chemical/bacter	iological sample subm	itted to KDHE?	Yes 🔲	No I	If yes, date sa	ample was submitte	ed:	
Water well disinfected?	☐ Yes ☐ No							
8 TYPE OF CASING								l Threaded
Casing diameter	in. to ft.,	Diameter	in. to		ft., Diamete	er in. to	ft.	
Casing height above land s			lbs.	./ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR								
	less Steel				☐ Other	(Specify)	• • • • • • • • • • • • • • • • • • • •	
	anized Steel Conc		used (open	hole)				
SCREEN OR PERFORA				<u> </u>		7 O(1 (G :C)		
	☐ Mill Slot ☐ Ga ☐ Key Punched ☐ W				ne (Open Hole	Other (Specify)		•••••
SCREEN-PERFORATE	ID INTERVALS. From	ft to	ft Fr	Om 1401	ft to	ft From	ft to	ft
	CK INTERVALS: From							
9 GROUT MATERIA								
Grout Intervals: From								• • • • • • • • • • • • • • • • • • • •
Nearest source of possible		10., 1 10111	11. 10		10., 1 10111			
☐ Septic Tank	☐ Lateral Line	es 🔲 Pit Privy		☐ Li	ivestock Pens	☐ Insecti	cide Storage	
☐ Sewer Lines	☐ Cess Pool	☐ Sewage L			uel Storage		oned Water V	Well
☐ Watertight Sewer Lin				□ Fe	ertilizer Storag	ge 🔲 Oil We	ell/Gas Well	
☐ Other (Specify)								
								G DIEEDII A I G
10 FROM TO	LITHOLOG	JIC LOG	FROM	VI	TO LI	THO. LOG (cont.) o	r PLUGGIN	JINTERVALS
 								
 								
			Notes					
Autes.								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged								
under my jurisdiction an	d was completed on (m	no-day-year)		and th	is record is t	rue to the best of m	y knowleds	ge and belief.
Kansas Water Well Con	tractor's License No	This W	ater Well	Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
ks Department of Health at	ia Environment, Bureau of V	valer, deology section,	1000 SW Jac	rsou 91	, Suite 420, 10	peka, Kansas 00012-130	o7. reiepnone	103-290-3303.

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Kenby Clawson	
Doc ID	1091925	

Litholgy

From	То	LithologicLog
0	2	Top Soil
2	48	brown sandy clay
48	100	sand fine to med coarse, sm med gravel
100	140	sand fine to med coarse sm med lg gravel
140	144	Brown Clay
144	181	sand fine to med coarse sm med lg gravel
181	187	bown sandy clay w couple sand strips
187	197	blue clay
197	201	sand fine to med coarse sm gravel
201	268	brown sandy clay w few sand strips and sand beds
268	330	sand fine to med coarse sm gravel
330	355	brown clay
355	380	Sand fine to med coarse
380	392	sand fine to med coarse w few clay stringers
392	400	brown sandy clay w few sand strips
400	413	sand fine to med coarse
413	426	brown clay sticky
426	465	brown clay w few lime rock strips sticky

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Kenby Clawson	
Doc ID	1091925	

Litholgy

From	То	LithologicLog
465	489	sand fine few med w few clay stringers
489	507	sand fine to med coarse w brown rock
507	526	sand fine to med coarse w brown rock
526	540	soapstone
540	625	sandstone few soapstone stringers
625	640	red bed