KOLAR Document ID: 1415126

	WELL R	ECORD Correction		WWC-5				ion of Wate] Well II	⁻ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					sources App. No. Well ID cection Number Township Number Range N			e Number					
County: 14 14 14					2001	T S R DE W							
						Street or	eet or Rural Address where well is located (if unknown, distance and						
Business:						direction fi	irection from nearest town or intersection): If at owner's address, check here:						neck here:
Address:													
Address: City: State: ZIP:													
3 LOCATE	E WELL				L								
WITH "							ft. 5 Latitude:(decimal degrees)						
SECTIO	N BOX:	Depth(s) Gr					2018 (decimal degrees)						
N		WELL'S ST			. ft., or 4)[
					on (mo-day								,
NW	NE				measured on (mo-day-yr)				☐ GPS (unit make/model:				
	i l	_		vater was ft.						Survey Topographic Map			
w	Е	after		s pumpinggpm					nlin	e Mapper:			
SW	SE	ofter											
🕺		Estimated Y		pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TO				Level 🔲 TOC	
S		Bore Hole I			to	ft. and					☐ GPS ☐ Topographic Map		
1 m	ile				to					Other			
7 WELL V	VATER TO	BE USED A	AS:										
1. Domestic:					well ID					eld Water Supply: 16			
Househ												•••	
☐ Lawn &☐ Livesto					ell ID					☐ Uncased ☐ (al: how many bores			
2. Irrigation													
3. ☐ Feedlot] Air Sparge		Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industri			Recovery		Injection					(specify):			
Was a chen	nical/bacter	iological san	nple subm	itted to K	KDHE?	Yes \square 1	No	If yes, date	e sar	nple was submitte	d:		
		☐ Yes ☐				_		•		ı			
8 TYPE O	F CASING	USED: □ S	teel PV	C 🔲 Othe	r	CA	SIN	G JOINTS	S: 🗆	Glued Clamped	l 🔲 Wel	ded	☐ Threaded
										in. to			
		urface			nt	lbs.	/ft.	Wall thick	kness	or gauge No			
		PERFORAT								7 (0)			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	_	□ PVC	ised (open	hala)		her (Specify)			•••••
		ATION OPE			☐ None (iseu (open	noie)						
☐ Contin		☐ Mill Slot		auze Wrapp	oed □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
		☐ Key Puncl						ne (Open H					
SCREEN-P	ERFORATE	D INTERV	ALS: From	1	ft. to	ft., Fro	m	ft. to	o	ft., From	ft.	to.	ft.
GF	GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.									ft.			
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination: □ Septic Tank □ Livestock Pens □ Insecticide Storage													
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
	ght Sewer Lin		Seepage Pit		Feedyard			ertilizer Sto		☐ Oil We	ll/Gas Wo	ell	
☐ Other (Specify)													
			ITHOLOG		ance from w					tt. HO. LOG (cont.) or		INIC	SINTEDMALC
10 FROM	TO	1	TIHOLOG	JIC LUG		FRON	1	TO	LH	no. Log (cont.) of	PLUGG	ING	INTERVALS
						+							
						1							<u>, </u>
													<u> </u>
						1							
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wat	er Well Con	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was coi	mple	eted on (mo-day-y	ear)		
under the bu	isiness name	of	- X7 A (DD) 7 X X	TIL OFF	7D 1 · · ·	C		1- F CC		or each <u>constructed</u> we	-11	<u></u>	
KS Denartm	ent of Health ar	ena one copy to nd Environment	, Bureau of V	ELL OWNE Vater. Geolo	ek and retain gy Section. 10	one for your 000 SW Jack	record cson S	us. Fee of \$5 t., Suite 420	5.00 f Tone	or each <u>constructed</u> we eka, Kansas 66612-13 <i>6</i>	л. 57. Telenh	one '	785-296-3565.
_	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	LYLE KOEHN
Doc ID	1415126

Litholgy

То	LithologicLog
2	TOPSOIL
108	CLAY & SILTY CLAY
118	SANDY CLAY & TR F. SAND
146	F/M GRAVEL & C SAND
165	C SAND/ F/M/ C GRAVEL
200	C SAND & F/M GRAVEL
257	C SAND & F. GRAVEL
285	C SAND / F. GRAVEL & SANDY LAYER
323	C SAND & F/M GRAVEL
346	M/C SAND & F GRAVEL / TR SC
378	F/M GRAVEL
392	SANDY CLAY
406	M/C SAND & F. GRAVEL
424	C SAND & F. GRAVEL
454	C/VC SAND & F/TR M GRAVEL
474	SC W/ SAND LENSES
482	SC W/ SAND LENSES
509	SC W/ SAND LENSES
518	F. SAND
527	SANDY CLAY
545	M SAND
550	SANDY CLAY
	2 108 118 146 165 200 257 285 323 346 378 392 406 424 454 474 482 509 518 527 545

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	LYLE KOEHN
Doc ID	1415126

Litholgy

From	То	LithologicLog
550	589	C SAND & F/M GRAVEL / ROCK
589	609	SC & SAND LAYER
609	621	C SAND/F. GRAVEL & TR SC
621	662	F/M SAND & TR F. GRAVEL
662	674	OCHRE & RED BED