


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Grant	Fraction NW 1/4 NW 1/4 NE 1/4	Section number 1	Township number T 29 S R 36 W E/W	Range number
2. Distance and direction from nearest town or city: 6 miles east of Ulysses, Ks. Street address of well location if in city:				3. Owner of well: Leonard Goossen R.R. or street: 1112 E. King Terrace City, state, zip code: Ulysses, Kansas 67880		
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile		Sketch map: 			6. Bore hole dia. 9 7/8 in. Completion date _____ Well depth 477 ft. 5-16-78	
5. Type and color of material		From	To	7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Top soil		0	4	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Clay		4	30	9. Casing: Material PVC Height: Above or below Threaded _____ Welded XX Surface 24 in. RMP _____ PVC XX Weight 3.92 lbs./ft. Dia. 5 in. to 477 ft. depth Wall Thickness: inches or Dia. _____ in. to _____ ft. depth Gage No. 375		
Med. to lar. sand & gravel		30	84	10. Screen: Manufacturer's name _____ Pumpco Cut Type PVC Dia. 5" Slot/gauge .020 Length 100' Set between 377 ft. and 477 ft. _____ ft. and _____ ft. Gravel pack? Yes Size range of material 1/64-5/32		
Med. to lar. sand & gravel with clay		84	115	11. Static water level: _____ mo./day/yr. 272 ft. below land surface Date 4/21/78		
Clay - sticky		115	170	12. Pumping level below land surfaces: _____ ft. after _____ hrs. pumping _____ g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield _____ g.p.m.		
Blue clay		170	250	13. Water sample submitted: _____ mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____		
Fine sand		250	270	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter Unit _____ Inches above grade		
Blue clay		270	310	15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement _____ Bentonite _____ Concrete Depth: From 4 ft. to 14 ft.		
Fine sand-med. to lar. sand with clay streaks		310	478	16. Nearest source of possible contamination: NONE ft. _____ Direction _____ Type _____ Well disinfected upon completion? XX Yes _____ No		
Black shale		478	490	17. Pump: _____ Not installed Manufacturer's name Aermotor Model number SD12 HP 1 1/2 Volts 220 Length of drop pipe 363 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible _____ Turbine <input type="checkbox"/> Jet _____ Reciprocating <input type="checkbox"/> Centrifugal _____ Other		
(Use a second sheet if needed)						
18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name License No. Address Meade, Kansas 67864 Signed <i>John Friesen</i> Date 5-22-78 Authorized representative		

T 29
 R 36 W
 Sec 1
 1/4 1/4 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5