WATER WELL RECORD	Form W	WC-5	D	ivision of Water	r Resources App.	No.
1 LOCATION OF WATER WELL:	Fraction			ion Number		
County: Grant	SW 1/4 SW 1/4 NV			9) R 37 □E X W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here						
Ulysses: 2 S of Ulysses on Hwy 25 1 W on Rd 14				Longitude: (in decimal degrees)		
to house on corner 1/8 S on E side			Elev	Elevation:		
2 WATER WELL OWNER:	Datui Colle	m: [] WGS 84 ction Method:	4, 🔝 NAD 83,	NAD 27		
DD# Street Address Dov. #.						
City State 7ID Code P.O. BOX 909				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
Me	eade, KS 67864					5-15 m, >15 m
3 LOCATE WELL		- 40	_			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						
SECTION BOX: Depth(s) Groundwater Encountered (1)						
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
EST VIELD and Well water was A offer house numbing						
Doro Holo Diameter in to ft and in to ft						
W ELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Domestic December Oil field water supply Devetoring Deber (Specify below)						
SW SE Domestic Feediot Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes X No						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? ☑ Yes ☐ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter5 in. to 3.40 ft., Diameter ft., Diameter ft.						
Casing height above land surface24						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
□ Louvered shutter □ Key punched □ Wire wrapped ★ Saw cut □ Other (specify)						
From						
GRAVEL PACK INTERVALS: From 180 ft. to 400 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other hole plug						
Grout Intervals: From						
What is the nearest source of possible con	tamination:					
· = · —	nes Pit privy	Livestock		Insecticide		ther (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well						
FROM TO LITHOLOG		FROM	TO TO			UGGING INTERVALS
0 5 Topsoil	JIC LOU	1 KOM	10	LITHO. LC	o (cont.) or PI	OUOINO INTEKVALS
5 28 Clay						
28 56 Sandy clay						
56 195 Tan clay				 		
195 205 Joint clay						
205 281 Clay and sandy of	l av					
281 305 Sand	Lay				·	
				-		
305 326 Sandy clay 326 391 Sandy and clay s	tmake			1		
326 391 Sandy and clay s 391 400 Tan and blue cla						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or □ plugged						
under my jurisdiction and was completed on (mo/day/year) 5						
Kansas Water Well Contractor's License NckwcL430 This Water Well Record was completed on (mod day/year). 5.7.34-//						
under the business name of Orilling. Box. 806. Beaver. OK. 73932(signature)						
INSTRUCTIONS : Use typewriter or ball point pe	n. <i>PLEASE PRESS FIRML</i>	Y and PRINT c	learly. Ple	ease fill in blanks	and check the con	
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau	of Water, Geo	logy Secti	on, 1000 SW Jac	kson St., Suite 420), Topeka, Kansas 66612-1367.
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .						
KSA 82a-1212						