		T			-4' 6!					
LOCATION OF WAT	TER WELL:	Fraction	7		ction Number				ge Numbi 38	E/W
unty: Grant		SW 1/4 NI		SW 1/4	1	T 29) <u>s</u>	R	30	E/VV
tance and direction	from nearest town of ide of Ulysse	or city street address	South o	Miles War	s+ 1/95	Ft North	ያ _ት 330ድ ፲	t Was	-	
rom south s.	ide of orysse	es - 2 Miles	South, 3	MILIES MES	56, 1420	rt. North	& 3323 F	t. Wes	L	
WATER WELL OW	NER: Goldie	e A. Sullivar	ı			_				
#, St. Address, Box	× # : 401 W.	. Sypes St.					f Agriculture, D		Water Re	esourc
, State, ZIP Code	: Ulvsse	es. Kansas 67	7880				ion Number:			
OCATE WELL'S L	OCATION WITH 4	DEPTH OF COMPLepth(s) Groundwater	ETED WELL.							
<u> </u>		ELL'S STATIC WAT								
i						after				
NW	NE	t. Yield								
1 1		re Hole Diameter								
w	E					8 Air conditioni		njection w		
		ELL WATER TO BE		5 Public wat			-			
SWX	SE	1 Domestic	3 Feedlot			9 Dewatering		Other (Spe	•	
1		2 Irrigation	4 Industrial		-	10 Monitoring w				
	Wa	as a chemical/bacter	iological sampl	e submitted to L						
	j mi	tted				ater Well Disinfe			0 X	
TYPE OF BLANK (CASING USED:	5 W	rought iron			CASING .		37		
1)Steel	3 RMP (SR)	6 As	sbestos-Cemer	nt 9 Other	(specify belo	ow)		ed X		
2 PVC	4 ABS	7 Fi	berglass	fw	310		Threa	ded. From	n·450·	· · · · ·
nk casing diameter	4 ABS16in.	to \dots 450 \dots	. ft., Dia ;	20	300 Mi 210	ft., Dia	 i	n. to	· · 465 ·	ft
sing height above la	and surface12	<u>2</u> in., v	veight . 16'!-	$42.05 \cdots$	Jeu Ibs	./ft. Wall thicknes	s or gauge No	250	ე	
PE OF SCREEN O	R PERFORATION N	MATERIAL:	20''-	52.73 7 P	/C	10 A	Asbestos-ceme	nt		
1)Steel	3 Stainless st	eel 5 Fi	berglass	8 R	MP (SR)	11 0	Other (specify)	<i>.</i>		<i>.</i> .
2 Brass	4 Galvanized	steel 6 Ce	oncrete tile	9 A	3S	12 N	lone used (ope	en hole)		
REEN OR PERFO	RATION OPENINGS	ARE:	5 Ga	uzed wrapped		8 Saw cut		11 None	(open ho	ole)
1 Continuous slo	ot 3 Mill s	slot	6Wir	re wrapped		9 Drilled hole	es			
		punched	7) Tol	rch cut		10 Other (ene	cify)			
2 Louvered shut				CII CUL						
2 Louvered shut REEN-PERFORATION					ft Fro					
	ED INTERVALS:20'	'From260	ft. to	310		om 390	ft. to	450)	f
REEN-PERFORATI	ED INTERVALS. ^{20'} 16'	From	ft. to	310 465	ft., Fro	om 390	ft. to	450) 	f
REEN-PERFORATI	ED INTERVALS:20'	From 260 From 450 From 20	ft. to ft. to ft. to	310 465 190	ft., Fro	om 390 om	ft. to	450 46) 	ft ft ft
REEN-PERFORATI	ED INTERVALS:20' 16' CK INTERVALS:	From 260 From 450 From 20 From	ft. to ft. to ft. to ft. to	310 465 190	ft., Fro ft., Fro ft., Fro	om 390	ft. to	450 465) 5	f f f
GRAVEL PA	ED INTERVALS.20' 16' CK INTERVALS:	From. 260. From. 450 From. 20. From	ft. to ft. to ft. to ft. to ft. to	310 465 190	ft., Fro	om	ft. to	450 2465 3465) 5	
GRAVEL PA GROUT MATERIAL out Intervals: Fro	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft.	From 260 From 450 From 20 From 20 Lent 20	ft. to ft. to ft. to ft. to ft. to	310 465 190	ft., From the fit., From the fit., From the fit., 25	om	ft. to	450 2 465 2 ft. to	5	
GRAVEL PA GROUT MATERIAL out Intervals: Froi	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cerr m. 0 ft. ource of possible cor	From	ft. to ft. to ft. to ft. to ft. to ment grout ft., From	310 465 190	ft., From the fit., From the fit. 25 to	om	ft. to ft. to ft. to		O	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cerr 0 ft. burce of possible cor 4 Lateral I	From	ft. to	310. .465. .190. 3 Bent	ft., From tt., From	om	ft. to ft. to ft. to ft. to ft. to ft. to		on the state of th	
GRAVEL PA GROUT MATERIAL out Intervals: From the state of the state o	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cerr 0 ft. burce of possible cor 4 Lateral li 5 Cess po	From	ft. to ft. privy ft., From	310	ft., From the fit., From the fit. Section 10 Live 11 Fue 12 Ferting fit., From the fit. Section 11 Fue 12 Ferting fit.	om 390 om 250 om 50 ft., From stock pens I storage	ft. to ft. to ft. to ft. to ft. to ft. to		on the state of th	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage	From	ft. to	310	ft., From tt., From	om	ft. to ft		water we well	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0	From	ft. to ft. privy ft., From	310	ft., From tt., From	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310. 	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cem 0 ft. burce of possible con 4 Lateral li 5 Cess po ver lines 6 Seepage Northwest	From	ft. to ft. privy ft., From	310	ft., From the fit of the fi	om	ft. to ft	th & 1	water we well fy below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rection from well? ROM TO	ED INTERVALS 20' 16' CK INTERVALS: 1 Neat cemm	From	ft. to ft. to ft. to ft. to ft. to ment grout ft., From 7 Pit privy 8 Sewage is 9 Feedyard	310	to	om	ft. to ft	th & 1'	water we well fy below)	f
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cerr m0ft. ource of possible cor 4 Lateral II 5 Cess po ver lines 6 Seepage Northwest See att	'From	ft. to ft. to ft. to ft. to ft. to ment grout ft., From 7 Pit privy 8 Sewage is 9 Feedyard	310	to	om	ft. to ft	ft. to and the second of t	water we well fy below)	f
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO CONTRACTOR'S on	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cemm. 0 ft. Durce of possible conducted for the second se	From	ft. to ft. to ft. to ft. to ft. to ment grout ft., From 7 Pit privy 8 Sewage k 9 Feedyard	310	to2Formula 12 Ferting 13 Insee How m. TO	om	ft. to ft	ft. to 460	water we well fy below)	f
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO CONTRACTOR'S on pleted on (mo/day ter Well Contractor)	ED INTERVALS.20' 16' CK INTERVALS: 1 Neat cerr m0ft. ource of possible cor 4 Lateral II 5 Cess po ver lines 6 Seepage Northwest See att	From	ft. to ft. fr. from ft., From ft., From Frit privy Freedyard This water well ft., This Water	310	to	om	ft. to ft	ft. to 460	water we well fy below)	f