

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number  
 COUNTY: 034 GRANT SE 1/4 NE 1/4 NW 1/4 28 T 29 S R 38 W

Distance and direction from nearest town or city street address of well if located within city?  
 APPROX. 6.0 MILES WEST AND 5.25 MILES SOUTH OF ULYSSES.

2 WATER WELL OWNER: FRIBOURNE INVESTMENT Board of Agriculture, Division of Water Resources  
 RR#, St. Address, Box #: 277 PARK AVENUE  
 City, State, ZIP code: NEW YORK, NY 10117- Application Number: 20,619

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 510 ELEVATION: 0  
 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.  
 WELL'S STATIC WATER LEVEL 237 ft. below land surface measured on mo/day/yr 02/27/92  
 Pump test data: Well water was 420 ft. after 4 hours pumping 907 gpm  
 Estimated Yield 0 gpm; Well water was 0 ft. after 0 hours pumping 0 gpm  
 Bore Hole Diameter 24 in. to 510 ft., and in. to 0 ft.  
 WELL WATER TO BE USED AS: 02 IRRIGATION  
 Was a chemical/bacteriological sample submitted to department? No ;  
 If yes, mo/day/yr sample was submitted Water well disinfected? No

5 TYPE OF BLANK CASING USED: 01 STEEL CASING JOINTS: WELDED  
 Blank casing diameter 16 in. to 510 ft., Dia in. to 0 ft., Dia in. to 0 ft.  
 Casing height above land surface 12 in., weight 42 lbs/ft. Wall thickness or gauge No. .250  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 01 STEEL  
 SCREEN OR PERFORATION OPENINGS ARE: 01 CONT. SLOT

SCREEN PERFORATED INTERVALS: From 245 ft. to 305 ft., From 430 ft. to 460 ft.  
 From 346 ft. to 416 ft., From 470 ft. to 510 ft.  
 GRAVEL PACK INTERVALS: From 20 ft. to 510 ft., From 0 ft. to 0 ft.  
 From 0 ft. to 0 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL 03 BENTONITE  
 Grout Intervals: From 0 ft. to 20 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.  
 What is the nearest source of possible contamination: 14 ABAND. WELL  
 Direction from well? SOUTHEAST How many feet? 234

| FROM | TO  | LITHOLOGIC LOG                        | FROM | TO | PLUGGING INTERVALS |
|------|-----|---------------------------------------|------|----|--------------------|
| 0    | 2   | 01 CLAY                               |      |    |                    |
| 2    | 63  | 04 SANDY CLAY 31 CALICHE 07 FINE SAND |      |    |                    |
| 63   | 69  | 07 FINE SAND 08 MEDIUM SAND           |      |    |                    |
| 69   | 80  | 01 CLAY                               |      |    |                    |
| 80   | 100 | 04 SANDY CLAY 31 CALICHE              |      |    |                    |
| 100  | 125 | 05 SAND                               |      |    |                    |
| 125  | 135 | 04 SANDY CLAY 20 LIMESTONE            |      |    |                    |
| 135  | 140 | 07 FINE SAND 08 MEDIUM SAND 01 CLAY   |      |    |                    |
| 140  | 170 | 04 SANDY CLAY 05 SAND                 |      |    |                    |
| 170  | 225 | 05 SAND 13 FINE GRAVEL 01 CLAY        |      |    |                    |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 02/04/92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 05/21/92 under the business name of HENKLE DRILLING & SUPPLY by (signature) Douglas B. Henkle

