OCATION OF WATER WELL: ; Fra	1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4	jection Number 25 	† Township Number † T-26 S	; Range Number ; R 28 W
FROM CIMARRON SOUTH ON HIGHWAY 23	st town or city street address of a - 3 1/2 AND 1/4 EAST	well if located wit	thin city?	
ATER WELL OWNER: NUGENT, RR\$, St. Address, Box \$: BOX 452 City, State, ZIP code : CIMARRO		Board of Agr Application I	iculture, Division of Number:	Water Resources
OCATE WELL'S LOCATION WITH	4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encou	260 ELEVATION		ft. 3. 0 ft
NW NE	WELL'S STATIC WATER LEVEL Pump testdata: We Estimated Yield O gpm: W E Bore Hole Diameter 6 WELL WATER TO BE USED AS: MO	ll water was ell water was in. to 260 f	0 ft. after 0 hou 0 ft. after 0 hou	rs pumping 0 g
X		al sample submitte submitted	d to department? No ; Water w	ell disinfected? Y
Casing height above land surface TYPE OF SCREEN OR PERFORATION MAT SCREEN OR PERFORATION OPENINGS AR SCREEN PERFORATED INTERVALS:	From 200 ft. to 240 ft., From 0 ft. to 0 ft.,	t. Wall thickness From 0 ft. to From 0 ft. to	or gauge No. 40 O ft. O ft.	
GRAVEL PACK INTERVALS:	From 100 ft. to 260 ft., From 0 ft. to 0 ft.,	From 0 ft. to From 0 ft. to	0 ft. 0 ft.	
ROUT MATERIAL BENTONITE frout Intervals: From 0 ft. hat is the nearest source of postirection from well?	to 100 ft., From 0 ft. to sible contamination: NONE	0 ft., From	0 ft. to 0 ft.	How many feet?
100 120 02 FINE SAND 120 140 32 TAN CLAY 0 140 180 02 FINE SAND	32 TAN CLAY ND IAN 06 SMALL GRAVEL 32 TAN CLAY 35 CALACHIE 2 FINE SAND 32 TAN CLAY IAN 38 SMAL-MED GRA 33 VERY LOOSE	FROM TO	PLUGGIN	3 INTERVALS
240 241 08 ROCK LAYER 241 260 07 BLUE SHALE		1 1	1	