

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No. _____

Well ID _____

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
County: ¼ ¼ ¼ ¼ T S R E W

2 WELL OWNER: Last Name: _____ First: _____ Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
Business: _____
Address: _____
Address: _____
City: _____ State: _____ ZIP: _____

3 LOCATE WELL WITH "X" IN SECTION BOX:
N

S
-----1 mile-----

4 DEPTH OF COMPLETED WELL: ft.
Depth(s) Groundwater Encountered: 1) ft.
2) ft. 3) ft., or 4) Dry Well
WELL'S STATIC WATER LEVEL: ft.
 below land surface, measured on (mo-day-yr).....
 above land surface, measured on (mo-day-yr).....
Pump test data: Well water was ft.
after hours pumping gpm
Well water was ft.
after hours pumping gpm
Estimated Yield: gpm
Bore Hole Diameter: in. to ft. and in. to ft.

5 Latitude:(decimal degrees)
Longitude:(decimal degrees)
Datum: WGS 84 NAD 83 NAD 27
Source for Latitude/Longitude:
 GPS (unit make/model:)
(WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper:

6 Elevation:ft. Ground Level TOC
Source: Land Survey GPS Topographic Map
 Other

7 WELL WATER TO BE USED AS:
1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease
 Household 6. Dewatering: how many wells? 11. Test Hole: well ID
 Lawn & Garden 7. Aquifer Recharge: well ID Cased Uncased Geotechnical
 Livestock 8. Monitoring: well ID 12. Geothermal: how many bores?
2. Irrigation 9. Environmental Remediation: well ID a) Closed Loop Horizontal Vertical
3. Feedlot Air Sparge Soil Vapor Extraction b) Open Loop Surface Discharge Inj. of Water
4. Industrial Recovery Injection 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:
Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.
Nearest source of possible contamination: No potential source of contamination within 200 ft.
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)
Direction from well? Distance from well? ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
			Notes:		

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1513689

Lithology

From	To	LithologicLog
0	28	TOPSOIL & SANDY CLAY
28	48	SANDY CLAY, FINE SAND
48	68	SANDY CLAY
68	88	SANDY CLAY
88	108	CLAY, SANDY CLAY
108	128	CLAY, VERY FINE SAND, SANDY CLAY, MED SAND
128	148	F/M SAND, SANDY CLAY & F/M SAND
148	168	VERY F. SAND, SANDY CLAY
168	188	CLAY, VERY F. SAND, SANDY CLAY
188	208	SANDY CLAY, F/M SAND, F/M/C SAND
208	228	VF SAND, SC, F/M/C SAND, SS
228	248	F/M SAND, SANDY CLAY
248	268	F/M SAND, SANDY CLAY
268	288	SANDY CLAY, SAND, F/M/C SAND
288	308	SANDY CLAY, F/M COARSE
308	328	F/M COARSE, SANDY CLAY
328	348	SANDY CLAY, SAND
348	368	SANDY CLAY, SAND
368	388	SANDY CLAY, F. SAND

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1513689

Lithology

From	To	LithologicLog
388	408	SANDY CLAY, BROWN ROCK
408	428	SANDY CLAY, SOAPSTONE,
428	448	SANDY CLAY, F. SAND, BR. ROCK
448	468	BR. ROCK, SANDY CLAY, SOAPSTONE
468	488	SANDY CLAY, BR. ROCK, SS
488	508	SS, SANDY CLAY, SILTY CLAY, CEM
508	528	SANDY CLAY, SS, BR. ROCK, SS
528	550	SS, SANDY CLAY, RED BED