

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No. **12151**

1 LOCATION OF WATER WELL: Fraction SW 1/4 SE 1/4 SW 1/4 Section Number 1 Township Number T 29 S Range Number R 39 E
 County: Stanton
 Distance and direction from nearest town or city street address of well if located within city? From Big Bow, appx 1 miles South & 2 Miles East
Global Positioning System (decimal degrees, min. of 4 digits)
 Latitude: 37.5479
 Longitude: 101.5384
 Elevation: 3135
 Datum: _____
 Data Collection Method: _____

2 WATER WELL OWNER: Melvin Garey
 RR#, St. Address, Box # : 12477 E Rd 14
 City, State, ZIP Code : Johnson KS 67855

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N	
NW	NE
SW	SE
S	

X

4 DEPTH OF COMPLETED WELL 553 ft.

Depth(s) Groundwater Encountered 1 _____ ft. 2 _____ ft. 3 _____ ft.
 WELL'S STATIC WATER LEVEL 317 ft. below land surface measured on mo/day/yr 6/1/08
 Pump test data: Well water was 407 ft. after 4 hours pumping 1153 gpm
 Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
 WELL WATER TO BE USED AS: 5 _____ 8 Air conditioning 11 Injection well
 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No ; If yes, mo/day/yr
 Sample was submitted _____ Water Well Disinfected? Yes No _____

5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____
 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded _____
 Blank casing diameter 16 in. to 553 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
 Casing height above land surface 12 in., Weight 42 lbs./ft. Wall thickness or gauge No. .250

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) _____
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) _____
SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) _____
SCREEN-PERFORATED INTERVALS: From _____ ft. to _____ ft. From _____ ft. to _____ ft.
GRAVEL PACK INTERVALS: From _____ ft. to _____ ft. From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other _____
 Grout Intervals From 0 ft. to 20 ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below)
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage Abandoned water well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well
 Direction from well? West How many feet? 115

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top soil			
2	48	Sandy clay			
48	64	Sand fine to med coarse			
64	227	Sandy clay sticky			
227	247	Sand fine to med coarse			
247	252	Sandy clay			
252	258	Sand fine to med			
258	268	Sandy clay			
268	280	Sand fine to med			
280	294	Sandy clay w/sand beds			
294	303	Sand fine to med coarse			
303	385	Sandy clay w/sand beds			
385	391	Sand fine to med			
391	403	Sandy clay			
403	421	Sand fine to med coarse			
421	437	Sandy clay w/sand beds			
437	548	Sand fine to med coarse w/rock			

