

WATER WELL		WWC-5 1172	DI	vision of Water				
Original Record Correction Chang LOCATION OF WATER WELL:				ources App. No		Well ID r Range Number		
County:			Section Number		T S	$\begin{array}{c} R \\ R \\ \Box E \\ \Box W \end{array}$		
	2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
				direction from nearest town or intersection): If at owner's address, check here:				
Address:								
Address: City:	ZIP:							
3 LOCATE WELL	State:							
WITH "X" IN		IPLETED WELL: .				(decimal degrees)		
SECTION BOX:		Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)			
Ν		2) ft. 3) ft., or 4) □ I WELL'S STATIC WATER LEVEL:						
		, measured on (mo-day-			GPS (unit make/model:)			
- NW NE		, measured on (mo-day-	-yr)			(WAAS enabled? \Box Yes \Box No)		
	-	vater was f		🗌 Land Survey 🔲 Topographic Map				
W		s pumping						
SW SE		vater was f						
	Estimated Yield:	s pumping	gpm	6 Elevation:ft. Ground Level TO				
S			ft. and	Source: Land Survey GPS Topographic		PS 🔲 Topographic Map		
1 mile		in. to			□ Other			
7 WELL WATER T	TO BE USED AS:							
1. Domestic:		ater Supply: well ID				se		
Household		ig: how many wells?			11. Test Hole: well ID □ Cased □ Uncased □ Geotechnical			
□ Lawn & Garden □ Livestock		echarge: well ID						
2. Irrigation		al Remediation: well ID			12. Geothermal: how many bores?a) Closed Loop ☐ Horizontal ☐ Vertical			
3. Feedlot	Air Sparg				b) Open Loop 🗌 Surface Discharge 🗌 Inj. of Water			
4. 🗌 Industrial	Recovery							
Was a chemical/bact	eriological sample subn	nitted to KDHE?	Yes 🗌 No	If yes, date	sample was submitted			
Water well disinfected				•				
8 TYPE OF CASIN	G USED: 🗌 Steel 🗌 PV	C 🗌 Other	CASI	NG JOINTS:	□ Glued □ Clamped	UWelded Threaded		
	in. to ft.							
	d surface in		lbs./ft.	Wall thickn	ess or gauge No			
	DR PERFORATION MA				- (C:f)			
	ainless Steel	0 _	sed (open hol		r (Specify)			
	RATION OPENINGS A		sea (open no					
Continuous Slot			rch Cut 🔲	Drilled Holes	Other (Specify)			
Louvered Shutter	Key Punched W			None (Open Ho				
	TED INTERVALS: From							
	ACK INTERVALS: From							
	IAL: Neat cement							
Grout Intervals: From Nearest source of possi	ft. to	ft., From	ft. to	ft., From	ft. to	ft.		
Septic Tank	Lateral Line	es 🗌 Pit Privy	Г	Livestock Pen	s 🗌 Insectici	de Storage		
Sewer Lines	Cess Pool	Sewage Lag		Fuel Storage		ned Water Well		
	Lines 🗌 Seepage Pit	Feedyard		Fertilizer Stor		/Gas Well		
					-			
Direction from well?10 FROMTO	LITHOLO		FROM			PLUGGING INTERVALS		
IU FROM TO	LITHOLO	GIULUG	FROM	10 1	LITHO. LOG (cont.) of F	LUGGING INTERVALS		
			1					
			1					
			Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No								
Kansas Water Well C	ontractor's License No	This Wa	ter Well Re	cord was com	pleted on (mo-day-yea	ar)		
under the business na	me of	/FLI OW/NEP and ratain	ne for your m	ords Ees of \$5 (0 for each constructed well			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1172481	

Litholgy

From	То	LithologicLog
0	12	TOP SOIL
12	57	BROWN CLAY LITTLE FINE SAND
57	89	BROWN STICKY CLAY
89	106	WHITE CLAY
106	137	LOOSE FINE TO MED SAND
137	177	BROWN CLAY
177	205	LOOSE FINE TO MED SAND BROWN CLAY LEDGES
205	228	BROWN STICKY CLAY
228	311	LOOSE FINE TO MED SAND W/ FEW CLAY STREAKS
311	341	FAIRLY LOOSE FINE TO MED SAND W/ FEW CLAY STREAKS
341	346	SAND BROWN CLAY W/ FINE TO MED SAND STREAKS
346	396	LOOSE FINE TO MED SAND W/ FEW SMALL LOOSE SAND STONE STREAKS
396	452	LOOSE FINE TO MED COARSE SAND
452	457	FAIRLY TIGHT MED TO COARSE SAND
457	523	TAN CLAY STONE W/ FEW SMALL LOOSE SAND STONE

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1172481	

Litholgy

From	То	LithologicLog
523	545	SAND STONE, FAIRLY LOOSE
545	561	HARD RED, WHITE & TAN CLAY STREAKS
561	574	SAND STONE FAIRLY LOOSE
574	589	HARD BROWN & LIGHT GREEN CLAY STONE
589	600	RED BED