## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Section	number	Township number Range number	
1. Location of well:	Stanton	SW SE SW 1/4 1/4	5		T 29 S R 39 EM	
2 Distance and disc	ction from nearest town or city:	<u> </u>	l ner of wel	l. •	1, 31, 50	
2. Distance and dire	chon non nearest lown or chy:	eon Kilgore				
Street address of well	location if in city: $2\frac{1}{2}$ west	C D: - D V-	street:	20 code: T	04 S. Knox	
4 1	tt	Shatah	1010, 2.p	code. J	ohnson, Ks. 67855 6. Bore hole dig 9-25 in. Completion date	
4. Locate with "X" in section below:  Sketch map:					Well depth 340 ft. 12111	
<sub>4</sub>	<u> </u>	70' 00	Д	ŀ	7 Cable tool X_ Rotary Driven Dug	
- NW -   - NE -				Hollow rod Jetted Bored Reverse rotary		
	1		بج يها	ا ,د	8. Use: X Domestic Public supply Industry	
4. Locate with "X" in section below:					Irrigation Air conditioning Stock	
					Lawn Oil field water Other	
SW   SE					9. Casing: Material Styren Above or below	
					Threaded Weldeg 1 in .	
S					RMPPVCWeightlbs./ft.	
1 <del>1 </del> 1 M			T.	T #	Dia in. to <u>300</u> ft. depth Wall Thickness: inches or Dia in. to ft. depth gage No320	
5. Type and color of	material		From	То	10. Screen: Manufacturer's name Sunflower	
Surface			0	2	Type <u>styrene</u> Dia. 5"	
			2	0.5	Slot/gauze 1/16 Length 40 1	
Fine to medium sand w/clay strips			+ 2	23	Set betweenft. andft.	
Brown clay			23	110	Gravel pack? X Size range of material 30.	
•			110	120	11. Static water level: mo./day/yr.	
TINO SUNG			+10	120	ft. below land surface Date	
Brown cla	v		120	145	12. Pumping level below land surfaces:	
Brown clay				1	165 ft. after 4 hrs. pumping 10 g.p.m.	
Fine sand			145	173	ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.	
Province 1 av			177	260	13. Water sample submitted: mo./day/yr.	
Brown clay			173	260	Yes X No Date	
Fine to m	edium sand w/clay	strips	260	340	14. Well head completion:	
					$\underline{\mathbf{x}}$ Pitless adapter $\underline{12}$ Inches above grade	
			<u> </u>	1	15. Well grouted?	1
					With: X Neat cement Bentonite Concrete	, , , _
			1	<b></b>	Depth: From <u>0</u> ft. to <u>10</u> ft.	19
					16. Nearest source of possible contamination: Seven ft150Direction east Type1	, -
					ft	le ·
			<u> </u>	<del>                                     </del>	1 17 Brown X Nach Controlled	$ \omega $
1					Manufacturer's name	1
					Model number HP Volts	19
				1	Length of drop pipe ft. capacityg.p.m.	<b>∂</b> ¬
.;					Type: Submersible Turbine	
			+-	1	Jet Reciprocating	
5.0	(Use a second s	heet if needed)			Centrifugal Other	, I <i>U</i> —
18. Elevation: 19. Remarks:					20. Water well contractor's certification:	V
					This well was drilled under my jurisdiction and this report	t
T				is true to the best of my knowledge and belief.	MS	
Topography:					Houck Bros. Drilling Co. 164	1
X Slope					Business name Address Box 487, Ulysses, Ks.	6
Upland					Signed M. Beard Date 6/10/77	10
Valley					Authorized representative	15