

1 LOCATION OF WATER WELL		Fraction NW 1/4 NE 1/4 NE 1/4		Section Number 32		Township Number T 29 S		Range Number R 39 EW	
County: Stanton				Distance and direction from nearest town or city? 5 miles south, plus 2 miles west of Big Bow, Ks.					
2 WATER WELL OWNER: Kilgore Family Partnership L.T.D.				Board of Agriculture, Division of Water Resources					
RR#, St. Address, Box #: Box 351				Application Number: 28302					
City, State, ZIP Code: Johnson, Ks. 67855									
3 DEPTH OF COMPLETED WELL 419.7 ft. Bore Hole Diameter 26 in. to 419.7 ft. and in. to ft.									
Well Water to be used as:									
1 Domestic		3 Feedlot		5 Public water supply		8 Air conditioning		11 Injection well	
2 Irrigation		4 Industrial		6 Oil field water supply		9 Dewatering		12 Other (Specify below)	
7 Lawn and garden only		10 Observation well							
Well's static water level 160 ft. below land surface measured on March 14 day 1980 year									
Pump Test Data: Well water was 179 ft. after 4 hours pumping 2200 gpm									
Est. Yield 3000 gpm: Well water was ft. after hours pumping gpm									
4 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		Casing Joints: Glued Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded X	
				7 Fiberglass				Threaded.	
Blank casing dia 16 in. to 237.1 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 22 in. weight 36.8 lbs./ft. Wall thickness or gauge No. 219									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		7 PVC		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)		11 Other (specify)	
						9 ABS		12 None used (open hole)	
Screen or Perforation Openings Are:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
Screen-Perforation Dia 16 in. to 419.7 ft. Dia in. to ft. Dia in. to ft.									
Screen-Perforated Intervals: From 237.1 ft. to 419.7 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.									
Gravel Pack Intervals: From 10 ft. to 419.7 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.									
5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grouted Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage		14 Abandoned water well	
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage		15 Oil well/Gas well	
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage		16 Other (specify below)	
						13 Watertight sewer lines		Field	
Direction from well How many feet ? Water Well Disinfected? Yes No X									
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year: Pump Installed? Yes No X									
If Yes: Pump Manufacturer's name Model No. HP Volts									
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.									
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other									
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on December March month 31 day 1980 year									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 164									
This Water Well Record was completed on April month 2 day 1980 year under the business name of Houck Bros. Drilling Co. by (signature) M. Beard									
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG		
		0	2	Surface					
		2	85	Clay and lime					
		85	110	Coarse sand w/clay					
		110	140	Clay w/medium sand strips					
		140	187	Coarse sand w/small clay breakers					
		187	198	Clay					
		198	314	Coarse sand some fine					
		314	352	Fine sand w/small clay breakers					
		352	385	Coarse sand					
385	403	Brown clay							
ELEVATION: slope		403	420	Brown sandrock /w/hard strips					
Depth(s) Groundwater Encountered 1. 160 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)									

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.