County: <u>Stanton</u> Fraction <u>NE NE SE NE</u> Sec. <u>28</u> T <u>28</u> S R <u>40</u> EW
CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)
Owner: Venture Land
Location was listed as: Location changed to:
Section-Township-Range: 28-295-40W 28-285-40W
Fraction (1/4 1/4 1/4): NE NE SE NE NE NE NE SE NE
Other changes: Initial statements: 8 miles West of Ulysses Kansas
Latitude: 37, 50045
Changed to: 18 miles west of Ulysses, Kansas.
Latitude: 37.5872
Comments:
Verification method: water rights information in WIMAS database,
legal description and position on plat map, Google Earth, and
ma poing too/ & aeria/ photos on KGS website initials: Diff date: 1/30/20/3 Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.



WATER WELL R		WWC-5 1093	Di	ision of Wate		
✓ Original Record		ge in Well Use		ources App. N		Well ID
1 LOCATION OF W	ATER WELL:	Fraction		ction Number		
County: Stanton		NE ¼ NE ¼ SE ¼		28	T 29 S	R 40 □ E 🗷 W
2 WELL OWNER: La Business: Venture Lai	ist Name:					(if unknown, distance and
Address: 6190 N Roa					*	r's address, check here:
Address: 0190101008	au	1	3 miles We	st of Ulysse	es Kansas	
City: Johnson	State: Ks	ZIP: 67885				A -1/44/4
3 LOCATE WELL	A DEPTH OF CO	MPLETED WELL:	629 f	5 Latit	37,5004	5(decimal degrees)
WITH "X" IN	Denth(s) Groundwater	Encountered: 1)62	9 <sub>ft</sub>			042(decimal degrees)
SECTION BOX:	2) ft.	3) ft., or 4)	Dry Well		n: WGS 84 NA	
N	WELL'S STATIC WA	ATER LEVEL:31.	9 ft.	Source	e for Latitude/Longitude	
		e, measured on (mo-day-		·   🗆 G		· ·····
NW NE - X		e, measured on (mo-day-			(WAAS enabled? □	
		water was ft			and Survey   Topogr	
W		rs pumping fi			nline Mapper:	•••••
SW SE		rs pumping			0074	
	Fertimated Vield: 20	0 onm		6 Eleva	tion:32/4	. 🗷 Ground Level 🗌 TOC
S	Bore Hole Diameter: .	24 in. to 629	. ft. and	Source	e: Land Survey	GPS  Topographic Map
mile		in, to	ft.		Other NOLAK	
7 WELL WATER TO						
1. Domestic:		ater Supply: well ID				ease
☐ Household☐ Lawn & Garden		ng: how many wells?			Hole: well ID ased □ Uncased □ (	
Livestock		Recharge: well ID ng: well ID			nermal: how many bores	
2. Irrigation		tal Remediation: well ID			osed Loop  Horizon	
3. Feedlot	☐ Air Sparg					scharge Inj. of Water
4. Industrial	☐ Recovery					
Was a chemical/bacter	iological sample subr	nitted to KDHE?	Yes 🔽 No	If ves. date	e sample was submitte	:d:
Water well disinfected?	✓ Yes □ No			•	•	
8 TYPE OF CASING	USED: 7 Steel P	/C	CASI	NG JOINTS	:   Glued   Clamped	d  Welded  Threaded
Casing diameter 16 Casing height above land s	in. to 624 ft.	, Diameter	in. to	ft., Dian	neter in. to	ft.
Casing height above land s	urfacei	n. Weight 42.09	lbs./ft.	Wall thick	ness or gauge No250	
TYPE OF SCREEN OR						
	less Steel		.,		ner (Specify)	
☐ Brass ☐ Galva			sed (open hol	e)		
			rch Cut 🗆 I	rilled Holes	☐ Other (Specify)	
	☐ Key Punched ☐ V	Wire Wrapped Say		None (Open H		***************************************
SCREEN-PERFORATE	D INTERVALS: From	m 379 ft. to 409	ft., From	464 ft. to	624 ft. From	ft. to ft.
GRAVEL PAC	K INTERVALS: From	m 20 ft. to 400	ft., From	.400 ft. to	629 ft., From	ft. to ft.
9 GROUT MATERIA Grout Intervals: From	L: Neat cement	Cement grout  Ber	ntonite 🔲 (	Other		
		ft., From f	t. to	ft., From	ft. to	ft.
Nearest source of possible			_			
☐ Septic Tank	☐ Lateral Lin			Livestock Pe		cide Storage
☐ Sewer Lines ☐ Watertight Sewer Line	☐ Cess Pool es ☐ Seepage Pi	☐ Sewage Lag t ☐ Feedyard	goon 📙	Fuel Storage Fertilizer Sto	rage □ Oil We	oned Water Well
			Ц	rettilizer 5to	rageOn we	
Other (Specify) Direction from well? .NW		Distance from we	11? .7		ft.	
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS
Attached Attached A	ttached					
Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  ☐ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo-day-year) .07./13/20.12 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Cont	tractor's License No	145 This Wa	ter Well Red	ord was con	npleted on (mo-day-y	ear) .09/25/2012
under the business name	of Hydro Resource	s Mid Continent, Inc	٠			
S	end one copy to WATER V	WELL OWNER and retain o	ne for your rec	ords. Fee of \$5	.00 for each constructed we	ell.
			00 SW Jackson	St., Suite 420,	Topeka, Kansas 66612-136	57. Telephone 785-296-3565.
Visit us at http://www.kdhek	s.gov/waterwell/index.html	<u> </u>				KSA 82a-1212

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner			
Doc ID	1093054		

Litholgy

Man ( )		
0	2	SURFACE
2	30	BROWN CLAY, FINE SAND
30	67	SAND, FINE TO MED, COURSE, SMALL MED GRAVEL
67	200	SAND FINE TO MED COURSE
200	233	SAND FINE TO MED COURSE SMALL
233	286	BROWN CLAY
286	290	SAND FINE TO MED YELLOW IN COLOR
290	302	YELLOW WHITE GREY CLAY
302	320	SAND FINE TO SMALL BROWN CLAY
320	380	SAND FINE TO MED COURSE SMALL-LARGE GROUND
380	398	SAND FINE TO MED COURSE FEW SMALL GROUND
398	409	YELLOW SOAPSTONE, SAND STONE
409	427	YELLOW SOAPSTONE
427	462	SHALE LIMESTONE
462	480	SHALE, LIMESTONE
480	494	SANDSTONE

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1093054	

Litholgy

		in the state of th
494	500	FALSE RED BED
500	515	SOAPSTONE
515	519	FALSE RED BED
519	545	SAND STONE, SOAPSTONE
545	598	SAND STONE FAIRLY LOOSE, SOME SOAPSTONE
598	624	SANDSTONE, SOAPSTONE, TIGHT
624	630	SOAPSTONE, LIMESTONE
630	650	RED BED