

Original Record				0101		sion of Wate			Wall ID	
1 LOCATION OF WA		e in Well V Fraction				irces App. Nion Numbe		Torreshin Numb	Well ID	a a a Mumban
	TIEK WELL:	1/4		/ ₄ 1/ ₄	Secu	ion Numbe	r	Township Numb	er Rai	nge Number □ E □ W
County:	. N		74 7		r Direc	1 Addraga	who			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:										
Address:				unection	IIOIII IIC	arest town of	mici	section). If at owner	i s addiess,	check here.
Address:										
City:	State:	ZIP:				1				
3 LOCATE WELL	4 DEPTH OF COV	IPLETE	D WELL:		ft	5 Latitu	ıde.			(decimal degrees)
WITH "X" IN		4 DEPTH OF COMPLETED WELL:								
SECTION BOX:		2) ft. 3) ft., or 4) Dry Well Datum: WGS 84 NAD 83 NAD 27								
14	WELL'S STATIC WA	TER LEV	EL:	ft.		Source for Latitude/Longitude:				
	below land surface, measured on (mo-day-yr)					Gl	PS (ı	ınit make/model:)
NW NE	above land surface,				(√ o)		
	Pump test data: Well w					☐ Land Survey ☐ Topographic Map				
W X E	after hours					☐ Online Mapper:				
SW SE										
	after			6 Elevation:ft. ☐ Ground Level ☐ TOC						
S	Bore Hole Diameter:		. to	ft. and		Source		Land Survey		
mile		in	. to	ft.				Other		
7 WELL WATER TO	BE USED AS:									
1. Domestic:	Public Wa							ld Water Supply: 16		
Household	6. Dewaterin							well ID		
Lawn & Garden	7. Aquifer Re							☐ Uncased ☐ (
Livestock	8. Monitoring							al: how many bores		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmenta ☐ Air Sparge		ltion: weii i Soil Vapor							
4. ☐ Industrial	☐ Recovery		Injection	LAHACHOI	1			specify):		
				1.V □	NI.					
Was a chemical/bacteri Water well disinfected?		nuea to 1	NDRE!	i res 🗀	NO .	ii yes, date	San	nple was submitte	:a:	
8 TYPE OF CASING		C D Oth		C	A CINI	C IOINTS:		Clued D Clampa	1 🗆 Walda	d 🗆 Throoded
Casing diameter										
Casing diameter										
TYPE OF SCREEN OR					., 10.	wan thick	11033	of gauge 110		
	less Steel		☐ PVC			□ Oth	er (S	pecify)		
	anized Steel			used (oper	n hole)		. (1		
SCREEN OR PERFORA	ATION OPENINGS A	RE:		_						
		auze Wrap						Other (Specify)		
	☐ Key Punched ☐ W					one (Open H				
SCREEN-PERFORATE										
	K INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Septic Tank	Lateral Line	е Г	☐ Pit Privy		Пι	ivestock Per	ne	□ Insecti	cide Storage	<u>,</u>
Sewer Lines	☐ Cess Pool		☐ Sewage L	agoon		uel Storage			oned Water	
☐ Watertight Sewer Line						ertilizer Sto			ll/Gas Well	
☐ Other (Specify)										
Direction from well?										
10 FROM TO	LITHOLOG	FIC LOG		FRO	M	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS
				NI-4-						
Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction an	d was completed on (m	no-dav-ve	ar)	14. 11119	and th	is record in	s tru	e to the best of m	y knowled	ge and belief.
Kansas Water Well Cont	ractor's License No		This W	ater Wel	Reco	ord was con	nple	ted on (mo-day-y	ear)	
under the business name of										
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							e 785-206-3565		
Les Department of Frealth at	a Liiviioiiiiciit, Duicau 01 V	, aici, Ocoli	, sy seemon, i	LOUG D W Jac	C HOOM	, Duite 420,	-ope	na, mansas 00012-130	,,, reichnou	U 100-470-0000.

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	John Nelson	
Doc ID	1108131	

Litholgy

Littiolgy		
From	То	LithologicLog
0	2	SURFACE
2	59	BROWN CLAY CALICHE SOME RED CLAY
59	70	SAND FINE TO MED
70	81	BROWN CLAY
81	188	SAND FINE TO MED COARSE SMALL GRAVEL
188	211	BROWN SANDY CLAY
211	385	SAND FINE TO MED SMALL TO MED GRAVEL
385	399	BROWN CLAY (STICKY)
399	413	SAND FINE TO MED
413	419	BROWN CLAY (STICKY)
419	440	SAND SILTY-FINE CLAY MIXED (TIGHT)
440	461	SAND FINE TO SMALL
461	471	FALSE RED BED & SOAPSTONE
471	490	YELLOW SOAPSTONE & SANDSTONE
490	495	FALSE RED BED (HARD)
495	504	SOAPSTONE SANDSTONE
504	518	YELLOW SOAPSTONE SOME SANDSTONE FEW LIMESTONE
518	559	SANDSTONE SOAPSTONE

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner	John Nelson		
Doc ID	1108131		

Litholgy

From	То	LithologicLog			
559	572	SOAPSTONE RED HEADS (HARD)			
572	590	SOAPSTONE SANDSTONE (USED LITTLE WATER)			
590	605	RED BED (HARD)			