

WATER	WELL	RECORD		n n C-3	58865	Divi	ision of Wat	er				
		Correction		e in Well Use			urces App. 1			Well ID		
		VATER WEL	L:	Fraction	., .		tion Numbe	er	Township Number		nge Number	
County				1/4 1/4		4 D	1 4 1 1	1	T S	R		
2 WELL Business:		Last Name:		First:					re well is located	•		
Address:				unceu	irection from nearest town or intersection): If at owner's address, check here:							
Address:			G	700								
City:	E WEI I		State:	ZIP:								
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:							5 Latit	5 Latitude:(decimal degrees)				
	N BOX:	Depth(s) Gro				Longitude:						
1	٧			3) ft., or 4			II Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27 Source for Latitude/Longitude:					
	WELL'S STATIC WATER LEVEL:								Latitude/Longitude: unit make/model:)	
NW -X	NE			measured on (mo-d			(WAAS enabled? \square Yes \square No)					
		-		ater was			□ Land Survey □ Topographic Map					
W	E	after		pumping gpm vater was ft.				Online Mapper:				
SW				pumping								
Estimated Yield:						6 Elevation:ft. Ground Level TOC						
S Bore Hole Diameter: .				in. to ft. and			Source	Source: Land Survey GPS Topographic Map Other				
1 r				in. to	ft.				Other	•••••		
1. Domestic		O BE USED A		ter Supply: well ID				il Fia	ld Water Supply: le	050		
				g: how many wells?					well ID			
Lawn					charge: well ID							
Livesto				g: well ID					al: how many bores			
			l Remediation: well ID				a) Closed Loop 🗌 Horizontal 🗌 Vertical					
3. ☐ Feedlo 4. ☐ Industr			Air Sparge Recovery	Soil Vapor Extraction				b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
			-									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
				C 🗌 Other		CASIN	IG IOINTS	S· □	Glued Clamped	□ Welde	d 🗆 Threaded	
				Diameter								
Casing heigh	nt above land	l surface	in	. Weight								
		R PERFORAT			_							
Steel Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)												
Brass		lvanized Steel RATION OPE			e used (oj	pen noie)					
	nuous Slot	☐ Mill Slot			Torch Cu	ıt 🗆 D	rilled Holes		Other (Specify)			
Louve	ered Shutter	Key Punch	ed 🗌 W	ire Wrapped	Saw Cut	🗆 N	one (Open H	Hole)				
	SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft.												
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage												
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well												
	ight Sewer L		eepage Pit				Fertilizer Sto	orage	🗌 Oil Wel	ll/Gas Well		
	☐ Other (Specify) Direction from well? ft.											
10 FROM	TO		ITHOLOG			ROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
									· · · · · ·			
					No	tes:						
					110							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my j	urisdiction	and was compl	eted on (n	no-day-year)	· · · · · · · · · · · · · · · · · · ·	\dots and t	this record	is tru	e to the best of my	y knowled	ge and belief.	
				This								
	under the business name of											
-		and Environment,	Bureau of V	Vater, Geology Section						7. Telephon		
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Seth Nelson
Doc ID	1258865

Litholgy

From	То	LithologicLog
0	7	surface topsoil brown clay
7	340	sand w/clay strips
340	360	brown sandy clay & clay
360	380	brown sandy clay & clay to fine sand
380	400	med fien sand w/clay mix
400	420	fine sand w/clay mix to brown sandy clay
420	440	rown sandy clay to fine sand w/clay mix
440	460	fine sand w/clay mix to brown sandy clay
460	480	brown sandy clay & clay w/sand strips & clay mix
480	500	med to coarse tight sand w/gravel strips
500	540	fine tight sand /sandstone
540	560	fine tight sand /sandstone w/loose sand strips
560	580	fine tight sand /sandstone w/little
580	600	fine tight sand /sandstone
600	620	fine tight sand /sandstone w/red clay mix to red clay & shale
620	632	red and brown clay & shale