	WELL R			WWC-5		ivision of V			***	
	l Record			e in Well Use		esources Ap		m 1: 3: 1	Well ID	1
		ATER WEL	L:	Fraction		ection Nur 35	nber	Township Numb		ge Number ☐ E ☑ W
	y: Stanton			SE 1/4 SE 1/4 SE 1/				ere well is located		
	OWNER: La Hay Hook			First:				ere well is located ersection): If at owner		
	PO Box 24	.,						ŕ		
Address:					From Intersection of 19 & G Rd NW corner,150' North West					
City:	Johnson		State: KS	ZIP: 67855						
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL:	560	ft 5 La	titude	. 37.47596	37	(decimal degrees)
WITH "		Depth(s) Gr	oundwater l	Encountered: 1)3	378 ft.	I. J. La	maituc	le: -101.653	955	
	N BOX:			3) ft., or 4)				WGS 84 □ NAI		AD 27
	·	WELL'S ST	TATIC WA	TER LEVEL:3.	78 ft.	So	Source for Latitude/Longitude: GPS (unit make/model:)			
		below l	and surface.	, measured on (mo-day	/-yr).12/14/2) <u>21</u>				
NW	NE			measured on (mo-day						o)
				vater was						
W	E	anci	Well u	s pumpingvater was	. gpm	gpm				
SW	SE	after		s pumping						
	<u> </u>	Estimated Y	'ield∙ 20	gnm				on:ft. 🗌 Ground Level 🔲 TOC		
	S	Bore Hole I	Diameter:	10 in. to 560	ft. and	So	Source: Land Survey GPS Topographic Map			
1 r	nile			in. to			ļ.] Other		
		BE USED A								
1. Domestic:				ter Supply: well ID				eld Water Supply: le		
House				g: how many wells?				e: well ID		
☐ Lawn				echarge: well ID				Uncased 0		
✓ Livesto2. ☐ Irrigati				g: well IDal Remediation: well I				nal: how many bores		
3. ☐ Feedlo			Air Sparge					d Loop ☐ Horizont Loop ☐ Surface Di		
4. Industr			Recovery		LAHaction			(specify):		
				itted to KDHE?	Vac ZN					
Water well	disinfected?	✓ Yes □	npie subin No	inted to KDHE!	i i es 🗾 N) II yes,	uate sa	mpie was submitte	u:	
				C Other	CAS	INC ION	ITS. F	Clued I Clampa	Voldar	☐ Throadad
Casing diam	eter 5	in to	560 fr	C ∐ Other Diameter	in to		NIO. ∟ Niamete	J Grued ▶ Clarifiped	ft Weided	I I I I I I I I I I I I I I I I I I I
Casing heigh	ht above land s	surface	18 in	Diameter		t. Wall t	hicknes	s or gauge No. SDR	17	
TYPE OF S	SCREEN OR	PERFORA	ΓΙΟΝ MA	ΓERIAL:						
☐ Steel	☐ Stair	iless Steel		∠ PVC			Other ((Specify)		
☐ Brass		anized Steel		☐ None	used (open h	ole)				
		ATION OPE								
	nuous Slot	Mill Slot						Other (Specify)		
	ered Shutter	☐ Key Puncl	ned ∐ W	1.400 ft. to 420	aw Cut	None (Ope	n Hole) 60 ° E	0	0
GCKEEN-I	DAVEL DA	ED INTERV	ALS: From	0 ft. to 5	It., From	1 . 60	tt. to .Y.	560 o F	It. to	ft.
O CPOUT	CAVEL FAC	I. D. Naut	ALS. From	1 п. to	π., From	1	π. το	п., From	II. to	п.
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								•••••		
Nearest sou	rce of possibl	e contaminati	on: No	potential source of co	. II. 10 ntamination	10., FF	om	11. 10	IL.	
☐ Septic			Lateral Line			Livestock		□ Insectio	cide Storage	
☐ Sewer	Lines		Cess Pool	☐ Sewage L		Fuel Stor			oned Water V	Well
	ight Sewer Lir		Seepage Pit	☐ Feedyard		 Fertilizer		e ☐ Oil We	ell/Gas Well	
✓ Other (Specify) .1. South.1.0'., 1. North.30'. Direction from well?										
10 FROM	om well?									O INTERPOLICE
IO PROM	10	1	<u>ITHOLOG</u>	SIC LOG	FROM	TO	LI	ΓΗΟ. LOG (cont.) or	PLUGGING	JINTERVALS
						-				
							-			
					Notes:					
	11000						1			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo-day-year) .12/14/2021 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-year) .12/29/2021										
under the business name of Nash Water Well Service, LLC Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									

Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1603458

Lithology

Littiology		
From	То	LithologicLog
0	15	TOP SOIL FINE SAND BROWN CLAY
15	60	TAN CLAY FINE SAND
60	70	TAN WHITE CLAY CALICHE & FINE MEDIUM SAND
70	100	FINE MEDIUM SAND WITH TAN CLAY
100	140	FINE COARSE SAND
140	160	FINE MEDIUM SAND
160	200	FINE COARSE SAND WITH SMALL MEDIUM GRAVEL STREAKS & CEMENTED SAND STREAKS
200	220	FINE COARSE SAND
220	260	FINE COARSE SAND WITH TAN BROWN
260	280	TAN CLAY WITH FINE SAND STREAKS
280	360	FINE COARSE SAND WITH TAN CLAY STREAKS
360	400	TIGHT FINE SAND WITH TAN CLAY STICKY
400	435	TIGHT CEMENTED SAND WITH SOAP STONE & TAN CLAY
435	440	RED TAN CLAY SANDSTONE FINE SAND STREAKS STARTED LOOSING FLUID440

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	
Doc ID	1603458

Lithology

A , , , ,

Littiology		
From	То	LithologicLog
440	475	TIGHT FINE SAND
475	483	TIGHT FINE COARSE SAND WITH STREAKS OF MEDIUM GRAVEL
483	505	TIGHT FINE SAND
505	520	FINE COARSE SAND WITH SMALL MEDIUM GRAVEL
520	540	TAN FINE SAND WITH RED TAN GRAY CLAY & SOAPSTONE
540	555	TIGHT FINE SAND WITH YELLOW TAN CLAY & SANDSTONE
555	567	FINE MEDIUM SAND WITH GRAY TAN CLAY
567	585	RED SHALE