			R WELL RECORD			·		
LOCATION OF WA		Fraction			tion Number			Range Number
County: King	nan	SW 1/4		se 1/4	31	T 29 🖀	<u>s</u>	R 6 X82W
Distance and direction 12 miles sou								
		Scheer	11011011					
WATER WELL OV	DD#4	Box 58						
RR#, St. Address, Bo		Board of Agriculture, Division of Water Resource						
City, State, ZIP Code		,Kans. 6712				Application !		
AN "X" IN SECTION								
	1 ! !!							Aug .81995
NW	NE							mping gpn
1								mping gpr
* w			• •	_				to
ξ	!		O BE USED AS:			8 Air conditioning		
sw	SE	xx Domestic	3 Feedlot					Other (Specify below)
	L i	2 Irrigation	4 Industrial					
267 I			pacteriological samp	ole submitted to D	-			mo/day/yr sample was su
, 		mitted				ater Well Disinfected		XX No
TYPE OF BLANK			5 Wrought iron					J.XClamped
1 Steel	3 RMP (SF	R)	6 Asbestos-Ceme		(specify belo			ed
XX 2 PVC	4 ABS		7 Fiberglass					aded
								in. to ft
			.in., weight	1.60	Ibs.	ft. Wall thickness or	gauge N	o sd.r . 26
TYPE OF SCREEN C	R PERFORATION	N MATERIAL:		XX 7 PV		10 Asbes	stos-ceme	ent
1 Steel	3 Stainless	s steel	5 Fiberglass	8 RN	IP (SR)	11 Other	(specify)	
2 Brass	4 Galvanizo	ed steel	6 Concrete tile 9 ABS			12 None	used (op	en hole)
CREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped			xx8 Saw cut		11 None (open hole)
1 Continuous sk	ot 3 Mi	ill slot	6 W	ire wrapped		9 Drilled holes		
2 Louvered shut	iter 4 Ke	ey punched		orch cut				
SCREEN-PERFORAT	ED INTERVALS:							o
								o
GRAVEL PA	ACK INTERVALS:	From.	ft. to	0	ft., Fro	m	ft. t	o
		From 56'	ft. to	o 43'	ft., Fro	m 31	ft. t	22. f
GROUT MATERIA	L: 1 Neat c	cement	2 Cement grout	XX 3 Bento	nite 4	Other		
Grout Intervals: Fro	m. ×49 5. 43.	ft. to 31.'	ft., From	22 ' ft.	to 2	ft., From		ft. to
What is the nearest s						stock pens		bandoned water well
1 Septic tank	1 Septic tank 4 Lateral lines				11 Fuel storage XX 5 Oil well/Gas well			il well/Gas well
2 Sewer lines	2 Sewer lines 5 Cess pool			lagoon	12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit			9 Feedyard	d	13 Insec	cticide storage .		
Direction from well?	W	est				ny feet?	1320'	
FROM TO		LITHOLOGIC I	LOG	FROM	TO	PLU	GGING II	NTERVALS
0' 3'	Top soi	1.						
3' 14'	clay.							
14' 20'	clay W/	sand strip	s.					
20' 30'	clay.							
30' 38'	Course	sand.						
38' 44'	clay.							
44' 50'	Course	sand.						
50' 54'		sand.						,
54' 56'	Red bed							
						AARLANDIA III II II		
CONTRACTOR'S	OR LANDOWNER	R'S CERTIFICATION	ON: This water we	Il was (1) constru	cted. (2) reco	onstructed or (3) plu	aged und	er my jurisdiction and wa
								owledge and belief. Kansa
Vater Well Contractor								
nder the business na			ng Co.			ture) 10_16	7/1/ 0	
THE PUBLICOS HE	THE	TTO ATTITE	-6 4 0.		by (signa	iture) Val	yea	A/