

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

| | | | | | | |
|--|--|---|--------------------------------------|---|--------------------------------------|--------------------------|
| 1. Location of well: | | County Kingman | Fraction 1/4 NW 1/4 NE 1/4 | Section number 36 | Township number T 29 S R 7 | Range number 7 |
| 2. Distance and direction from nearest town or city: 2 Miles North & 2-3/4 Mi. East of Rago, Kansas Street address of well location if in city: | | | | 3. Owner of well: Mr. Gary Krehbiel R.R. or street: Rago, Kansas 67128 City, state, zip code: | | |
| 4. Locate with "X" in section below: N W E S 1 Mile 1 Mile | | Sketch map: Well No. 1 (TH 11-77) | | 6. Bore hole dia. 30 in. Completion date May 2, 1977 Well depth 50 ft. | | |
| 5. Type and color of material | | From | To | 7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary | | |
| Top soil | | 0 | 2 | 8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other | | |
| Brown clay | | 2 | 28 | 9. Casing: Material Steel Height: Above xxx Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 31.75 lbs./ft. Dia. 16 in. to 30 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. 0.188 | | |
| Med. to coarse sand & fine gravel | | 28 | 50 | 10. Screen: Manufacturer's name Doerr Type Steel Dia. 16" Slot/gauze 1/8" Length 20' Set between 30 ft. and 50 ft. ft. and 1/8-1/4 ft. | | |
| Brown clay | | 50 | 52 | Gravel pack? yes Size range of material 1/8-1/4 | | |
| | | | | 11. Static water level: 7.50 ft. below land surface Date 5/2/77 mo./day/yr. | | |
| | | | | 12. Pumping level below land surfaces: 38.2 ft. after 4 hrs. pumping 275 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 300 g.p.m. | | |
| | | | | 13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/> mo./day/yr. | | |
| | | | | 14. Well head completion: <input type="checkbox"/> Pitless adapter 12 Inches above grade | | |
| | | | | 15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft. | | |
| | | | | 16. Nearest source of possible contamination: ft. 1000 Direction North Type Farm Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | |
| | | | | 17. Pump: Manufacturer's name Layne & Bowler Not installed Model number 10KL HP 25 Volts <input type="checkbox"/> Length of drop pipe 40 ft. capacity 300 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other | | |
| 18. Elevation: | | 19. Remarks: | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name Wichita, Kansas License No. 5/25/77 Address Larry G. Hall Signed 5/25/77 Date 5/25/77 Authorized representative | | |