KOLAR Document ID: 1466384

	WELL R			WWC-5		Division of						
		Correction		ge in Well Use		esources A	11		Well ID			
1 LOCATION OF WATER WELL:FractionCounty:1/41/41/4						Section Ni	tion Number Township Number Range Number T S R $\Box E \Box W$					
						T S R E W Rural Address where well is located (if unknown, distance and						
2 WELL Business:	ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:							
Address:												
Address:												
City:			State:	ZIP:								
3 LOCAT		4 DEPTH	I OF CON	IPLETED WELL:		ft. 5 Latitude: (decimal degrees)						
WITH "X" IN SECTION BOX:												
	SECTION BOX: N 2) ft. 3) ft., or 4) \Box					y Well Datum: WGS 84 NAD 83 NAD 27						
		TER LEVEL:		5	Source for Latitude/Longitude:							
	' 1	 below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) 										
NW	NE	Pump test data: Well water was ft.				······· (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				10)		
w	-	after hours pumping			Online Mapper:							
	Well			vater was								
SW	SE			s pumping								
			Yield:gpm				6 Elevation:ft. Ground Level TOC					
			ole Diameter: in. to ft.			2	Source: Land Survey GPS Topographic M Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
	□ Household											
🗌 Lawn d	□ Lawn & Garden 7. □ Aquifer Recharge: w						\Box Cased \Box Uncased \Box Geotechnical					
	Livestock 8. Monitoring: well ID											
2. 🗌 Irrigati				al Remediation: well I								
3. Eredlot Soil Vapor E						10	b) Open Loop \Box Surface Discharge \Box Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
	rce of possible		ion• No	potential source of cor	It. to	It., I within 200	From) ft	It. to	It.			
			Lateral Line			Livesto		□ Insecti	cide Storage			
			Cess Pool	Sewage La		Fuel St			oned Water			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Direction from well? ft.												
										CINTEDUALC		
10 FROM	TO	1	LITHOLOG	GIULUG	FROM	ТО		THO. LOG (cont.) of	PLUGGIN	GINTERVALS		
					Notes:							
				S CERTIFICATION								
under my ji	urisdiction ar	d was comp	leted on (n	no-day-year) 	a ator Wall I	nd this rec	cord is tr	ue to the best of m	y knowled	ge and belief.		
				I his w								
		Send one copy to	o WATER W	ELL OWNER and retain	one for your	records. Fee	e of \$5.00	for each constructed we	 ell.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us at h	ttp://www.kdhe	ks.gov/waterwel	ll/index.html						KS	SA 82a-1212		