

1 LOCATION OF WATER WELL: County: Kingman		Fraction NW ¼ NW NE ¼ NE ¼	Section Number 17	Township Number T 29 S	Range Number R 8 E
Distance and direction from nearest town or city street address of well if located within city? <u>4 miles south, ½ west 3 miles south, 5 miles west, 1 mile south, ½ west Of Kingman, Kans.</u>					
2 WATER WELL OWNER: Benny L. Bock RR#, St. Address, Box # : RT#3 City, State, ZIP Code : Kingman, Kans. 67068 Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 62' ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 16' ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 14' ft. below land surface measured on mo/day/yr Sept. 18 - 1995			
		Pump test data: Well water was NA ft. after hours pumping gpm			
		Est. Yield 20 gpm: Well water was NA ft. after hours pumping gpm			
		Bore Hole Diameter . 7. 7/8 in. to 62' ft., and in. to ft.			
		WELL WATER TO BE USED AS: <input checked="" type="checkbox"/> Public water supply <input type="checkbox"/> Air conditioning <input type="checkbox"/> Injection well <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Lawn and garden only <input type="checkbox"/> Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....X..... If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:					
1 Steel <input checked="" type="checkbox"/> PVC		3 RMP (SR) 4 ABS		5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	
Blank casing diameter . 5" in. to 53' ft., Dia . in. to ft., Dia . in. to ft.		Casing height above land surface . 14" in., weight . 160 lbs./ft. Wall thickness or gauge No. SDR26		CASING JOINTS: Glued X Clamped Welded Threaded	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 2 Brass		3 Stainless steel 4 Galvanized steel		5 Fiberglass 6 Concrete tile	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut		XX 8 Saw cut 9 Drilled holes 10 Other (specify)	
1 Continuous slot 2 Louvered shutter		3 Mill slot 4 Key punched		11 None (open hole)	
SCREEN-PERFORATED INTERVALS: From 53' ft. to 62' ft., From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 62' ft. to 53' ft., From 46' ft. to 23' ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout XX Bentonite 4 Other					
Grout Intervals: From 46' ft. to 53' ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination: XX 10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage	
Direction from well? East		How many feet? 175'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	4'	Top soil.			
4'	8'	Brown Clay.			
8'	13'	Fine Sand.			
13'	41'	Clay.			
41'	46'	Medium Fine Sand.			
46'	53'	Clay.			
53'	62'	Course Sandw/Clay strip.			
61'	62'	Red Bed.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Sept. 14 - 95 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 112 This Water Well Record was completed on (mo/day/yr) Sept. 21 - 95					
under the business name of Wells Drilling Co. by (signature) [Signature]					