

1 LOCATION OF WATER WELL: County: <u>Kingman</u>		Fraction <u>NE</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	Section Number <u>23</u>	Township Number T <u>29</u> S	Range Number R <u>28</u> <u>EW</u>
---	--	---	-----------------------------	----------------------------------	---------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

8 $\frac{1}{2}$ E $\frac{1}{2}$ N Willowdale

2	WATER WELL OWNER:	Bill Moditor	
	RR#, St. Address, Box # :	Zenda, Ks. 67159	Board of Agriculture, Division of Water Resources
	City, State, ZIP Code :		Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL. 70 ft. ELEVATION: 42 ft.

Depth(s) Groundwater Encountered 1. _____ ft. 2. _____ ft. 3. _____ ft.

WELL'S STATIC WATER LEVEL 26 ft. below land surface measured on mo/day/yr 2-10-90

Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm

Est. Yield 10 gpm: Well water was _____ ft. after _____ hours pumping _____ gpm

Bore Hole Diameter 9 in. to 70 ft., and _____ in. to _____ ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well
		9 Dewatering
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes _____ No _____; If yes, mo/day/yr sample was submitted _____

Water Well Disinfected? Yes _____ No _____

5 TYPE OF BLANK CASING USED:		3 Wrought iron	8 Concrete tile	CASING JOINTS: <u>Glued</u>	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded	
<u>2 PVC</u>	4 ABS	7 Fiberglass		Threaded	

Blank casing diameter 5 in. to 59 ft., Dia. in. to . ft., Dia. in. to . ft.

Casing height above land surface 18 in., weight . lbs./ft. Wall thickness or gauge No. 215

TYPE OF SCREEN OR PERFORATION MATERIAL:		7 <u>PVC</u>	10 Asbestos-cement
1 Steel	3 Stainless steel	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 59½ ft. to 67 ft., From . ft. to . ft.

GRAVEL PACK INTERVALS: From 23 ft. to 70 ft., From . ft. to . ft.

6 GROUT MATERIAL:		1 <u>Neat cement</u>	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:		From <u>3</u> ft. to <u>23</u> ft.	From	ft. to	ft. to
What is the nearest source of possible contamination:				10 <u>Livestock pens</u>	14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage		
Direction from well? <u>W</u>			How many feet? <u>50</u>		

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-16-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 140 This Water Well Record was completed on (mo/day/yr) 2-16-90 under the business name of Lyman Inc. by (signature) [Signature]