		TER WELL REC	ORD Form	n WWC-5	KSA 82a-		ID No.				
1 LOCATION OF WATER WELL: Fraction SE			NW 1/4		tion Nur 7	mber	Township No	umber S	Range Number		
Distance and direction from 1/2S, 5W of C		n or city street a					L		<u> </u>	<u>N</u>	L/VV
2 WATER WELL OWN			<u> </u>	Sterl	ing Dri	lling	Com	pany	Clouse	#1	
RR#, St. Address, Box # : 820 N. Sugar City, State, ZIP Code : Kingman, KS 6706			P. O. Box 1006 Board 8 Pratt, Ks. 67124 Applic					Application	of Agriculture, Division of Water Resources ation Number: 20040123		
3 LOCATE WELL'S LOC AN "X" IN SECTION B N NW		Depth(s) Groun WELL'S STATION Pur	dwater Encou C WATER LEV np test data: ) gpm: TO BE USED	ntered 1 /EL 26 Well water Well water AS: 5 F t 6 C	ft. beld was was Public water so Dil field water	ow land	ft. f surface ft. af ft. af	ION:UNKNOWI  measured on moter  ter  Air conditioning  Dewatering  Monitoring well	ft. 3 b/day/yr C hours pu hours pu 11 In 12 O	6/07/04 umping jection well ther (Specify be	ft. gpm gpm elow)
sw	X SE	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was submitted Water Well Disinfected? Yes No									
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 2 PVC 4 ABS			6 Asbestos-	5 Wrought iron 8 Concrete ti 6 Asbestos-Cement 9 Other (spec 7 Fiberglass					Weld	d Clamp ed aded	
Blank casing diameter	5	in. to	.45	ft., Dia		in. to		ft., Dia	a	in. to	ft.
Casing height above land	in., weight228			lbs./ft. Wall thickness or gua				e No <b>Sch</b>	40		
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel			5 Fiberglass 8 RM						bestos-Cement her (Specify)		
2 Brass	6 Concrete tile 9 ABS				12 None used (open hole)						
SCREEN OR PERFORA		5 Guazed wrapped 6 Wire wrapped			_	8 Saw cut 9 Drilled holes		11 None (oper	n hole)		
1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut								10 Other (specify	y)		ft.
SCREEN-PERFORATED	D INTERVALS:	From	.45	ft. to	65	ft.,	From .		ft. to		ft.
GRAVEL PAC	K INTERVALS:										
G. 1. (V 22 / 7. O.											
6 GROUT MATERIAL	: 1 Neat	cement	2 Cement	grout	3 Ben	tonite		Other			
Grout Intervals: From			ft., Fro	om	ft. t	ю		ft., From		ft. to	ft.
What is the nearest sour						ock pens		bandoned wate			
1 Septic tank 4 Lateral lines			7 Pit privy						15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			8 Sewage lagoon			<ul><li>12 Fertilizer storage</li><li>13 Insecticide storage</li></ul>			16 Other (specify below)		
	•	9 Feedyard			How many feet? 100						
FROM TO	South	LITHOLOGIC	LOG		FROM	TO	1110119		JGGING IN	TERVALS	
0 1	top soi]										
1 2	fine sar										
2 7	clay										
7 15	sand and	l gravel									
15 48	clay										
48 60	sand and	l gravel									
60 65	shale										
7		510 0	TION -								
CONTRACTOR'S OF completed on (mo/day/ye Water Well Contractor's I	ar)06	5/07/04				and	this rec	ord is true to the b	est of my kn	owledge and be	lief. Kansas
under the business name		y's Water				001		ignature) Ka			

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.