			WAT	ER WELL RE	CORD	Form W	NC-5 K	SA 82a	-1212			
LOCATION OF WATER WELL: County: Kingman			Fraction NW 1	, NE	1/4	NW 1/4	Section N	umber	Township	Number S	Range Number	
Distance Eas	and direction	from nearest town			II if loca		ity?					
WATE	R WELL OW		S. J. R									
RR#, St.	Address, Bo	x# Spive	ey, Ks.	67142					Board o	of Agriculture, I	Division of Water Resources	
City, State	, ZIP Code	:								tion Number:		
LOCAT		NROY H	•						TION:			
ī. [x!		VELL'S STATI	C WATER LE	VEL	3 6	ft. below la	and sur	face measured	on mo/day/yr	7-24-91 ft.	
	NW	NE	Pun	np test data:	Well wa	ter was .		. ft. a	fter	hours pu	mping gpm	
1 1	ı		st. Yield	gpm:	Well wa	iter was .	<i>.</i>	. ft. a	fter	hours pu	mping gpm	
· w	<u> </u>										. to	
_									Injection well			
! .	SW	SE	1 Domestic								Other (Specify below)	
	1		2 Irrigation				-	-			• • • • • • • • • • • • • • • • • • • •	
Was a chemical/bacteriological sample submitted to Department? Yes; If yes, mo/day/yr sample was s										, mo/day/yr sample was sub-		
_			nitted						ter Well Disinfe		No	
_		CASING USED:		5 Wrought	iron						Clamped	
1 St		3 RMP (SR)		6 Asbestos	-Cemen	t 9 O	ther (specif	y belov	v)	Weld	ed	
	/C	4 ABS	-/	7 Fiberglas							aded	
									•		in. to ft.	
_	-	and surface		in., weight .				lbs./	ft. Wall thickne	ss or gauge N	o .210	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:				PVC		10 /	Asbestos-ceme	ent	
1 St	eel	3 Stainless s	steel	5 Fiberglas	ss	8	RMP (SR)	11 (Other (specify)		
2 Br	ass	4 Galvanized	d steel	6 Concrete	tile	. 9	ABS		12 !	None used (op	en hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes												
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
SCREEN-	PERFORATI	ED INTERVALS:	From . 56 .	. <i>.</i>	. ft. to	<u>62</u>		ft., Fro	m <i></i>	ft. t	o	
			From		. ft. to	ي ږ		ft., Fro	m	ft. t	o	
	GRAVEL PA	CK INTERVALS:	From 23		. ft. to	62		ft., Froi	m	ft. t	o	
•			From		ft. to			ft., Fro	m	ft. t	o ft.	
GROUT	T MATERIAL	.: 1 Neat ce	ment 03	2 Cement gr	rout	3 E	Bentonite	4	Other			
Grout Inte	rvals: Fro	m3 f t	to	ft., Fro	om		ft. to		ft., From		ft. to	
What is th	e nearest so	ource of possible co	ontamination:	ontamination:				10 Livestock pens			bandoned water well	
1 Septic tank 4 Lateral I			lines 7 Pit privy				11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess po						goon	n 12 Fertilizer storage			16 Other (specify below)		
3 W	atertight sew	er lines 6 Seepag	ge pit					13 Insecticide storage 100				
Direction 1	from well?	E			•		н	ow ma	ny feet?	99		
FROM	TO		LITHOLOGIC	LOG		FRO				PLUGGING II	NTERVALS	
0	3	501.										
3	16	clay										
16	23		sand									
23 25 33 47	25	clay										
25	33		sand									
33	47	clay	J									
47	55		i stone		3							
55	62	clea	an medi	m sand								
								- +				
								-+				
	L	OD ! ANDOW:	0.0000000000000000000000000000000000000	ION. TH	4	(4)		L			1	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)												
completed on (mo/day/year)												
			Tarme	an $^{\perp}$ nc $_{ullet}$	water	well Recor			17	, 	5 7 ∔	
	business na							(signa		an py	yun-	
INSTRU	JCTIONS: Use ty th and Environm	pewriter or ball point penent, Bureau of Water, To	n. <i>PLEASE PRESS</i> opeka, Kansas 666	FIRMLY and PRIN 20-0001. Telephor	IT clearly. Inc. 913-296	Please fill in bla 5-5545. Send o	anks, underline one to WATER	or circle	the correct answer	s. Send top three	copies to Kansas Department	

%