

1 LOCATION OF WATER WELL: County: <b>Kingman</b>	Fraction <b>NW</b> $\frac{1}{4}$ <b>NW</b> $\frac{1}{4}$ <b>NW</b> $\frac{1}{4}$	Section Number <b>24</b>	Township Number <b>T 1 29 S</b>	Range Number <b>R 9 E</b>
---	---	-----------------------------	------------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

**5 N 1 E Zenda**

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	<b>Leonard Osner</b> <b>Cappingman, Ks. 67035</b>	Board of Agriculture, Division of Water Resources Application Number:
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <b>90</b> ft. ELEVATION: <b>50</b> ft.
--	---

<p>1 Mile</p>	Depth(s) Groundwater Encountered 1. <b>47</b> ft. 2. <b>50</b> ft. 3. <b>12-4-90</b>
	WELL'S STATIC WATER LEVEL <b>47</b> ft. below land surface measured on mo/day/yr
	Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield <b>5</b> gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter <b>9</b> in. to <b>90</b> ft., and _____ in. to _____ ft.
	WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: <u>Glued</u> Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS 7 Fiberglass Threaded	

Blank casing diameter _____ in. to _____ ft., Dia _____ in. to _____ ft.	
Casing height above land surface <b>17</b> in., weight _____ lbs./ft. Wall thickness or gauge No. <b>.210</b>	

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From <b>80</b> ft. to <b>90</b> ft.	
GRAVEL PACK INTERVALS: From <b>20</b> ft. to <b>90</b> ft.	

6 GROUT MATERIAL:	1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From <b>3</b> ft. to <b>20</b> ft.	

What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	

Direction from well? **NW** How many feet? **150**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	soil			
2	20	clay			
20	22	sand			
22	24	dirty sand			
24	40	sand			
40	47	clay			
47	49	fine sand			
49	85	clay			
85	88	sand			
88	90	shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>12-4-90</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. _____ This Water Well Record was completed on (mo/day/yr) <b>12-28-90</b> under the business name of <b>Lyman Inc.</b> by (signature) <i>Alan Lyman</i>
--