WA	ATER WELL RECO	RD Form WWC	-5 KSA 82a	-1212 ID No	D				
1 LOCATION OF WATER WELL:	Fraction		Se	ction Number	Township Nu	mber	Rar	nge Num	nber
County: Kingman	SW 1/4		E 1/4	26	т 29	S	R	9_	<b>X</b> /W
Distance and direction from nearest to	•	dress of well if locat	ted within city?						
3 North, ½ East 2 WATER WELL OWNER: James		Edmi at a	o Oil Co						
10600	SW 90th Ave		n Oil Co. Market-Sui	to 130	Decord of Ac-		indalam a <b>f</b> l	Matax D	
,	Ks. 67159		, Ks. 6720		Board of Ag Application		20050		esources
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF CO	MPLETED WELL	35	ft. ELEVAT			20050	<u> </u>	
AN "X" IN SECTION BOX:	Depth(s) Ground	water Encountered	, 1	ft.	2	ft. 3			ft.
N I	WELL'S STATIC	WATER LEVEL	ft. bel	ow land surface	e measured on mo	/day/yr	12-6-0	5	
1 1 1		test data: Well w $A$ gpm: Well w							
NW NE	WELL WATER TO		5 Public water		8 Air conditioning	11 ln	jection we	11	
	1 Domestic	3 Feedlot	6 Oil field water		9 Dewatering		ther (Spec		
W	2 Irrigation	4 Industrial	7 Domestic (la	wn & garden)	10 Monitoring well	•••••	•••••••		
sw X-sE					, , Y				
5W  5E	Was a chemical/b   mitted	pacteriological samp	ole submitted to	Department? Y	es No ater Well Disinfecte	.; If yes, m d? Yes	io/day/yrs HTH	sampie No	was sub-
	· · · · · · · · · · · · · · · · · · ·			•••	ator vrom Brownooto	u. 100			
5 TYPE OF BLANK CASING USED:	L	5 Wrought iron	8 Concr	oto tilo	CASING IO	NTS: Glue	1 (	lamner	1
1 Steel 3 RMP (SR) i 6 Asbestos-Cement				(specify below)	CASING JOINTS: Glued Welded				
2 PVC 4 ABS 7 Fiberglass					Threaded				
Blank casing diameter		ft., Dia							
Casing height above land surface		in., weight						•••••	
TYPE OF SCREEN OB REFFORATION MATERIAL:  1 Steel 3 Stall less Steel 5 Fiberglass				/C MP (SR)		estos-Cem er (Specify)			
1 Steel 3 Stantiles 2 Brass 4 Galvania		6 Concrete tile	/ 9 AE			e used (op			
SCREEN OR PERFORATION OF ENII	NGS ARE:	) <sub>5 G</sub>	uazed wrapped		8 Saw cut		11 None	(open h	nole)
	Mill slot	$\bigvee \bigvee G$ W	/ire wrapped		9 Drilled holes			` .	•
2 Louvered shutter 4 K	Key punched	7 7 7	orch cut		10 Other (specify	)			ft.
SCREEN-PERFORATED INTERVALS		ft. to							
GRAVEL PACK INTERVALS		ft. to							
S. D. V. Z. L. M. O. M. L. L. M. L. C.		ft. to							
6 GROUT MATERIAL: 1 Nea	at cement	0.00	0 Day	da alla	Other hole	nluc			
	ft. toQ	2 Cement grout							
What is the nearest source of possible		11., 1 10111		10 Livest			bandoned		
·		7 Pit pr			storage 15 (				
2 Sewer lines 5 Cess pool			8 Sewage lagoon		zer storage	16 Other (specify below)			w)
3 Watertight sewer lines 6 Seepage pit 9 Feedyar			-	13 Insecticide storage None					
Direction from well?				How man	y feet?				
FROM TO	LITHOLOGIC L	·	FROM	то	PLU	GGING IN	TERVALS		
	avel, & clay	y mixed			<u>Filled wi</u>	th hold	<u>e plug</u>		
5 20 Sandy c1	ay				35 to	0			
20 27 Clay 27 35 Red bed	***************************************								
27 35 Red bed									
		7							
									<u> </u>
									1.1
7									
CONTRACTOR'S OR LANDOWNE	:R'S CERTIFICATION -05								
completed on (mo/day/year)12-6: Water Well Contractor's Licence No	134	This Wa	ator Wall Basses	and this red	cord is true to the be	est of my kr 12-0-7	iowiedge a 75	na belie	T. Kansas
	encrantz- Be		ater vveli mecoro		signature)				
INSTRUCTIONS: Use typewriter or ball point pe			lease fill in blanks un	derline or circle the	correct answers. Send to	o three copies	to Kansas De	partment	of Health
and Environment, Bureau of Water, Geology Se records. Fee of \$5.00 for each constructed well	ection, 1000 SW Jackson								