• -	ATER WELL RECORD Form WWC-5			Division of Water			
Original Record		ge in Well Use Fraction		urces App. N		Well ID	
1 LOCATION OF V	Section Number Township Number Range Number						
County: Kingman 1/4 NE1/4 SE1/4 SE1/4 16 T 29 S R 9 DE XW							
2 WELL OWNER:	Last Name: 5ChwArl	ZFirst: WayNe	Street or Rui			(if unknown, distance and	
Business: Address: 8311 5W 180 B Ave			direction from nearest town or intersection): If at owner's address, check here: IN w: Nowdale 90 4 m: 12 North of Sw 90				
Address:							
City: Spivey	State: K	S ZIP: 67142	on sw	100 Ave	and wes	T To The well	
3 LOCATE WELL	1	MPLETED WELL:				(decimal degrees)	
WITH "X" IN		Depth(s) Groundwater Encountered: 1) ft.					
SECTION BOX:	2) ft. 3) ft., or 4) \(\square \text{Dry Well} \)			Longitude:			
N	WELL'S STATIC WATER LEVEL: ft.				e for Latitude/Longitude		
	below land surface, measured on (mo-day-yr)			GPS (unit make/model:)			
NW NE	NE above land surface, measured on (mo-day-y						
	Pump test data: Well water was			☐ Land Survey ☐ Topographic Map			
W E	after hours pumping gpm Well water was ft.			☐ Online Mapper:			
SW SE -		after hours pumping gpm					
	Estimated Vield: 50 anm					t. Ground Level TOC	
S	Bore Hole Diameter: 10.5 in. to			Source: Land Survey GPS Topographic Map			
1 mile in. to ft.							
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID				ease	
Household	6. Dewateri						
Lawn & Garden							
2. Irrigation	9. Environmental Remediation: well ID			a) Closed Loop Horizontal Vertical			
3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water		
4. Industrial	☐ Recovery	☐ Injection					
Was a chemical/bacteriological sample submitted to KDHE? Yes You If yes, date sample was submitted:							
Western and Alain Caste 49. 75 Var. DNo.							
8 TYPE OF CASING USED: ☐ Steel ★ PVC ☐ Other							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter fine to fi							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well							
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Distance from well? 24							
Direction from well?							
10 FROM TO	LITHOLO	OGIC LOG	FROM	TO		r PLUGGING INTERVALS	
0 3	Tan Top						
3 32		- Smed					
	Coperse S.						
32 38 38 50	Tom Clay						
	Notes:						
AL CONTRACTORIS OR A AVROVINTRIS OFFICE OF THE STATE OF T							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 6.7.2 This Water Well Record was completed on (mo-day-year)							
under the business name of Craw 2.5. Water well SIR							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit for 1885.00 for each constructed well along with one (white) copy to Kansas							
	one copy to WATER WELL OW	NER and retain one copy for ye	our records. Submi	f 5.00 for			
Department of I	one copy to WATER WELL OW Health and Environment, Bureau of theks.gov/waterwell/index.html	NER and retain one copy for ye	our records. Submi	f 633.00 for Suite 420, Topek			