WATER WELL RECORD		Form V	VWC-5	Division of Water Resources App. No.	
1 LOCATION OF WA	20	Fraction WW1/4 WW1/4 S	E1/4 NW/	Section Number Township No. Range Number	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees)	
				Longitude: (in decimal degrees)	
10 Nofagra 2 west				Elevation:	
2 WATER WELL OWNER: 72 55 ROSE				— <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
2 WATER WELL OWNER: JEFF Rose RR#, Street Address, Box #: 1197 E 1100 Rd City State ZIP Code 1197 E 1100 Rd				Collection Method:	
City, State, ZIP Code : 11 97 E 1700 Kd				GPS unit (Make/Model:)	
City, State, Zir Code	40n	a Ks 62	7621	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL	1 0		_		
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEI	LL フム	ft.	
SECTION BOX:	Depth(s) Groundwater Encountered (1)				
N	WELL'S STATIC WATER LEVEL				
	Pump test data: Well water wasft. after hours pumpinggpm				
EST. YIELDgpm. Well water wasft. after hours pumping					
W E Bore Hole Diameter \(\mathcal{Q} \) in. to ft., and in. to ft.					
		TO BE USED AS:	Public wa	ater supply Geothermal Injection well	
SW SE Domestic					
Irrigation Industrial Domestic-lawn & garden Monitoring well Past Turner					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? Yes No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter ft., Diameter ft., Diameter ft., Diameter ft., Diameter ft.					
Casing height above la	and surface	d in., Weigh	nt	lbs./ft., Wall thickness or gauge No	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Sta	inless Steel	□ PVC		Other (Specify)	
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.					
From ft. to ft. From ft to ft					
From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
What is the nearest source of possible contamination:					
Septic tank					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well					
Direction from well				storage Oil well/gas well	
FROM TO	LITHOLOG		FROM	trom well	
	A 1	IC LOG	TROM	TO LITTIO. LOG (cont.) or FLOGOTING INTERVALS	
	nd stone				
_					
	andy cla				
	re'sand	1			
	igle				
	iqie				
7 CONTDACTOD'S OF	D I ANDOWNED	'S CEDTIEICATIO	N. This wat	ter well was constructed, reconstructed, or plugged	
under my jurisdiction and	N LANDUWINEN I was completed or	(mo/day/year) 7	in This wat	and this record is true to the heat of my knowledge and balief	
under my jurisdiction and was completed on (mo/day/year)					
under the business name of Gottschalk. Mell Drillings (signature) Lensy Bettschalk					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Sen	Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdhekstgov/waterwell/index.html.					
KSA 82a-1212					