

County: Phillips Fraction: NE SW NE Sec. 25 T. 2 S R. 19 W

CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)

Owner: James Weinman Pasture/Livestock

If location corrected, was listed as:

Location changed to:

Section-Township-Range: _____

Fraction (1/4 calls): _____

Other changes: Initial statements: Well owner Tom Weinman. Address 192 11th Phillipsburg, KS

Changed to: Well owner James Weinman. Address 3024 Toluca Ave, Alliance, Neb., 69301

Comments: Well ownership and address change.

Verification method: Confirmed by new owners request and verified via email from Pam Chaffee

Initials: RS Date: 04-03-2023

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724
 Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4 1/4) Section-Township-Range changed:

listed as NE SW NE

changed to NE SW NE, 25-25-19W

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Written description, legal qtrs, county ownership map, and Phillipsburg North & Stuttgart 1:24,000 topographic maps initials: PRJ date: 9/6/2000

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

GRAVEL PACK INTERVALS:	From <u>65</u> ft. to <u>20</u> ft.	From _____ ft. to _____ ft.	From _____ ft. to _____ ft.
6] GROUT MATERIAL:	1 Neat cement	2 Cement grout	<input checked="" type="radio"/> 3 Bentonite
Grout Intervals:	From <u>20</u> ft. to <u>0</u> ft.	From _____ ft. to _____ ft.	From _____ ft. to _____ ft.
What is the nearest source of possible contamination:		10 Livestock pens	<input checked="" type="radio"/> 14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage
Direction from well?	<u>W</u>	How many feet?	<u>1/4 mile</u>
FROM	TO	LITHOLOGIC LOG	PLUGGING INTERVALS
<u>0</u>	<u>7</u>	<u>loess</u>	
<u>7</u>	<u>15</u>	<u>clay drk.</u>	
<u>15</u>	<u>30</u>	<u>ms. solid</u>	
<u>30</u>	<u>45</u>	<u>granular limestone</u>	
<u>45</u>	<u>65</u>	<u>brn. clay w/ v.f. sd.</u>	

7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-20-2000 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 608 This Water Well Record was completed on (mo/day/year) 4-24-2000 under the business name of Yellow Jacket Drilling by (signature) E. F. Wadch

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

LOCATION OF WATER WELL: County: Phillips Fraction: NE 1/4 SW 1/4 NE 1/4 Section Number: Township Number: Range Number: E/W

Distance and direction from nearest town or city street address of well if located within city?
5 N., 4 W., 1 N., 1/2 W., 1/2 SW. of R.R. tracks N. end Phillipsburg, KS

WATER WELL OWNER: Tom Weikman Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: 192 11th Application Number:
 City, State, ZIP Code: Phillipsburg, KS

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
	NW	X	NE
W			
	SW		SE
	S		E

DEPTH OF COMPLETED WELL: 65 ft. ELEVATION: _____
 Depth(s) Groundwater Encountered 1. 33 ft. 2. _____ ft. 3. _____ ft.
 WELL'S STATIC WATER LEVEL 33 ft. below land surface measured on mo/day/yr 4-20-2000
 Pump test data: Well water was 41 ft. after 1 hours pumping 8 gpm
 Est. Yield 9 gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
 Bore Hole Diameter: 10 in. to T.D. ft., and _____ in. to _____ ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Pasture - livestock
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No If yes, mo/day/yr sample was submitted _____
 Water Well Disinfected? Yes No _____

TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped _____
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded _____
 2 PVC 4 ABS 7 Fiberglass _____ Threaded _____
 Blank casing diameter 5 in. to 45 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
 Casing height above land surface 20 in., weight _____ lbs./ft. Wall thickness or gauge No. SDR 26
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____
 SCREEN-PERFORATED INTERVALS: From 45 ft. to 65 ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 GRAVEL PACK INTERVALS: From 65 ft. to 20 ft., From _____ ft. to _____ ft.
 From _____ ft. to _____ ft., From _____ ft. to _____ ft.

GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____
 Grout Intervals: From 20 ft. to 0 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
 Direction from well? W How many feet? 1/4 mile

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	7	loess			
7	15	clay drk.			
15	30	1ms. solid			
30	45	granular limestone			
45	65	brn. clay w/ v.f. sd.			

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-20-2000 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 608 This Water Well Record was completed on (mo/day/yr) 4-24-2000 under the business name of Yellow Jacket Drilling by (signature) E. F. ...